


TM



**NB LIGHTING**  
Outdoor Lighting Solutions





Injection machine / Μηχανή injection



Injection machine producing globe pre-form  
Μηχανή injection παράγει pre-form μπάλας



Globe pre-form furnace / Φούρνος για pre-form μπάλας



Acrylic globe production line  
Παραγωγή ακρυλικής μπάλας

## About us....

**NB LIGHTING – NIKOLOPOULOS BROS** was founded in 1958. Since then, the company has been producing and merchandising outdoor lighting fittings and is one of the oldest producers of lighting products in Greece. We count several loyal wholesale clients: electrical equipment stores and lighting stores, within Greece, Western Europe and Middle East, constantly gaining their preference and satisfaction. With consistency and responsibility towards our customers and consumers we give solutions to the lighting needs of private and professional sites by offering immediate services with quality and long-lasting products.

The last few years the company has succeeded in updating technology equipment and manufacturing processes, by purchasing new machinery and applying advanced production methods. The integrated production unit of our factory is able to produce customised products, in order to serve even the most specialized customer request. **NB LIGHTING** is constantly growing its product range with new models. We advance by studying and analyzing market needs and based on the know-how and experience we have acquired during our long time in the lighting business.




Λίγα λόγια για εμάς....

**Η NB LIGHTING – ΑΦΟΙ ΝΙΚΟΛΟΠΟΥΛΟΙ** ιδρύθηκε το 1958.

Ασχολείται με την παραγωγή και εμπορία φωτιστικών σωμάτων για εξωτερικούς χώρους και αποτελεί μία από τις πρώτες εταιρείες παραγωγής φωτιστικών στην Ελλάδα. Ευρέως γνωστή στο χώρο του φωτισμού-ηλεκτρολογικού υλικού, η εταιρεία προμηθεύει τα προϊόντα της σε καταστήματα ηλεκτρολογικού υλικού και φωτισμού σε όλη την Ελλάδα και σε χώρες του εξωτερικού Δυτική Ευρώπη, Μέση Ανατολή. Με συνέπεια και ευθύνη προς τους συνεργάτες μας και τους καταναλωτές, προσφέρουμε άμεση εξυπηρέτηση σε προϊόντα ποιότητας και αντοχής, δίνοντας λύσεις στις ανάγκες φωτισμού τόσο ιδιωτικών όσο και επαγγελματικών χώρων.

Τα τελευταία χρόνια η εταιρεία έχει κατορθώσει τον εκσυγχρονισμό του εξοπλισμού και των διαδικασιών παραγωγής, αποκτώντας νέα μηχανήματα και εφαρμόζοντας προηγμένες μεθόδους παραγωγής. Η άρτια γραμμή παραγωγής του εργοστασίου μας, επιτρέπει να υλοποιούμε ειδικές κατασκευές προκειμένου να εξυπηρετήσουμε και τις πιο εξειδικευμένες απαίτησεις των πελατών μας. Μακροπρόθεσμα και σε μόνιμη βάση, η εταιρεία διευρύνει τον κατάλογο των προϊόντων της. Προχωράμε μελετώντας και αναλύοντας τις ανάγκες της αγοράς και βασιζόμενοι στην τεχνογνωσία που έχουμε αποκτήσει κατά τη μακρόχρονη πορεία μας στο χώρο.



## CE Certification

CE is the compulsory mark for the free trade of all products within the European Community. It signifies the declaration of the manufacturer that the product is in accordance with directives of EU and therefore manufactured and tested in compliance with the relevant standards and rules (Safety and EMC compatibility). NB Lighting carries out quality controls and tests during all stages of production, but also sends product samples for trials and further testing to accredited testing bodies and receives detailed test reports and CE certificates for its products.

**HEEDAC**

HELLENIC ELECTRONICS EQUIPMENT QUALITY ASSURANCE CENTER  
H.E.E.Q.A.C. S.A.

ACCREDITED BY EUD FOR TESTING (67-21 & CERTIFICATION (133-2),  
NOTIFIRED BODY (5848) FOR THE 2004/108/EC, 2006/108/EC & 2009/148/EC DIR.  
107 KAMPOULAKAS STR. 112 61 ATHENS - GREECE  
TEL: +30-210-8870588 - FAX: +30-210-8847118  
E-MAIL: [info@heedac.gr](mailto:info@heedac.gr), [www.heedac.gr](http://www.heedac.gr)

**VERIFICATION OF CONFORMITY**

VERIFICATION NUMBER : 400265  
DATE OF ISSUE : JULY 30, 2014  
VALID UP TO : JULY 29, 2018  
ISSUED TO : APOSTOLIKO NIKOLOPOULOS OE, #8 KOLONONTOU STR.,  
17342, ATHENOPOLI, ATHENS, GREECE  
TEST ITEM : OUTDOOR LIGHTING LUMINAIRES (PLASTIC)  
TRADEMARK : PRIZMA 24  
TYPE/MODEL : NB LIGHTING  
MANUFACTURER : APOSTOLIKO NIKOLOPOULOS OE  
APPLICABLE DIRECTIVE : EUV 2006/95/EC  
APPLICABLE STANDARDS : EN 60598-1:2008 +A11:2009, IEC 60598-1:2008-  
EN 60598-2-1:1999, IEC 60598-2-1:1979+A1:1987

STATEMENT : THE TEST ITEM COMPLIES WITH THE REQUIREMENTS OF THE ABOVE  
MENTIONED APPLICABLE STANDARDS.

GENERAL REMARKS:  
The test results apply only to the particular sample, for which the  
HEEDAC's test report E/N 584822-X dated July 30, 2014 was issued.  
This verification must be read in conjunction with the above  
mentioned test report.  
After preparation of the necessary technical documentation as well as  
the declaration of conformity, the CE marking shown below can be  
affixed on these products.  
This verification is based on a single evaluation of the above  
mentioned product. It is therefore essential for the manufacturer  
to ensure that the quality of his production is always in accordance  
with the applicable standards.  
Copy of this certificate is submitted to the Ministry of Development  
and Competitiveness of Greece.

CE

G. CHRYSAΝTHAKΟΠΟΥΛΟΣ  
GENERAL MANAGER

ATHENS, JULY 30, 2014

FORM 1005 - 2008 Ed. 4 - PIREUS APPROVAL 21-01-01

## Πιστοποίηση CE

Το σήμα CE που τοποθετείται υποχρεωτικά πάνω σε όλα τα προϊόντα δηλώνει την ελεύθερη διακίνηση προϊόντων μέσα στην Ευρωπαϊκή Κοινότητα. Σηματοδοτεί δε την δήλωση του κατασκευαστή ότι το προϊόν είναι σύμφωνο με τις Ευρωπαϊκές Οδηγίες και επομένως κατασκευάζεται και ελέγχεται με βάση τους σχετικούς κανονισμούς και πρότυπα (Ασφάλειας και Ηλεκτρομαγνητικής Συμβατότητας). Η εταιρεία NB Lightitng διενεργεί ελέγχους και δοκιμές σε όλα τα στάδια της παραγωγής και συμπληρωματικά αποστέλλει δείγματα προϊόντων της για περαιτέρω δοκιμές και έλεγχο σε διαπιστευμένα κέντρα ελέγχου ποιότητας προκειμένου να παραλάβει αναλυτικές αναφορές δοκιμών (test reports) και πιστοποιητικά CE για τα προϊόντα της.

**HEEDAC**

HELLENIC ELECTRONICS EQUIPMENT QUALITY ASSURANCE CENTER  
H.E.E.Q.A.C. S.A.

ACCREDITED BY EUD FOR TESTING (67-21 & CERTIFICATION (133-2),  
NOTIFIRED BODY (5848) FOR THE 2004/108/EC, 2006/108/EC & 2009/148/EC DIR.  
107 KAMPOULAKAS STR. 112 61 ATHENS - GREECE  
TEL: +30-210-8870588 - FAX: +30-210-8847118  
E-MAIL: [info@heedac.gr](mailto:info@heedac.gr), [www.heedac.gr](http://www.heedac.gr)

**VERIFICATION OF CONFORMITY**

VERIFICATION NUMBER : 400265  
DATE OF ISSUE : JULY 30, 2014  
VALID UP TO : JULY 29, 2018  
ISSUED TO : APOSTOLIKO NIKOLOPOULOS OE, #8 KOLONONTOU STR.,  
17342, ATHENOPOLI, ATHENS, GREECE  
TEST ITEM : OUTDOOR LIGHTING LUMINAIRES (PLASTIC)  
TRADEMARK : PRIZMA 24  
TYPE/MODEL : NB LIGHTING  
MANUFACTURER : APOSTOLIKO NIKOLOPOULOS OE  
APPLICABLE DIRECTIVE : EUV 2006/95/EC  
APPLICABLE STANDARDS : EN 60598-1:2008 +A11:2009, IEC 60598-1:2008-  
EN 60598-2-1:1999, IEC 60598-2-1:1979+A1:1987

STATEMENT : THE TEST ITEM COMPLIES WITH THE REQUIREMENTS OF THE ABOVE  
MENTIONED APPLICABLE STANDARDS.

GENERAL REMARKS:  
The test results apply only to the particular sample, for which the  
HEEDAC's test report E/N 584822-X dated July 30, 2014 was issued.  
This verification must be read in conjunction with the above  
mentioned test report.  
After preparation of the necessary technical documentation as well as  
the declaration of conformity, the CE marking shown below can be  
affixed on these products.  
This verification is based on a single evaluation of the above  
mentioned product. It is therefore essential for the manufacturer  
to ensure that the quality of his production is always in accordance  
with the applicable standards.  
Copy of this certificate is submitted to the Ministry of Development  
and Competitiveness of Greece.

CE

G. CHRYSAΝTHAKΟΠΟΥΛΟΣ  
GENERAL MANAGER

ATHENS, JULY 30, 2014

FORM 1005 - 2008 Ed. 4 - PIREUS APPROVAL 21-01-01



## ISO Certification – Global Quality Assured

Since 2013, NB Lighting – NIKOLOPOULOS BROS has been certified with ISO 9001, after being accredited to be in compliance with the relevant standards by an inspection body (certification company certified by the Hellenic Accreditation System - ESYD, member of International Accreditation Forum - IAF). This certification covers the fields of Design, Production, Trading and After Sales Support of electrical lighting equipment and assures all NB Lighting products undergo the precise procedures and controls as stated in the company's Quality Management Manual and comply with ISO 9001 standards. Company's Quality Policy aims to fully satisfy customers' quality requirements, needs and expectations. ISO 9001 certification, qualifies NB lighting as a reliable partner.



## Πιστοποίηση ISO – Παγκόσμια Διασφάλιση Ποιότητας

Από το 2013, η NB Lighting – ΑΦΟΙ ΝΙΚΟΛΟΠΟΥΛΟΙ είναι διαπιστευμένη κατά ISO 9001, η λειτουργία της οποίας έχει πιστοποιηθεί ότι συμμορφώνεται με τα σχετικά Πρότυπα από ανεξάρτητη εταιρεία ελέγχων αξιολογήσεων και πιστοποίησης, (πιστοποιημένη από το Εθνικό Σύστημα Διαπίστευσης – ΕΣΥΔ, μέλος του Διεθνούς Φόρουμ Διαπίστευσης – IAF).

Η πιστοποίηση καλύπτει τους τομείς του Σχεδιασμού, Παραγωγής, Εμπορίας και Υπηρεσιών Εξυπηρέτησης Πελατών μετά την πώληση, για ηλεκτρικά φωτιστικά και βεβαιώνει ότι όλα τα φωτιστικά NB Lighting υπόκεινται σε συγκεκριμένες διαδικασίες και ελέγχους όπως περιγράφονται στο Εγχειρίδιο Διαχείρισης Ποιότητας της Εταιρείας και πληρούν τις απαιτήσεις του Προτύπου ISO 9001. Η Πολιτική Ποιότητας της NB Lighting σκοπεύει στην πλήρη ικανοποίηση των απαιτήσεων ποιότητας, των αναγκών και των προσδοκιών των πελατών της και η πιστοποίηση της Πολιτικής αυτής κατά ISO 9001 μας χαρακτηρίζει ως έναν αξιόπιστο συνεργάτη.

## ΠΙΣΤΟΠΟΙΗΤΙΚΟ



## SYMBOLS / ΣΥΜΒΟΛΑ

-  Length x Width / Μήκος x Πλάτος
-  Height / Ύψος
-  Length / Μήκος
-  Diameter - Diagonal / Διάμετρος - Διαγώνιος
- Class I : Single insulation – Earthing is needed  
Η γείωση είναι απαραίτητη
-  Class II : Double insulation – Earthing is not required  
Η προστασία γείωσης δεν είναι απαραίτητη
-  Suitable to inflammable surface  
Συσκευή κατάλληλη για τοποθέτηση σε κανονικά μη εύφλεκτες επιφάνειες
-  Lighting fixture made by anti-corrosion or high quality brass materials, ideal for sea side use.  
Το φωτιστικό είναι κατασκευασμένο από υλικά που δεν διαβρώνονται ή υψηλής ποιότητας ορείχαλκο που το καθιστά ιδανικό για τοποθέτηση κοντά στη θάλασσα.
-  Lighting fixture available upon request in all colour finishes as presented in p.10 of this catalogue.  
Το φωτιστικό είναι διαθέσιμο κατόπιν ζήτησης από τον πελάτη σε όλες τις αποχρώσεις του χρωματολογίου όπως παρουσιάζονται στη σελ.10 του καταλόγου
-  Lighting compatible with LED lamps.  
Φωτιστικό συμβατό με λαμπτήρες LED.
-  Lighting with built-in LED.  
Φωτιστικό με ενσωματωμένο φωτισμό LED.

## LAMP TYPES / ΤΥΠΟΙ ΛΑΜΠΤΗΡΩΝ

-  Eco halogen lamp - GLS E27-E14 / Λαμπτήρας αλογόνου οικονομίας GLS E27-E14
-  CFL – Economy lamp E27-E14 / CFL – Λαμπτήρας οικονομίας E27-E14
-  Halogen lamp – GU10 / Λαμπτήρας Αλογόνου – GU10
-  Halogen lamp – G9 / Λαμπτήρας Αλογόνου – G9
-  Halogen lamp – G4 / Λαμπτήρας Αλογόνου – G4
-  CFL – Economy lamp GX53 / CFL – Λαμπτήρας οικονομίας GX53

## IP PROTECTION CLASS / ΕΠΙΠΕΔΟ ΠΡΟΣΤΑΣΙΑΣ IP

- IP 20 : Protection against solid  $\varnothing > 12\text{mm}$   
Προστασία από στερεά σωματίδια μεγαλύτερα από 12mm
- IP 41 : Protection against solid  $\varnothing > 1\text{mm}$  and dripping water  
Προστασία από στερεά σωματίδια μεγαλύτερα από 1mm και στάζοντα ύδατα
- IP 43 : Protection against solid  $\varnothing > 1\text{mm}$  and rain  
Προστασία από στερεά σωματίδια μεγαλύτερα από 1mm και από βροχή
- IP 44 : Protection against solid  $\varnothing > 1\text{mm}$  and water splashing  
Προστασία από στερεά σωματίδια μεγαλύτερα από 1mm και από εκτινασσόμενα ύδατα
- IP 54 : Protection against powder and water splashing  
Προστασία από από τη σκόνη και από εκτινασσόμενα ύδατα
- IP 64 : Dust tight and water splashing  
Ολική προστασία από τη σκόνη και από εκτινασσόμενα ύδατα
- IP 65 : Dust tight and protected against water jets  
Ολική προστασία από τη σκόνη και από ύδατα εκτοξευόμενα με πίεση



## CUSTOMISED LIGHTING SOLUTIONS

As a producer, NB LIGHTING offers various special constructions upon the models of the factory to serve all constructing and architectural requests.

There is a big variety of colourings available for aluminium and brass models, where polyester powder coating UV resistant is applied. In plastic models there is also a wide variety of colourings for minimum 500 pieces, while white, black, grey, golden antique, silver antique and copper antique are stock colours. Stock colours for globes are white, smoked and transparent. Brass products can be polished with appropriate varnishes offering a different texture to the material. They are also available in material finishes of chrome, nickel mat, copper, oxyde brushed and oxydization.

Products can be differentiated in terms of length of poles, extra or no cable gland, or decorative screws in bulkheads and wall sconces, hole opening in both sides of the lighting in order to have entry and exit of the cable. Also, the lamp holder can be replaced in order to leave space for a bigger lamp or a second lamp holder can be adjusted for safety lighting. In certain models different lamp holders can be selected (G9, G4-12V, GX53), according to the lamp and the volt that need to be applied by the customer. Built-in LED can be installed in the majority of our models.

For any further information or any question regarding customised products do not hesitate to contact our technical department and we will direct you to create your own special model.

## ΕΙΔΙΚΕΣ ΚΑΤΑΣΚΕΥΕΣ ΦΩΤΙΣΜΟΥ

Ως εταιρεία παραγωγός, η NB LIGHTING παρέχει ποικίλες ειδικές κατασκευές πάνω στα μοντέλα παραγωγής, εξυπηρετώντας τις κατασκευαστικές και σχεδιαστικές ιδιαιτερότητες του κάθε έργου.

Δίνεται η δυνατότητα βαφής σε όλα τα προϊόντα από αλουμίνιο και ορείχαλκο, ενώ οι αποχρώσεις καλύπτουν κάθε χρωματική επιλογή. Η βαφή γίνεται ηλεκτροστατικά με πολυεστερικές πούδρες υψηλής αντοχής.

Στοκ αποχρώσεις στα πλαστικά είδη είναι το λευκό, το μαύρο, το γκρι, το αντικέ χρυσό, το αντικέ ασημί και το αντικέ χαλκού, ενώ για παραγγελία πάνω από 500 τεμαχία είναι δυνατή η επιλογή και άλλου χρώματος. Οι μπάλες διατίθενται σε λευκό, φιμέ και διάφανο χρώμα.

Στα ορειχάλκινα είδη είναι δυνατή η επίστρωση του φωτιστικού με βερνίκι. Διατίθενται επίσης σε φινίρισμα χρώμιο, σε νίκελ ματ, σε χαλκό, σε οξυντέ βουρτσισμένο και σε οξείδωση.

Σε όλα μας τα προϊόντα είναι δυνατό να γίνουν αλλαγές σχετικά με: το μήκος στις κολώνες, την εφαρμογή διπλού ή καθόλου στυπιοθλήπτη, την προσθήκη πεταλούδων αντί για βίδες σε χελώνες και απλίκες από ορείχαλκο, το άνοιγμα τρύπας και στις δύο πλευρές του φωτιστικού για να υπάρχει είσοδος και έξοδος του καλωδίου. Επίσης, είναι δυνατή η αναπροσαρμογή της θέσης του ντουί ώστε να δημιουργηθεί μεγαλύτερος χώρος για τον λαμπτήρα ή και προσθήκη δεύτερου ντουί για χρήση λάμπας ασφαλείας. Παράλληλα, σε ορισμένα φωτιστικά είναι δυνατή η τοποθέτηση διαφορετικών τύπων ντουί (G9, G4-12V, GX53) ανάλογα με τη λάμπα και τα volt που θέλει να εφαρμόσει ο πελάτης. Τέλος, στα περισσότερα μοντέλα είναι δυνατή η προσαρμογή πλακέτας φωτισμού LED.

Για οποιαδήποτε ερώτηση σχετικά με κάποια ειδική κατασκευή μη διστάσετε να επικοινωνήσετε με τους τεχνικούς μας, οι οποίοι θα σας καθοδηγήσουν να δημιουργήσετε την ειδική κατασκευή φωτισμού που επιθυμείτε.


# Colour Finish / Χρωματολόγιο




- Colour finishes refer only to aluminium and brass lighting fixtures.  
Το χρωματολόγιο αφορά μόνο τα φωτιστικά από αλουμίνιο και όρεχαλκο.
- All colours are made by electrostatic paint using polyester powder coating.  
Τα χρώματα είναι ηλεκτροστατική βαφή σε φούρνο πολυμερισμού πούδρας.  
Η πούδρα είναι τύπου polyester.



**SK3**  
Rust 3 / Σκουριά 3




**GR**  
Grey / Γκρί




**GRE**  
Green / Κυπαρισσί



**EK**  
Textured ecru / Εκρού σαγρέ



**EK 1013**  
Ecru / Εκρού



**WH**  
White / Λεικό



**ANTS**  
Silver antique / Αντικέ ασημί




**ANTE**  
Ecru antique / Αντικέ εκρού



**COA**  
Copper antique / Αντικέ χαλκού



**ANTG**  
Golden antique / Αντικέ χρυσό



**BR**  
Bronze / Μπρονζέ



**GRS**  
Hammered black/silver  
Σφυρίλατο μαύρο/ασημί



**AN**  
Anthracite / Ανθρακί




**SI**  
Textured silver / Ασημί σαγρέ 3



**GRG**  
Hammered gold / Σφυρίλατο χρυσό




**BL**  
Blue / Μπλέ



**BK**  
Black / Μαύρο



**GRC**  
Hammered copper / Σφυρίλατο χαλκού



**BKS**  
Textured black / Μαύρο σαγρέ

## Material Finishes/ Φινίρισμα Υλικού



**CHR**  
Χρώμιο / Chrome



**NIM**  
Νίκελ ματ / Nickel mat



**OXD**  
Οξυντέ βουρτσισμένο / Oxyde brushed



**OXY**  
Οξείδωση / Oxydization

Material finishes refer only to brass fixtures. / Τα φινίρισμα υλικού αφορούν μόνο ορειχάλκινα φωτιστικά.

# Index / Plastics

AXO

new

LOTUS

new

LUNA

new

BETA

new

TECH

new

PORTO

new

ARIA &  
ARIA mini

page / 19

page / 21

page / 23

page / 25

page / 27

page / 29

page / 31



# Index / Plastics

| DELTA  | PRISMA   | KARRE  | EXAGON   | UMBRA  | CRYSTAL   | PLATEAU & PLANUS  |
|--|--|--|--|--|---|---|
| page / 37  | page / 39  | page / 43  | page / 45  | page / 47  | page / 53   | page / 55   |
| <br> | <br> | <br> | <br> | <br><br><br><br><br> | <br> | <br><br> |
| <br> | <br> | <br> | <br> | <br><br><br><br><br> | <br> | <br><br> |

# Index / Aluminium

| GEA | CLIO | TONDO | GALEA | PYRAMIS | PUCK | RONDO | TETRA |
|-----|------|-------|-------|---------|------|-------|-------|
|-----|------|-------|-------|---------|------|-------|-------|

page / 59

page / 65

page / 67

page / 69

page / 71

page / 73

page / 75

page / 79



# Index / Aluminium

BRICK

page / 81



CAP

page / 83



FANOS

page / 85



QUADRA

page / 87



LUCERNA

page / 91



MAGNUS

page / 95



LAMDA

page / 99



# Index / Brass

## GEA

page / 105



## HERMES

page / 111



## BLOB

page / 115



## PUCK

page / 119



## RONDO

page / 121



## TETRA

page / 125



## FAROS & FAROS mini

new

page / 127



## LAMPADA

page / 141



## PYRSOS

new

page / 153

## CANNON

new

page / 155

## BEACON

new

page / 157



# Index / Aluminium

## GLOBES & BASES

page / 161



**new**



**new**



**new**



**new**



**new**



## WALL GLOBES

page / 167



**new**



**new**



## GARDEN GLOBES

page / 173



**new**



## PENDANT GLOBES / SHAPES

page / 181



**new**



**new**



## TABLE & GARDEN GLOBES / SHAPES

page / 189



## POSTS

**new**








# Plastics

# Πλαστικά

**NEW**


# AXO



AXO series is a new outdoor plastic design with built-in LED, ideal for lighting paths, stairs and peripheral courtyards. Plain, exceptionally thin and therefore easy-to-fit design, matches all architectures and styles. Extremely economical LED consumption for long hours use. Comes out in two types: out open with opal diffuser and recessed lighting source for directional lighting output. Ideal for sea-side use due to its anti-corrosion high quality plastic materials manufacture.

AXO



Art. 1000

>>> Plastic wall lamp with PC opal diffuser & built in LED  
Πλαστική απλίκα τοίχου με γυαλί πολυκαρμπονάτ & ενσωματωμένο LED

| CODE      | ART  | COLOUR | DIMENSIONS         | WATTAGE                   | LUMEN | COLOUR TEMP | CRI | DIMMABLE |
|-----------|------|--------|--------------------|---------------------------|-------|-------------|-----|----------|
| 10-10-114 | 1000 | GR     | 230 x 80 mm ↳ 27mm | 3W 44pcs SMD LED Built-in | 180   | 3000K       | ≥80 | No       |

AXO

Art. 1001

>>> Plastic wall lamp with PC opal diffuser & built in LED  
Πλαστική απλίκα τοίχου με γυαλί πολυκαρμπονάτ & ενσωματωμένο LED

| CODE      | ART  | COLOUR | DIMENSIONS         | WATTAGE                    | LUMEN | COLOUR TEMP | CRI | DIMMABLE |
|-----------|------|--------|--------------------|----------------------------|-------|-------------|-----|----------|
| 10-10-115 | 1001 | GR     | 230 x 80 mm ↳ 27mm | 2 W 35pcs SMD LED Built-in | 100   | 3000K       | ≥80 | No       |

#### PRODUCT FEATURES

- > ABS and PC materials on housing and cover
- > Opal polycarbonate diffuser with thermoplastic gasket
- > UV resistant materials
- > Built-in SMD 3014 LED
- > Slim line profile design easy to fit every site
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > IP 65 ◆ ▲ ▲
- > 220 - 240V / ~50 Hz
- > Class II □

NEW




## LOTUS



LOTUS is the round version of AXO series, with built-in LED, ideal for lighting paths, stairs and peripheral courtyards. Plain, exceptionally thin and therefore easy-to-fit design, matches all architectures and styles. Extremely economical LED consumption for long hours use. Comes out in two types: out open with opal diffuser and recessed lighting source for directional lighting output. Ideal for sea-side use due to its anti-corrosion high quality plastic materials manufacture.

LOTUS

Art. 1005

>>> Plastic wall lamp with PC opal diffuser & built-in LED  
Πλαστική απλίκα τοίχου με γυαλί πολυκαρμπονάτ & ενσωματωμένο LED




LED

SEA  
SIDE ✓ CE

| CODE      | ART  | COLOUR | DIMENSIONS     | WATTAGE                   | LUMEN | COLOUR TEMP | CRI | DIMMABLE |
|-----------|------|--------|----------------|---------------------------|-------|-------------|-----|----------|
| 10-10-116 | 1005 | GR     | Ø 150mm ↕ 27mm | 3W 45pcs SMD LED Built-in | 190   | 3000K       | ≥80 | No       |

LOTUS

Art. 1006

>>> Plastic wall lamp with PC opal diffuser & built in LED  
Πλαστική απλίκα τοίχου με γυαλί πολυκαρμπονάτ & ενσωματωμένο LED

LED

SEA  
SIDE ✓ CE

| CODE      | ART  | COLOUR | DIMENSIONS     | WATTAGE                     | LUMEN | COLOUR TEMP | CRI | DIMMABLE |
|-----------|------|--------|----------------|-----------------------------|-------|-------------|-----|----------|
| 10-10-117 | 1006 | GR     | Ø 150mm ↕ 27mm | 1.5W 20pcs SMD LED Built-in | 60    | 3000K       | ≥80 | No       |

## PRODUCT FEATURES

- > ABS and PC materials on housing and cover
- > Opal polycarbonate diffuser with thermoplastic gasket
- > UV resistant materials
- > Built-in SMD 3014 LED
- > Slim line profile design easy to fit every site
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > IP 65 ◆ ◇ ◇
- > 220 - 240V / ~50 Hz
- > Class II □

NEW


## LUNA



LUNA is a classic design with smooth lines easily fitting any exterior area of a building: walls, balconies, terraces, above doors, doorsteps and windows. Built-in LED offers extremely economical consumption for long hours use, yet with a satisfactory lighting output of 450LM. Manufactured by anti-corrosion high quality plastic materials, this model is also recommended for sea-side use.

LUNA

Art. 1007

>>> Plastic wall lamp with PC frost diffuser & LED built-in  
Πλαστική απλίκα τοίχου με γυαλί πολυκαρμπονάτ πάγου & ενσωματωμένο LED

| CODE      | ART  | COLOUR | DIMENSIONS         | WATTAGE                   | LUMEN | COLOUR TEMP | CRI | DIMMABLE |
|-----------|------|--------|--------------------|---------------------------|-------|-------------|-----|----------|
| 10-10-118 | 1007 | GR     | 213 x 142 mm ↑79mm | 8W 41pcs SMD LED Built-in | 450   | 3000K       | ≥80 | No       |

#### PRODUCT FEATURES

- > ABS and PC materials on housing and cover
- > Frost polycarbonate diffuser with thermoplastic gasket
- > UV resistant materials
- > Built-in SMD 2835 LED
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > IP 65 ☑ ▲ ▲
- > 220 - 240V / ~50 Hz
- > Class II ☐

NEW

## BETA




BETA is a minimal design lighting model in line with contemporary aesthetics. Fitting well in modern buildings offers an up-down lighting effect with a high lighting output of 900LM. Built-in LED assures extremely economical consumption for long hours use. Manufactured by anti-corrosion high quality plastic materials, this model is also recommended for sea-side use.

BETA

Art. 1014

&gt;&gt;&gt;

Up down plastic wall lamp with PC opal diffuser & LED built-in  
 Πλαστική απλίκα τοίχου διπλού φωτισμού με γυαλί πολυκαρμπονάτ &  
 ενσωματωμένο LED



| CODE      | ART  | COLOUR | DIMENSIONS         | WATTAGE                     | LUMEN | COLOUR TEMP | CRI | DIMMABLE |
|-----------|------|--------|--------------------|-----------------------------|-------|-------------|-----|----------|
| 10-10-124 | 1014 | GR     | 230 x 101 mm ↑90mm | 12W 961pcs SMD LED Built-in | 900   | 3000K       | ≥80 | No       |

#### PRODUCT FEATURES

- > ABS and PC materials on housing and cover
- > Opal polycarbonate diffuser with thermoplastic gasket
- > UV resistant materials
- > Built-in SMD 2835 LED
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > IP 65 ☑ ▲ ▲
- > 220 - 240V / ~50 Hz
- > Class II ☐

NEW


## TECH



TECK is a minimal design lighting model in line with contemporary aesthetics. Fitting well in modern buildings offers a wide coverage lighting effect at walls, balconies, terraces, above doors, doorsteps and windows. E-27 lampholder for max.18W lamp assures also high lighting output. Manufactured by anti-corrosion high quality plastic materials, this model is also recommended for sea-side use.

TECH

Art. 1008

>>> Plastic wall lamp with opal polycarbonate diffuser  
Πλαστική απλίκα τοίχου με γυαλί οπάλ πολυκαρμπονάτ

| CODE      | ART  | COLOUR | DIMENSIONS        | WATTAGE  |
|-----------|------|--------|-------------------|----------|
| 10-10-119 | 1008 | GR     | 265 x 99mm † 98mm | 18W E 27 |

#### PRODUCT FEATURES


- > ABS and PC materials on housing and cover
- > Opal polycarbonate diffuser with thermoplastic gasket
- > UV resistant materials
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > IP 65 ◆▲▲
- > 220 - 240V / ~50 Hz
- > Class II □

NEW


## PORTO



PORTE is a two version spot model for outdoor wall applications with up-down or downward lighting emission. A classical and simple design for the illumination of walls, columns, gates or shop windows. Manufactured by anti-corrosion high quality plastic materials, PORTE models are also recommended for sea-side use.

**PORTO****Art. 1011**>>> Up-down plastic spot  
Σπότ επίτοιχο διπλό πλαστικό

| CODE      | ART  | COLOUR  | DIMENSIONS     | WATTAGE    |
|-----------|------|---------|----------------|------------|
| 10-10-121 | 1011 | DARK GR | Ø 60mm ↑ 158mm | 2x7W GU 10 |
| 10-10-120 | 1011 | WH      | Ø 60mm ↑ 158mm | 2x7W GU 10 |

**PORTO****Art. 1012**>>> Down plastic spot  
Σπότ επίτοιχο μονό πλαστικό

| CODE      | ART  | COLOUR  | DIMENSIONS     | WATTAGE    |
|-----------|------|---------|----------------|------------|
| 10-10-123 | 1012 | DARK GR | Ø 60mm ↑ 100mm | 1x7W GU 10 |
| 10-10-122 | 1012 | WH      | Ø 60mm ↑ 100mm | 1x7W GU 10 |

#### PRODUCT FEATURES

- > PC materials on housing and cover
- > Clear polycarbonate diffuser
- > With thermoplastic gasket
- > UV resistant materials
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > IP 44 ▲
- > 220 - 240V / ~50 Hz
- > Class II □

# ARIA & ARIA mini



ARIA and ARIA mini series are ideal for illuminating exterior garden areas, paths, and stairs. Plastic is always an easy-going and modern material, especially the trend version in grey colour. ARIA bulkheads are available with frame, guard or cover and can also be differentiated by the three-option diffuser available: clear glass, opal glass or opal polycarbonate. The vandalproof polycarbonate diffuser is the preferable choice for open access areas.

**ARIA mini****Art. 12**>>> Plastic bulkhead with clear glass diffuser  
Πλαστική χειλώνα με γυαλί διάφανο

| CODE      | ART | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|-----|--------|-------------------|-------------|
| 00-00-047 | 12  | BK     | 178x123mm ↑ 115mm | 60W 15W E27 |
| 00-00-012 | 12  | WH     | 178x123mm ↑ 115mm | 60W 15W E27 |
| 00-00-244 | 12  | GR     | 178x123mm ↑ 115mm | 60W 15W E27 |

**ARIA mini****Art. 12 F**>>> Plastic bulkhead with opal glass diffuser  
Πλαστική χειλώνα με ματ γυαλί

| CODE      | ART  | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|------|--------|-------------------|-------------|
| 00-00-947 | 12 F | BK     | 178x123mm ↑ 115mm | 60W 15W E27 |
| 00-00-948 | 12 F | WH     | 178x123mm ↑ 115mm | 60W 15W E27 |
| 00-00-949 | 12 F | GR     | 178x123mm ↑ 115mm | 60W 15W E27 |

#### PRODUCT FEATURES

- > Polypropylene (PP) housing and guard
- > Clear or opal glass diffuser
- > With aluminium reflector and porcelain lampholder
- > Side or rear cable entry
- > UV resistant materials
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 41
- > 220 - 240V / 50-60Hz
- > Class II

ARIA

Art. 12X/100

&gt;&gt;&gt;

Plastic bulkhead with clear glass diffuser

Πλαστική χελώνα με διάφανο γυαλί



| CODE      | ART     | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|---------|--------|-------------------|-------------|
| 00-00-081 | 12X/100 | BK     | □ 210x108mm ↑99mm | 60W 15W E27 |
| 00-00-125 | 12X/100 | WH     | □ 210x108mm ↑99mm | 60W 15W E27 |
| 00-00-251 | 12X/100 | GR     | □ 210x108mm ↑99mm | 60W 15W E27 |

ARIA

Art. 12XF/100

&gt;&gt;&gt;

Plastic bulkhead with opal glass diffuser

Πλαστική χελώνα με οπάλ γυαλί



| CODE      | ART      | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|----------|--------|-------------------|-------------|
| 00-00-950 | 12XF/100 | BK     | □ 210x108mm ↑99mm | 60W 15W E27 |
| 00-00-951 | 12XF/100 | WH     | □ 210x108mm ↑99mm | 60W 15W E27 |
| 00-00-952 | 12XF/100 | GR     | □ 210x108mm ↑99mm | 60W 15W E27 |

ARIA

Art. 12PX

&gt;&gt;&gt;

Plastic bulkhead with opal polycarbonate diffuser

Πλαστική χελώνα με γυαλί ματ πολυκαρμπονάτ



| CODE      | ART  | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|------|--------|-------------------|-------------|
| 00-00-156 | 12PX | BK     | □ 210x108mm ↑95mm | 60W 15W E27 |
| 00-00-119 | 12PX | WH     | □ 210x108mm ↑95mm | 60W 15W E27 |
| 00-00-250 | 12PX | GR     | □ 210x108mm ↑95mm | 60W 15W E27 |



ANTS

Silver antique / Αντικέ ασημί



ANTG

Golden antique / Αντικέ χρυσό



COA

Copper antique / Αντικέ χαλκού

#### PRODUCT FEATURES

- > Polypropylene (PP) housing and frame
- > Clear or opal glass diffuser, opal polycarbonate diffuser
- > With aluminium reflector and porcelain lampholder
- > Rear cable entry
- > UV resistant materials
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II

ARIA


Art. 12/100 &gt;&gt;&gt;

Plastic bulkhead with clear glass diffuser  
Πλαστική χελώνα με διάφανο γυαλί

| CODE      | ART    | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|--------|--------|------------------|-------------|
| 00-00-168 | 12/100 | BK     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-123 | 12/100 | WH     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-270 | 12/100 | GR     | 210x108mm ↑104mm | 60W 15W E27 |

ARIA


Art. 12F/100 &gt;&gt;&gt;

Plastic bulkhead with opal glass diffuser  
Πλαστική χελώνα με οπάλ γυαλί

| CODE      | ART     | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|---------|--------|------------------|-------------|
| 00-00-953 | 12F/100 | BK     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-954 | 12F/100 | WH     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-955 | 12F/100 | GR     | 210x108mm ↑104mm | 60W 15W E27 |

ARIA

Art. 12 P &gt;&gt;&gt;

Plastic bulkhead with opal polycarbonate glass diffuser  
Πλαστική χελώνα με γυαλί ματ πολυκαρμπονάτ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 00-00-051 | 12 P | BK     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-128 | 12 P | WH     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-026 | 12 P | GR     | 210x108mm ↑104mm | 60W 15W E27 |



ANTS

Silver antique / Αντικέ ασημί



ANTG

Golden antique / Αντικέ χρυσό



COA

Copper antique / Αντικέ χαλκού

## PRODUCT FEATURES

- > Polypropylene (PP) housing and frame
- > Clear or opal glass diffuser, opal polycarbonate diffuser
- > With aluminium reflector and porcelain lampholder
- > Rear cable entry
- > UV resistant materials
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II

**ARIA****Art. 50/100**

&gt;&gt;&gt;

Plastic bulkhead with clear glass diffuser

Πλαστική χελώνα με διάφανο γυαλί



| CODE      | ART    | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|--------|--------|------------------|-------------|
| 00-00-080 | 50/100 | BK     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-512 | 50/100 | WH     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-027 | 50/100 | GR     | 210x108mm ↑104mm | 60W 15W E27 |

**ARIA****Art. 50F/100**

&gt;&gt;&gt;

Plastic bulkhead with opal glass diffuser

Πλαστική χελώνα με οπάλ γυαλί



| CODE      | ART     | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|---------|--------|------------------|-------------|
| 00-00-956 | 50F/100 | BK     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-957 | 50F/100 | WH     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-958 | 50F/100 | GR     | 210x108mm ↑104mm | 60W 15W E27 |

**ARIA****Art. 50P**

&gt;&gt;&gt;

Plastic bulkhead with opal polycarbonate diffuser

Πλαστική χελώνα με γυαλί ματ πολυκαρμπονάτ



| CODE      | ART | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|-----|--------|------------------|-------------|
| 00-00-053 | 50P | BK     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-511 | 50P | WH     | 210x108mm ↑104mm | 60W 15W E27 |
| 00-00-106 | 50P | GR     | 210x108mm ↑104mm | 60W 15W E27 |



ANTS

Silver antique / Αντικέ ασημί



ANTG

Golden antique / Αντικέ χρυσό



COA

Copper antique / Αντικέ χαλκού

#### PRODUCT FEATURES

- > Polypropylene (PP) housing and frame
- > Clear or opal glass diffuser, opal polycarbonate diffuser
- > With aluminium reflector and porcelain lampholder
- > Rear cable entry
- > UV resistant materials
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II



# DELTA



As a classical wall sconce design, DELTA matches contemporary, as well as traditional architecture. Finish options in black, white and grey will satisfy every building colour. DELTA is suitable for illuminating exterior areas of buildings: above doors and doorsteps, windows and against walls, balconies and terraces. Shuttered cover design achieves a distinctive illuminating effect, yet offering adequate lighting through the open diffuser part: the right choice to light and decorate. **New , Art. 52 D available also with clear PC diffuser.**

DELTA



Art. 52 D

&gt;&gt;&gt;

Plastic wall sconce with clear polycarbonate glass  
Πλαστική απλίκα τοίχου με γυαλί διάφανο πολυκαρμπονάτ




| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 00-00-623 | 52 D | BK     | 255x128mm ↑110mm | 60W 20W E27 |
| 00-00-624 | 52 D | WH     | 255x128mm ↑110mm | 60W 20W E27 |
| 00-00-632 | 52 D | GR     | 255x128mm ↑110mm | 60W 20W E27 |

DELTA

Art. 52

&gt;&gt;&gt;

Plastic wall sconce with opal polycarbonate glass  
Πλαστική απλίκα τοίχου με γυαλί οπάλ πολυκαρμπονάτ



| CODE      | ART | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|-----|--------|------------------|-------------|
| 00-00-048 | 52  | BK     | 255x128mm ↑110mm | 60W 20W E27 |
| 00-00-052 | 52  | WH     | 255x128mm ↑110mm | 60W 20W E27 |
| 00-00-243 | 52  | GR     | 255x128mm ↑110mm | 60W 20W E27 |



ANTS

Silver antique / Αντικέ ασημί



ANTG

Golden antique / Αντικέ χρυσό



COA

Copper antique / Αντικέ χαλκού

#### PRODUCT FEATURES

- > Polypropylene (PP) housing and cover
- > Opal and clear polycarbonate diffuser
- > With aluminium reflector and porcelain lampholder
- > Rear cable entry
- > UV resistant materials
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II

# PRISMA



Prisma reflects simplicity in a modern design, which is suitable for various types of architecture. This series comes out in wall sconce and garden version. Garden fixture is available in one and two head options, to best fit the lighting needs of the venue; ideal for pathway illumination. Three standard colours are available: black, white and grey. **New model Art. 34D available also with clear PC diffuser.**

**PRISMA****Art. 34 D**

&gt;&gt;&gt;

Plastic wall sconce with transparent polycarbonate diffuser  
Πλαστική απλίκα τοίχου με γυαλί διάφανο πολυκαρμπονάτ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 00-00-590 | 34 D | BK     | 242x130mm ↑120mm | 60W 20W E27 |
| 00-00-591 | 34 D | WH     | 242x130mm ↑120mm | 60W 20W E27 |
| 00-00-592 | 34 D | GR     | 242x130mm ↑120mm | 60W 20W E27 |

**PRISMA****Art. 34**

&gt;&gt;&gt;

Plastic wall sconce with opal polycarbonate glass  
Πλαστική απλίκα τοίχου με γυαλί opal πολυκαρμπονάτ

| CODE      | ART | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|-----|--------|------------------|-------------|
| 00-00-082 | 34  | BK     | 252x130mm ↑120mm | 60W 20W E27 |
| 00-00-034 | 34  | WH     | 252x130mm ↑120mm | 60W 20W E27 |
| 00-00-253 | 34  | GR     | 252x130mm ↑120mm | 60W 20W E27 |



Silver antique / Αντικέ ασημί

ANTS



Golden antique / Αντικέ χρυσό

ANTG



Copper antique / Αντικέ χαλκού

COA

**PRODUCT FEATURES**

- > Polypropylene (PP) housing
- > Opal or clear polycarbonate diffuser
- > With aluminium reflector, thermoplastic gasket and porcelain lampholder
- > Rear cable entry
- > UV resistant materials
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II

**PRISMA** Art. 36 P/37 P/38 P

>>> Plastic post with plastic head in various heights  
Δαπέδου πλαστικό με κεφαλή πλαστική μονή



| CODE      | ART  | COLOUR | DIMENSIONS | WATTAGE         |
|-----------|------|--------|------------|-----------------|
| 00-00-471 | 36 P | BK     | ↑ 400mm    | ↳ 60W ↳ 20W E27 |
| 00-00-472 | 36 P | WH     | ↑ 400mm    | ↳ 60W ↳ 20W E27 |
| 00-00-473 | 36 P | GR     | ↑ 400mm    | ↳ 60W ↳ 20W E27 |
| 00-00-474 | 37 P | BK     | ↑ 650mm    | ↳ 60W ↳ 20W E27 |
| 00-00-475 | 37 P | WH     | ↑ 650mm    | ↳ 60W ↳ 20W E27 |
| 00-00-476 | 37 P | GR     | ↑ 650mm    | ↳ 60W ↳ 20W E27 |
| 00-00-477 | 38 P | BK     | ↑ 1150mm   | ↳ 60W ↳ 20W E27 |
| 00-00-478 | 38 P | WH     | ↑ 1150mm   | ↳ 60W ↳ 20W E27 |
| 00-00-479 | 38 P | GR     | ↑ 1150mm   | ↳ 60W ↳ 20W E27 |

**PRISMA** Art. 39 P/40 P/41 P

>>> Plastic post with double plastic head in various heights  
Δαπέδου πλαστικό με κεφαλή πλαστική διπλή



| CODE      | ART  | COLOUR | DIMENSIONS | WATTAGE             |
|-----------|------|--------|------------|---------------------|
| 00-00-480 | 39 P | BK     | ↑ 400mm    | ↳ 2x60W ↳ 2x20W E27 |
| 00-00-481 | 39 P | WH     | ↑ 400mm    | ↳ 2x60W ↳ 2x20W E27 |
| 00-00-482 | 39 P | GR     | ↑ 400mm    | ↳ 2x60W ↳ 2x20W E27 |
| 00-00-483 | 40 P | BK     | ↑ 650mm    | ↳ 2x60W ↳ 2x20W E27 |
| 00-00-484 | 40 P | WH     | ↑ 650mm    | ↳ 2x60W ↳ 2x20W E27 |
| 00-00-485 | 40 P | GR     | ↑ 650mm    | ↳ 2x60W ↳ 2x20W E27 |
| 00-00-486 | 41 P | BK     | ↑ 1150mm   | ↳ 2x60W ↳ 2x20W E27 |
| 00-00-487 | 41 P | WH     | ↑ 1150mm   | ↳ 2x60W ↳ 2x20W E27 |
| 00-00-488 | 41 P | GR     | ↑ 1150mm   | ↳ 2x60W ↳ 2x20W E27 |



#### PRODUCT FEATURES

- > Plastic base and pole
- > Polyamide (PA) head with opal or clear polycarbonate diffuser
- > With aluminium reflector, thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > UV resistant materials
- > Also available in different height upon request
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II



ANTS

Silver antique / Αντικέ ασημί



ANTG

Golden antique / Αντικέ χρυσό



COA

Copper antique / Αντικέ χαλκό

PRISMA

Art. 36 /37 /38

>>> Aluminium post with plastic head in various heights  
Δαπέδου αλουμινίου με κεφαλή πλαστική μονή

CE

| CODE      | ART | COLOUR | DIMENSIONS | WATTAGE         |
|-----------|-----|--------|------------|-----------------|
| 00-00-139 | 36  | BK     | ↑ 400mm    | ↳ 60W ↘ 20W E27 |
| 00-00-036 | 36  | WH     | ↑ 400mm    | ↳ 60W ↘ 20W E27 |
| 00-00-271 | 36  | GR     | ↑ 400mm    | ↳ 60W ↘ 20W E27 |
| 00-00-140 | 37  | BK     | ↑ 650mm    | ↳ 60W ↘ 20W E27 |
| 00-00-037 | 37  | WH     | ↑ 650mm    | ↳ 60W ↘ 20W E27 |
| 00-00-272 | 37  | GR     | ↑ 650mm    | ↳ 60W ↘ 20W E27 |
| 00-00-142 | 38  | BK     | ↑ 1150mm   | ↳ 60W ↘ 20W E27 |
| 00-00-038 | 38  | WH     | ↑ 1150mm   | ↳ 60W ↘ 20W E27 |
| 00-00-273 | 38  | GR     | ↑ 1150mm   | ↳ 60W ↘ 20W E27 |

PRISMA

Art. 39 /40 /41

>>> Aluminium post with double plastic head in various heights  
Δαπέδου αλουμινίου με κεφαλή πλαστική διπλή

CE

| CODE      | ART | COLOUR | DIMENSIONS | WATTAGE             |
|-----------|-----|--------|------------|---------------------|
| 00-00-143 | 39  | BK     | ↑ 400mm    | ↳ 2x60W ↘ 2x20W E27 |
| 00-00-039 | 39  | WH     | ↑ 400mm    | ↳ 2x60W ↘ 2x20W E27 |
| 00-00-274 | 39  | GR     | ↑ 400mm    | ↳ 2x60W ↘ 2x20W E27 |
| 00-00-146 | 40  | BK     | ↑ 650mm    | ↳ 2x60W ↘ 2x20W E27 |
| 00-00-040 | 40  | WH     | ↑ 650mm    | ↳ 2x60W ↘ 2x20W E27 |
| 00-00-275 | 40  | GR     | ↑ 650mm    | ↳ 2x60W ↘ 2x20W E27 |
| 00-00-147 | 41  | BK     | ↑ 1150mm   | ↳ 2x60W ↘ 2x20W E27 |
| 00-00-041 | 41  | WH     | ↑ 1150mm   | ↳ 2x60W ↘ 2x20W E27 |
| 00-00-276 | 41  | GR     | ↑ 1150mm   | ↳ 2x60W ↘ 2x20W E27 |

#### PRODUCT FEATURES

- > Aluminium base and pole
- > Polyamide (PA) head with opal or clear polycarbonate diffuser
- > With aluminium reflector, thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Also available in different height upon request
- > UV resistant materials
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

NEW


## KARRE



KARRE is a classic lantern design featuring mostly traditional architecture. Offers high lighting output due to the clear glass diffuser and E27 max.60W lamp capability. Strong plus for this model is the reversible feature of the same unit fixture. Manufactured by anti-corrosion high quality plastic materials, KARRE series is also recommended for sea-side use.

KARRE

Art. 1016

>>> Plastic lantern with clear glass diffuser  
Φανάρι πλαστικό με διάφανο γυαλί

| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE     |
|-----------|------|--------|-----------------|-------------|
| 10-10-128 | 1016 | BK     | Ø 150mm ↑ 350mm | 60W 18W E27 |
| 10-10-127 | 1016 | WH     | Ø 150mm ↑ 350mm | 60W 18W E27 |



#### PRODUCT FEATURES

- > ABS base and cover
- > Clear glass diffuser
- > Complete with wiring
- > UV resistant materials
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > Fully reversible, can be placed either upwards or downwards
- > IP 44 ▲
- > 220 - 240V / ~50 Hz
- > Class II □

NEW

## EXAGON




EXAGON is a classic lantern design featuring mostly traditional architecture. Offers high lighting output due to the clear glass diffuser and E27 max. 60W lamp capability. Strong plus for this model is the reversible feature of the same unit fixture. Manufactured by anti-corrosion high quality plastic materials, EXAGON series is also recommended for sea-side use.

**EXAGON****Art. 1015**

>>> Plastic lantern with clear glass diffuser  
Φανάρι πλαστικό με διάφανο γυαλί



**REVERSIBLE**  
ΑΝΑΣΤΡΕΦΟΜΕΝΟ



**REVERSIBLE**  
ΑΝΑΣΤΡΕΦΟΜΕΝΟ



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE     |
|-----------|------|--------|-----------------|-------------|
| 10-10-126 | 1015 | BK     | Ø 171mm ↑ 356mm | 60W 18W E27 |
| 10-10-125 | 1015 | WH     | Ø 171mm ↑ 356mm | 60W 18W E27 |



**ANTS**

Silver antique / Αντικέ ασημί



**ANTG**

Golden antique / Αντικέ χρυσό



**COA**

Copper antique / Αντικέ χαλκού

#### PRODUCT FEATURES

- > ABS base and cover
- > Clear glass diffuser
- > Complete with wiring
- > UV resistant materials
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > Fully reversible, can be placed either upwards or downwards
- > IP 44 ▲
- > 220 - 240V / ~50 Hz
- > Class II □


# UMBRA



Umbra presents a complete lantern series for wall, pendant and garden application. Plastic material combined with a polycarbonate diffuser is a secure choice for exterior illumination: maximum resistance against difficult weather conditions. Light through the prismatic diffuser creates an atmospheric illumination effect.

UMBRA

Art. 66 / 66.1

>>> Plastic lantern with prismatic polycarbonate diffuser  
Φανάρι πλαστικό με γυαλί πρισματικό πολυκαρπονάτ

| CODE      | ART  | COLOUR | DIMENSIONS                 | WATTAGE     |
|-----------|------|--------|----------------------------|-------------|
| 00-00-098 | 66   | BK     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-066 | 66   | WH     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-099 | 66.1 | BK     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-661 | 66.1 | WH     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |



UMBRA

Art. 66 D

>>> Plastic garden lantern with prismatic polycarbonate diffuser  
Δαπέδου πλαστικό με γυαλί πρισματικό πολυκαρπονάτ

| CODE      | ART  | COLOUR | DIMENSIONS                    | WATTAGE     |
|-----------|------|--------|-------------------------------|-------------|
| 00-00-154 | 66 D | BK     | Ø 180mm ↑ 375mm Cone: Ø 125mm | 60W 15W E27 |
| 00-00-660 | 66 D | WH     | Ø 180mm ↑ 375mm Cone: Ø 125mm | 60W 15W E27 |

UMBRA

Art. 66 B

&gt;&gt;&gt; Hanging plastic lantern with polycarbonate diffuser

Πλαστικό κρεμαστό φανάρι με γυαλί πρισματικό πολυκαρπονάτ



| CODE      | ART  | COLOUR | DIMENSIONS            | WATTAGE     |
|-----------|------|--------|-----------------------|-------------|
| 00-00-277 | 66 B | BK     | A: 250mm B: max 700mm | 60W 15W E27 |
| 00-00-278 | 66 B | WH     | A: 250mm B: max 700mm | 60W 15W E27 |

#### PRODUCT FEATURES


- > Polypropylene (PP) base, body and cone
- > Clear prismatic polycarbonate diffuser
- > Plastic suspension with adjustable length up to 70 cm
- > Art. 66/66.1/66B complete with wiring
- > With porcelain lampholder
- > UV resistant materials
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II



UMBRA

Art. 66.7 / 66.8

&gt;&gt;&gt;

Plastic lantern with prismatic polycarbonate diffuser  
Φανάρι πλαστικό με γυαλί πρισματικό πολυκαρμπονάτ

| CODE      | ART  | COLOUR | DIMENSIONS                 | WATTAGE     |
|-----------|------|--------|----------------------------|-------------|
| 00-00-096 | 66.7 | BK     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-667 | 66.7 | WH     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-097 | 66.8 | BK     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-668 | 66.8 | WH     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |

UMBRA



Art. 66.7 D

&gt;&gt;&gt;

Plastic garden lantern with prismatic polycarbonate diffuser  
Δαπέδου πλαστικό με γυαλί πρισματικό πολυκαρμπονάτ

| CODE      | ART    | COLOUR | DIMENSIONS                   | WATTAGE     |
|-----------|--------|--------|------------------------------|-------------|
| 00-00-153 | 66.7D  | BK     | Ø 180mm ↑375mm Cone: Ø 125mm | 60W 15W E27 |
| 00-00-674 | 66.7 D | WH     | Ø 180mm ↑375mm Cone: Ø 125mm | 60W 15W E27 |

UMBRA

Art. 66.7 B

&gt;&gt;&gt;

Hanging plastic lantern with polycarbonate diffuser  
Πλαστικό κρεμαστό φανάρι με γυαλί πρισματικό πολυκαρμπονάτ

| CODE      | ART    | COLOUR | DIMENSIONS            | WATTAGE     |
|-----------|--------|--------|-----------------------|-------------|
| 00-00-279 | 66.7 B | BK     | A: 180mm B: max 700mm | 60W 15W E27 |
| 00-00-280 | 66.7 B | WH     | A: 180mm B: max 700mm | 60W 15W E27 |

## PRODUCT FEATURES

- > Polypropylene (PP) base, body and cone
- > Clear prismatic polycarbonate diffuser
- > Plastic suspension with adjustable length up to 70 cm
- > Art. 66.7/66.8/66.7B complete with wiring
- > With porcelain lampholder
- > UV resistant materials
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II



UMBRA



Art. 75 / 75 A

&gt;&gt;&gt;

Plastic lantern with prismatic polycarbonate diffuser


Φανάρι πλαστικό με γυαλί πρισματικό πολυκαρμπονάτ



75



75 A



| CODE      | ART  | COLOUR | DIMENSIONS                 | WATTAGE     |
|-----------|------|--------|----------------------------|-------------|
| 00-00-088 | 75   | BK     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-075 | 75   | WH     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-089 | 75 A | BK     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-750 | 75 A | WH     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |

UMBRA



Art. 75 D

&gt;&gt;&gt;

Plastic garden lantern with prismatic polycarbonate diffuser

Δαπέδου πλαστικό με γυαλί πρισματικό πολυκαρμπονάτ



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE     |
|-----------|------|--------|-----------------|-------------|
| 00-00-152 | 75 D | BK     | Ø 180mm ↑ 375mm | 60W 15W E27 |
| 00-00-752 | 75 D | WH     | Ø 180mm ↑ 375mm | 60W 15W E27 |

UMBRA



Art. 75 B

&gt;&gt;&gt;

Hanging plastic lantern with polycarbonate diffuser

Πλαστικό κρεμαστό φανάρι με γυαλί πρισματικό πολυκαρμπονάτ



| CODE      | ART  | COLOUR | DIMENSIONS            | WATTAGE     |
|-----------|------|--------|-----------------------|-------------|
| 00-00-126 | 75 B | BK     | A: 180mm B: max 700mm | 60W 15W E27 |
| 00-00-751 | 75 B | WH     | A: 180mm B: max 700mm | 60W 15W E27 |


## PRODUCT FEATURES

- > Polypropylene (PP) base, body and cone
- > Clear prismatic polycarbonate diffuser
- > Plastic suspension with adjustable length up to 70 cm
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > UV resistant materials
- > Art. 75/75A/75B complete with wiring
- > With porcelain lampholder
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II

ANTS  
Silver antique / Αντικέ ασημίANTG  
Golden antique / Αντικέ χρυσόCOA  
Copper antique / Αντικέ χαλκού

**NEW**

UMBRA Art. 14 P / 14 AP

>>> Plastic lantern with prismatic polycarbonate diffuser  
Φανάρι πλαστικό με γυαλί πρισματικό πολυκαρπονάτ

| CODE      | ART   | COLOUR | DIMENSIONS                 | WATTAGE     |
|-----------|-------|--------|----------------------------|-------------|
| 00-00-091 | 14 P  | BK     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-014 | 14 P  | WH     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-216 | 14 AP | BK     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |
| 00-00-150 | 14 AP | WH     | A: 198mm B: 227mm C: 330mm | 60W 15W E27 |

**NEW**

UMBRA Art. 14 D

>>> Plastic garden lantern with prismatic polycarbonate diffuser  
Δαπέδου πλαστικό με γυαλί πρισματικό πολυκαρπονάτ

| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE     |
|-----------|------|--------|-----------------|-------------|
| 00-00-020 | 14 D | BK     | Ø 180mm ↑ 375mm | 60W 15W E27 |
| 00-00-531 | 14 D | WH     | Ø 180mm ↑ 375mm | 60W 15W E27 |

**NEW**

UMBRA Art. 14 B


>>> Hanging plastic lantern with polycarbonate diffuser  
Πλαστικό κρεμαστό φανάρι με γυαλί πρισματικό πολυκαρπονάτ

| CODE      | ART  | COLOUR | DIMENSIONS            | WATTAGE     |
|-----------|------|--------|-----------------------|-------------|
| 00-00-121 | 14 B | BK     | A: 180mm B: max 700mm | 60W 15W E27 |
| 00-00-141 | 14 B | WH     | A: 180mm B: max 700mm | 60W 15W E27 |

#### PRODUCT FEATURES

- > Polypropylene (PP) base, body and cone
- > Clear prismatic polycarbonate diffuser
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > UV resistant materials
- > Art. 14/14A/14B complete with wiring
- > With porcelain lampholder
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II






# CRYSTAL

---



More traditional shapes are introduced with Crystal series. The clear prismatic design glass creates a classy result for the venue. Pendant version can be combined for ceiling illumination or even applied for interior lighting.

**CRYSTAL****Art. 18**>>> Plastic lantern with clear glass diffuser  
Φανάρι πλαστικό με γυαλί διάφανο

| CODE      | ART | COLOUR | DIMENSIONS                 | WATTAGE     |
|-----------|-----|--------|----------------------------|-------------|
| 00-00-155 | 18  | BK     | A: 198mm B: 225mm C: 280mm | 75W 15W E27 |
| 00-00-018 | 18  | WH     | A: 198mm B: 225mm C: 280mm | 75W 15W E27 |

**CRYSTAL****Art. 18 B**>>> Hanging plastic lantern with clear glass diffuser  
Φανάρι κρεμαστό πλαστικό με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS            | WATTAGE     |
|-----------|------|--------|-----------------------|-------------|
| 00-00-127 | 18 B | BK     | A: 193mm B: max 700mm | 75W 15W E27 |
| 00-00-185 | 18 B | WH     | A: 193mm B: max 700mm | 75W 15W E27 |

#### PRODUCT FEATURES

- > Polypropylene (PP) base and body
- > Clear glass diffuser
- > Plastic suspension with adjustable length up to 70cm for Art. 18B
- > UV resistant materials
- > Complete through wiring
- > Anti-corrosion high quality plastic materials, ideal for sea side use
- > With porcelain lampholder and brass screws
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II

# PLATEAU & PLANUS



Plateau is a classic design fitting easily incorporated in various architectures. Three-option colours: black, white and grey.

Planus is a simple-line ceiling lamp available in opal or clear prismatic polycarbonate diffuser. Ideal for corridors, basements or warehouse illumination. Being extremely lightweighted, Planus can be easily installed. Vandalproof polycarbonate diffuser makes it also suitable for open access areas.

PLATEAU

Art. 31

>>> Plastic ceiling lamp with opal polycarbonate diffuser  
Πλαφονιέρα οροφής πλαστική με γυαλί πολυκαρμπονάτ

| CODE      | ART | COLOUR | DIMENSIONS     | WATTAGE         |
|-----------|-----|--------|----------------|-----------------|
| 00-00-129 | 31  | BK     | Ø 330mm ↑ 95mm | → 75W ⇠ 15W E27 |
| 00-00-031 | 31  | WH     | Ø 330mm ↑ 95mm | → 75W ⇠ 15W E27 |
| 00-00-245 | 31  | GR     | Ø 330mm ↑ 95mm | → 75W ⇠ 15W E27 |



PLANUS Art. 7P/7AP

>>> Plastic ceiling lamp with opal / clear prismatic polycarbonate diffuser  
Πλαφονιέρα οροφής πλαστική με γυαλί πολυκαρμπονάτ οπάλ / διάφανο

7P



7AP



| CODE      | ART  | COLOUR | DIMENSIONS     | WATTAGE         |
|-----------|------|--------|----------------|-----------------|
| 00-00-133 | 7 P  | BK     | Ø 197mm ↑ 92mm | → 60W ⇠ 15W E27 |
| 00-00-007 | 7 P  | WH     | Ø 197mm ↑ 92mm | → 60W ⇠ 15W E27 |
| 00-00-254 | 7 P  | GR     | Ø 197mm ↑ 92mm | → 60W ⇠ 15W E27 |
| 00-00-130 | 7 AP | BK     | Ø 197mm ↑ 92mm | → 60W ⇠ 15W E27 |
| 00-00-077 | 7 AP | WH     | Ø 197mm ↑ 92mm | → 60W ⇠ 15W E27 |
| 00-00-255 | 7 AP | GR     | Ø 197mm ↑ 92mm | → 60W ⇠ 15W E27 |



ANTS

Silver antique / Αντικέ ασημί



ANTG

Golden antique / Αντικέ χρυσό



COA

Copper antique / Αντικέ χαλκού

#### PRODUCT FEATURES

- > Polypropylene (PP) base
- > Opal polycarbonate diffuser
- > UV resistant materials
- > With aluminium reflector and porcelain lampholder
- > Anti-corrosion high quality plastic materials ideal for sea side use
- > IP 41 ♦
- > 220 - 240V / 50-60Hz
- > Class II □



**Aluminums**

**Αλουμίνια**

# GEA



Gea series includes oval die-cast aluminium bulkheads in different sizes and styles, wattage and diffusers. Best fitted in garden areas and stairs, bulkheads offer adequate yet discrete illumination to the outdoor area. Two models come out with two point exterior support for extra stability.

GEA

Art. 12 C

>>> Aluminium bulkhead with clear glass diffuser and exterior support  
Χελώνα αλουμινίου με γυαλί διάφανο και εξωτερική στήριξη

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 00-00-120 | 12 C | SI     | 193x95mm ↑ 104mm | 60W 15W E27 |

GEA

Art. 12 CF

>>> Aluminium bulkhead with opal glass diffuser and exterior support  
Χελώνα αλουμινίου με ματ γυαλί και εξωτερική στήριξη

| CODE      | ART   | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|-------|--------|------------------|-------------|
| 00-00-959 | 12 CF | SI     | 193x95mm ↑ 104mm | 60W 15W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and guard
- > Polyester powder coating, UV resistant
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Two point exterior support
- > Available in all colour finishes upon request.
- > IP 64 ◊ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

GEA

Art. 13 P

&gt;&gt;&gt;

Aluminium bulkhead with clear glass diffuser and exterior support  
Χειλώνα αλουμινίου με διάφανο γυαλί και εξωτερική στήριξη



CE

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 00-00-113 | 13 P | SI     | 220x108mm ↑120mm | 75W 20W E27 |

GEA

Art. 13 PF

&gt;&gt;&gt;

Aluminium bulkhead with opal glass and exterior support  
Χειλώνα αλουμινίου με ματ γυαλί και εξωτερική στήριξη



CE

| CODE      | ART   | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|-------|--------|------------------|-------------|
| 00-00-960 | 13 PF | SI     | 220x108mm ↑120mm | 75W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and guard
- > Polyester powder coating, UV resistant
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Two point exterior support
- > Available in all colour finishes upon request
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART     | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|---------|--------|-------------------|-------------|
| 00-00-961 | 13 P/PC | SI     | 220x108mm ↑ 120mm | 60W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and guard
- > Polyester powder coating, UV resistant
- > Opal Polycarbonate glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Two point exterior support
- > Available in all colour finishes upon request
- > IP 64 ☀️ ⚠️ ⚡
- > 220 - 240V / 50-60Hz
- > Class I



GEA

Art. 13

>>> Aluminium bulkhead with clear glass diffuser  
Χειλώνα απουμινίου με γυαλί διάφανο

| CODE      | ART | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|-----|--------|------------------|-------------|
| 00-00-013 | 13  | SI     | 220x108mm ↑120mm | 75W 20W E27 |

GEA

Art. 13 F

>>> Aluminium bulkhead with opal glass diffuser  
Χειλώνα απουμινίου με ματ γυαλί

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 00-00-962 | 13 F | SI     | 220x108mm ↑120mm | 75W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and guard
- > Polyester powder coating, UV resistant
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry
- > Available in all colour finishes upon request
- > IP 64 ◊ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

GEA

Art. 133 A

>>> Aluminium bulkhead with clear glass diffuser  
Χειλώνα αλουμινίου με γυαλί διάφανο

| CODE      | ART   | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|-------|--------|------------------|-------------|
| 00-00-240 | 133 A | SI     | 225x105mm ↑100mm | 60W 20W E27 |

GEA

Art. 133 AF

>>> Aluminium bulkhead with opal glass diffuser  
Χειλώνα αλουμινίου με οπάλ γυαλί

| CODE      | ART    | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|--------|--------|------------------|-------------|
| 00-00-379 | 133 AF | SI     | 225x105mm ↑100mm | 60W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and guard
- > Polyester powder coating, UV resistant
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Available in all colour finishes upon request
- > IP 64 ☷ ▲ ⌂
- > 220 - 240V / 50-60Hz
- > Class I

# CLIO



Clio is a three-type -frame, guard and cover- oval bulkhead satisfying every decorative and lighting need. Ideally fitted in garden areas, stairs, above doors and windows, Clio series offer adequate yet discrete illumination to the outdoor area.

**CLIO****Art. 1401**>>> Alouminium bulkhead with opal glass diffuser  
Χειλώνα αλουμινίου με γυαλί ματ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 10-10-037 | 1401 | BK     | 212x108mm ↑ 93mm | 60W 15W E27 |
| 10-10-038 | 1401 | WH     | 212x108mm ↑ 93mm | 60W 15W E27 |
| 10-10-039 | 1401 | SI     | 212x108mm ↑ 93mm | 60W 15W E27 |

**CLIO****Art. 1402**>>> Alouminium bulkhead with opal glass diffuser  
Χειλώνα αλουμινίου με γυαλί ματ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 10-10-014 | 1402 | BK     | 212x108mm ↑ 93mm | 60W 15W E27 |
| 10-10-000 | 1402 | WH     | 212x108mm ↑ 93mm | 60W 15W E27 |
| 10-10-015 | 1402 | SI     | 212x108mm ↑ 93mm | 60W 15W E27 |

**CLIO****Art. 1405**>>> Alouminium bulkhead with opal glass diffuser  
Χειλώνα αλουμινίου με γυαλί ματ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 10-10-032 | 1405 | BK     | 212x108mm ↑ 93mm | 60W 15W E27 |
| 10-10-031 | 1405 | WH     | 212x108mm ↑ 93mm | 60W 15W E27 |
| 10-10-033 | 1405 | SI     | 212x108mm ↑ 93mm | 60W 15W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and frame, guard and cover
- > Polyester powder coating, UV resistant
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour finishes upon request
- > Rear cable entry
- > IP 54 ☀️ ⚡ ⚡
- > 220 - 240V / 50-60Hz
- > Class I

# TONDO



Another shape with three-type versions: frame, guard and cover. The variety of types gives the opportunity to select the Tondo type, according to the lighting and decorative needs of the site. Tondo is suitable for illuminating exterior areas of buildings: above doors and doorsteps, windows and against building walls, balconies and terraces.

**TONDO****Art. 2401**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με ματ γυαλί

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 10-10-074 | 2401 | BK     | 214x142mm ↑ 97mm | 60W 15W E27 |
| 10-10-073 | 2401 | WH     | 214x142mm ↑ 97mm | 60W 15W E27 |
| 10-10-075 | 2401 | SI     | 214x142mm ↑ 97mm | 60W 15W E27 |

**TONDO****Art. 2403**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με ματ γυαλί

| CODE      | ART  | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|------|--------|-------------------|-------------|
| 10-10-019 | 2403 | BK     | 214x142mm ↑ 107mm | 60W 15W E27 |
| 10-10-004 | 2403 | WH     | 214x142mm ↑ 107mm | 60W 15W E27 |
| 10-10-020 | 2403 | SI     | 214x142mm ↑ 107mm | 60W 15W E27 |

**TONDO****Art. 2406**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με ματ γυαλί

| CODE      | ART  | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|------|--------|-------------------|-------------|
| 10-10-110 | 2406 | BK     | 214x142mm ↑ 107mm | 60W 15W E27 |
| 10-10-111 | 2406 | WH     | 214x142mm ↑ 107mm | 60W 15W E27 |
| 10-10-112 | 2406 | SI     | 214x142mm ↑ 107mm | 60W 15W E27 |



#### PRODUCT FEATURES

- > Die-cast aluminium housing and frame, guard and cover
- > Polyester powder coating, UV resistant
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour finishes upon request
- > Rear cable entry
- > IP 54 ☀️ ⚡
- > 220 - 240V / 50-60Hz
- > Class I

# GALEA



An alternative wall lamp design, combining downward directional illumination with an upward beam of light. Create a unique atmosphere with the lighting effect of Galea. Applicable against walls, above doors or windows and quite impressive when installed in a line against garden walls or pathways.

GALEA


Art. BL 2053

>>> Aluminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

| CODE      | ART     | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|---------|--------|-------------------|-------------|
| 11-11-061 | BL 2053 | BK     | 220x156mm ↑ 130mm | 75W 15W E27 |
| 11-11-060 | BL 2053 | WH     | 220x156mm ↑ 130mm | 75W 15W E27 |
| 11-11-062 | BL 2053 | SI     | 220x156mm ↑ 130mm | 75W 15W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and cover
- > Polyester powder coating, UV resistant
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Rear cable entry
- > Available in all colour finishes upon request
- > IP 54 ☀️ ⚡ ⚡
- > 220 - 240V / 50-60Hz
- > Class I




# PYRAMIS



Simple lines in an easy to fit lighting. Pyramis is a classic design coming out in three type cover, suitable to illuminate step doors, balconies and windows. Select the appropriate type and colour among a big variety colour pallet.

**PYRAMIS****Art. 1801**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 10-10-026 | 1801 | BK     | 264x127mm ↑102mm | 75W 20W E27 |
| 10-10-008 | 1801 | WH     | 264x127mm ↑102mm | 75W 20W E27 |
| 10-10-027 | 1801 | SI     | 264x127mm ↑102mm | 75W 20W E27 |

**PYRAMIS****Art. 1802**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 10-10-066 | 1802 | BK     | 264x127mm ↑110mm | 75W 20W E27 |
| 10-10-013 | 1802 | WH     | 264x127mm ↑110mm | 75W 20W E27 |
| 10-10-065 | 1802 | SI     | 264x127mm ↑110mm | 75W 20W E27 |

**PYRAMIS****Art. 1803**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 10-10-067 | 1803 | BK     | 264x127mm ↑110mm | 75W 20W E27 |
| 10-10-053 | 1803 | WH     | 264x127mm ↑110mm | 75W 20W E27 |
| 10-10-068 | 1803 | SI     | 264x127mm ↑110mm | 75W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and cover
- > Polyester powder coating, UV resistant
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Rear cable entry
- > Available in all colour finishes upon request
- > IP 54 ☀️ ⚡ ⚡
- > 220 - 240V / 50-60Hz
- > Class I

# PUCK



Puck is a four type series of smaller fixtures suitable to offer distinctive illumination in any outdoor site. Peripheral lighting is well achieved when placed in line against walls or parterres. This series is available in a big range of colours and three options of lampholders: G9, G4-12V and economy GX53.

**PUCK****Art. 112**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

CE

| CODE      | ART | COLOUR | DIMENSIONS    | WATTAGE               |
|-----------|-----|--------|---------------|-----------------------|
| 00-00-057 | 112 | SI     | Ø 140mm ↑55mm | 40W 9W G9/G4-12V/GX53 |

**PUCK****Art. 113**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

CE

| CODE      | ART | COLOUR | DIMENSIONS    | WATTAGE               |
|-----------|-----|--------|---------------|-----------------------|
| 00-00-058 | 113 | SI     | Ø 140mm ↑55mm | 40W 9W G9/G4-12V/GX53 |

**PUCK****Art. 114**>>> Alouminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ


CE

| CODE      | ART | COLOUR | DIMENSIONS    | WATTAGE               |
|-----------|-----|--------|---------------|-----------------------|
| 00-00-060 | 114 | SI     | Ø 140mm ↑55mm | 40W 9W G9/G4-12V/GX53 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and frame, guard and cover
- > Polyester powder coating, UV resistant
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Standard edition with G9 lampholder, G4-12V and economy GX53 available upon request
- > Rear cable entry
- > Available in all colour finishes upon request
- > IP 64 ◊ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

# RONDO



The biggest round-type fixtures are included in Rondo series; both for max 60W lamp and guard. All models come out in either clear or opal glass diffuser. Rondo models offer rich illumination result due to the big size and round figure. Rondo series, as all aluminium products, is available in a big range of colours.

**RONDO****Art. 10 D**>>> Alouminium bulkhead with clear glass diffuser  
Χελώνα αλουμινίου με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS     | WATTAGE      |
|-----------|------|--------|----------------|--------------|
| 00-00-100 | 10 D | SI     | Ø 195mm ↵ 93mm | 60W 15W E-27 |

**RONDO****Art. 10 AL**>>> Alouminium bulkhead with opal glass diffuser  
Χελώνα αλουμινίου με γυαλί ματ

| CODE      | ART   | COLOUR | DIMENSIONS     | WATTAGE      |
|-----------|-------|--------|----------------|--------------|
| 00-00-102 | 10 AL | SI     | Ø 195mm ↵ 93mm | 60W 15W E-27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and guard
- > Polyester powder coating, UV resistant
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Available in all colour finishes upon request
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

**RONDO****Art. 11 D**>>> Aluminium bulkhead with clear glass diffuser  
Χελώνα αλουμινίου με γυαλί διάφανο


| CODE      | ART  | COLOUR | DIMENSIONS   | WATTAGE     |
|-----------|------|--------|--------------|-------------|
| 00-00-011 | 11 D | SI     | Ø 245 ↑ 93mm | 60W 20W E27 |

**RONDO****Art. 11 AL**>>> Aluminium bulkhead with opal glass diffuser  
Χελώνα αλουμινίου με γυαλί ματ

| CODE      | ART   | COLOUR | DIMENSIONS   | WATTAGE     |
|-----------|-------|--------|--------------|-------------|
| 00-00-104 | 11 AL | SI     | Ø 245 ↑ 93mm | 60W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and guard
- > Polyester powder coating, UV resistant
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Available in all colour finishes upon request
- > IP 64 ♦ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I



# TETRA



As an alternative to round shape series, Tetra presents the square version for small fixtures offering distinctive illumination. Each one of the three cover types give out a different lighting effect; especially art. 122AL offers downward directional lighting, ideal for pathway illumination. Chosen for residential or architectural use, Tetra will offer a modern perspective at the site. Tetra models are available with G9, G4 -12V and economy lamp GX53 lampholders. Extended colour options give also more alternatives to lighting decoration.

**TETRA****Art. 120 AL**>>> Aluminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

| CODE      | ART    | COLOUR | DIMENSIONS      | WATTAGE                    |
|-----------|--------|--------|-----------------|----------------------------|
| 00-00-200 | 120 AL | SI     | 120x120mm ↑50mm | 40W 9W G9/GY 6.35-12V/GX53 |

**TETRA****Art. 121 AL**>>> Aluminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

| CODE      | ART    | COLOUR | DIMENSIONS      | WATTAGE               |
|-----------|--------|--------|-----------------|-----------------------|
| 00-00-201 | 121 AL | SI     | 120x120mm ↑50mm | 40W 9W G9/G4-12V/GX53 |

**TETRA****Art. 122 AL**>>> Aluminium wall lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου με γυαλί ματ

| CODE      | ART    | COLOUR | DIMENSIONS      | WATTAGE               |
|-----------|--------|--------|-----------------|-----------------------|
| 00-00-202 | 122 AL | SI     | 120x120mm ↑50mm | 40W 9W G9/G4-12V/GX53 |

### PRODUCT FEATURES

- > Die-cast aluminium housing and frame, guard and cover
- > Polyester powder coating, UV resistant
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Standard edition with G9 lampholder, G4-12V and economy GX53 available upon request
- > Rear cable entry
- > Available in all colour finishes upon request
- > IP 64 ◊ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

# BRICK



Wall-mounted fixtures with frame or guard for extra protection. Plastic gear box for lamp housing is also included. Brick series are ideal for door step lighting or discreet peripheral illumination in the garden.

BRICK

Art. 1503

>>> Aluminium wall mounted lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου χωνευτή με γυαλί ματ

| CODE      | ART  | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|------|--------|------------------|-------------|
| 10-10-025 | 1503 | BK     | 234x100mm ↑ 85mm | 40W 15W E27 |
| 10-10-007 | 1503 | WH     | 234x100mm ↑ 85mm | 40W 15W E27 |
| 10-10-051 | 1503 | SI     | 234x100mm ↑ 85mm | 40W 15W E27 |

BRICK

Art. 2600-C

>>> Aluminium wall mounted lamp with opal glass diffuser  
Απλίκα τοίχου αλουμινίου χωνευτή με γυαλί ματ

| CODE      | ART    | COLOUR | DIMENSIONS       | WATTAGE     |
|-----------|--------|--------|------------------|-------------|
| 10-10-057 | 2600-C | BK     | 234x100mm ↑ 85mm | 40W 15W E27 |
| 10-10-054 | 2600-C | WH     | 234x100mm ↑ 85mm | 40W 15W E27 |
| 10-10-056 | 2600-C | SI     | 234x100mm ↑ 85mm | 40W 15W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing frame and guard
- > Polyester powder coating, UV resistant
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour finishes upon request
- > Rear cable entry
- > Plastic gear box included
- > IP 54 ☀️ ⚡
- > 220 - 240V / 50-60Hz
- > Class I

# CAP

---



A classic model of ceiling lamp, fitting all architectures. Comes out in two sizes for lower and higher wattage needs, while available in many colours upon request.

CAP

Art. 2301

>>> Alouminium bulkhead with opal glass diffuser  
Χελώνα αλουμινίου με γυαλί ματ

CE

| CODE      | ART  | COLOUR | DIMENSIONS     | WATTAGE     |
|-----------|------|--------|----------------|-------------|
| 10-10-035 | 2301 | BK     | Ø 190mm ↑ 92mm | 60W 15W E27 |
| 10-10-034 | 2301 | WH     | Ø 190mm ↑ 92mm | 60W 15W E27 |
| 10-10-036 | 2301 | SI     | Ø 190mm ↑ 92mm | 60W 15W E27 |

CAP

Art. 2101

>>> Alouminium bulkhead with opal glass diffuser  
Χελώνα αλουμινίου με γυαλί ματ

CE

| CODE      | ART  | COLOUR | DIMENSIONS     | WATTAGE      |
|-----------|------|--------|----------------|--------------|
| 10-10-109 | 2101 | BK     | Ø 255mm ↑ 92mm | 100W 20W E27 |
| 10-10-108 | 2101 | WH     | Ø 255mm ↑ 92mm | 100W 20W E27 |
| 10-10-107 | 2101 | SI     | Ø 255mm ↑ 92mm | 100W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and frame
- > Polyester powder coating, UV resistant
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all finishes upon request
- > Rear cable entry
- > IP 54 ☀️ ⚠️
- > 220 - 240V / 50-60Hz
- > Class I

# FANOS

---



Fanos is a small aluminium projector using GU10 lamp ideal to light walls, columns or small corners in the garden. The desired lighting angle can be adjusted during installation. Using the extra spike accessory, Fanos can also be installed on the ground.



CE

| CODE      | ART  | COLOUR | DIMENSIONS         | WATTAGE  |
|-----------|------|--------|--------------------|----------|
| 10-10-100 | 3004 | BK     | Ø 91mm †95mm 150mm | 50W GU10 |
| 10-10-071 | 3004 | WH     | Ø 91mm †95mm 150mm | 50W GU10 |
| 10-10-072 | 3004 | SI     | Ø 91mm †95mm 150mm | 50W GU10 |



| CODE       | COLOUR | DIMENSIONS |
|------------|--------|------------|
| 13-00-1612 | BK     | † 165mm    |
| 13-00-1613 | SI     | † 165mm    |
| 13-00-1668 | WH     | † 165mm    |

#### PRODUCT FEATURES

- > Die-cast aluminium housing and frame
- > Polyester powder coating, UV resistant
- > Clear glass diffuser
- > With thermoplastic gasket, porcelain lampholder and cable gland
- > Rear cable entry
- > IP 54 ☀️ ⚡
- > 220 - 240V / 50-60Hz
- > Class I


# QUADRA



Quadra is the small aluminium lantern series presented with a complete range of models for wall-upward and downward-, ceiling (pendant) and garden application. There is a big variety of colours offered, as well as two glass diffusers available: clear and opal.

**QUADRA****Art. 67**>>> Alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με γυαλί διάφανο

| CODE      | ART | COLOUR | DIMENSIONS                   | WATTAGE     |
|-----------|-----|--------|------------------------------|-------------|
| 00-00-086 | 67  | BK     | A: Ø 115mm B: 210mm C: 290mm | 60W 15W E27 |
| 00-00-067 | 67  | WH     | A: Ø 115mm B: 210mm C: 290mm | 60W 15W E27 |

**QUADRA****Art. 67 A**>>> Alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS                   | WATTAGE     |
|-----------|------|--------|------------------------------|-------------|
| 00-00-087 | 67 A | BK     | A: Ø 115mm B: 210mm C: 290mm | 60W 15W E27 |
| 00-00-670 | 67 A | WH     | A: Ø 115mm B: 210mm C: 290mm | 60W 15W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Complete with wiring
- > Available in all colour finishes upon request
- > IP 43 ☒
- > 220 - 240V / 50-60Hz
- > Class I

**QUADRA****Art. 67 D**>>> Garden aluminium lantern with clear glass diffuser  
Δαπέδου αλουμινίου με γυαλί διάφανο

CE

| CODE      | ART  | COLOUR | DIMENSIONS                   | WATTAGE     |
|-----------|------|--------|------------------------------|-------------|
| 00-00-148 | 67 D | BK     | Ø 210mm cone Ø 125mm ↑ 380mm | 60W 15W E27 |
| 00-00-672 | 67 D | WH     | Ø 210mm cone Ø 125mm ↑ 380mm | 60W 15W E27 |

**QUADRA****Art. 67 K**>>> Garden aluminium lantern with clear glass diffuser  
Δαπέδου αλουμινίου με γυαλί διάφανο

CE

| CODE      | ART  | COLOUR | DIMENSIONS                   | WATTAGE     |
|-----------|------|--------|------------------------------|-------------|
| 00-00-380 | 67 K | BK     | Ø 210mm cone Ø 125mm ↑ 890mm | 60W 15W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP 43 ☑
- > 220 - 240V / 50-60Hz
- > Class I

**NEW**

QUADRA

Art. 67 H

>>> Alouminium head on Ø60 alouminium pole  
Κεφαλή αλουμινίου σε Ø60 κολώνα αλουμινίου

| CODE      | ART       | COLOUR | DIMENSIONS                 | WATTAGE     |
|-----------|-----------|--------|----------------------------|-------------|
| 00-00-532 | 67 H      | BK     | ↑230mm Ø 210mm             | 60W 15W E27 |
| 00-01-011 | K 43/0.25 | BK     | Ø 60mm ↑250mm base Ø 150mm |             |
| 00-01-012 | K 43/0.50 | BK     | Ø 60mm ↑500mm base Ø 150mm |             |
| 00-01-013 | K 43/0.70 | BK     | Ø 60mm ↑700mm base Ø 150mm |             |

QUADRA

Art. 67 B

>>> Alouminium hanging lantern with clear glass diffuser  
Φανάρι κρεμαστό αλουμινίου με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS                        | WATTAGE     |
|-----------|------|--------|-----------------------------------|-------------|
| 00-00-221 | 67 B | BK     | A: 230mm B: max 700mm base Ø 90mm | 60W 15W E27 |
| 00-00-237 | 67 B | WH     | A: 230mm B: max 700mm base Ø 90mm | 60W 15W E27 |


#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > With aluminium chain
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Art.67B complete with wiring
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

# LUCERNA



Lucerna lantern series is a medium sized fixture with six angle glass diffuser. This series covers all possible applications, presenting wall -upward and downward-, ceiling (pendant) and garden application. Lucerna models are available in various colours and two glass diffuser types: clear and opal.

**LUCERNA****Art. 72**>>> Alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με γυαλί διάφανο

| CODE      | ART | COLOUR | DIMENSIONS                  | WATTAGE     |
|-----------|-----|--------|-----------------------------|-------------|
| 00-00-084 | 72  | BK     | A: Ø115mm B: 230mm C: 340mm | 75W 20W E27 |
| 00-00-072 | 72  | WH     | A: Ø115mm B: 230mm C: 340mm | 75W 20W E27 |

**LUCERNA****Art. 72 A**>>> Alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS                  | WATTAGE     |
|-----------|------|--------|-----------------------------|-------------|
| 00-00-085 | 72 A | BK     | A: Ø115mm B: 230mm C: 340mm | 75W 20W E27 |
| 00-00-722 | 72 A | WH     | A: Ø115mm B: 230mm C: 340mm | 75W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Complete with wiring
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

**LUCERNA****Art. 72 D**>>> Alouminium garden lantern with clear glass diffuser  
Δαπέδου αλουμινίου με γυαλί διάφανο

CE

| CODE      | ART  | COLOUR | DIMENSIONS                  | WATTAGE         |
|-----------|------|--------|-----------------------------|-----------------|
| 00-00-151 | 72 D | BK     | †430mm Ø 205mm cone Ø 125mm | ✉ 75W ↪ 20W E27 |
| 00-00-720 | 72 D | WH     | †430mm Ø 205mm cone Ø 125mm | ✉ 75W ↪ 20W E27 |

**LUCERNA****Art. 72 K**>>> Alouminium garden lantern with clear glass diffuser  
Δαπέδου αλουμινίου με γυαλί διάφανο

CE

| CODE      | ART  | COLOUR | DIMENSIONS                  | WATTAGE         |
|-----------|------|--------|-----------------------------|-----------------|
| 00-00-381 | 72 K | BK     | †940mm Ø 205mm cone Ø 125mm | ✉ 75W ↪ 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP 43 ☒
- > 220 - 240V / 50-60Hz
- > Class I



LUCERNA

Art. 72 H

>>> Alouminium head on Ø60 alouminium pole  
Κεφαλή αλουμινίου σε Ø60 κολώνα αλουμινίου

| CODE      | ART       | COLOUR | DIMENSIONS                  | WATTAGE     |
|-----------|-----------|--------|-----------------------------|-------------|
| 00-00-533 | 72 H      | BK     | ↑275mm Ø 205mm              | 75W 20W E27 |
| 00-01-011 | K 43/0.25 | BK     | Ø 60mm ↑250mm base Ø 150mm  |             |
| 00-01-012 | K 43/0.50 | BK     | Ø 60mm ↑500mm base Ø 150mm  |             |
| 00-01-013 | K 43/0.70 | BK     | Ø 60mm ↑700mm base Ø 150mm  |             |
| 00-01-014 | K43/1.00  | BK     | Ø 60mm ↑1000mm base Ø 150mm |             |

LUCERNA

Art. 72 B

>>> Alouminium hanging lantern with clear glass diffuser  
Φανάρι κρεμαστό αλουμινίου με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS                        | WATTAGE     |
|-----------|------|--------|-----------------------------------|-------------|
| 00-00-222 | 72 B | BK     | A: 280mm B: max 700mm base Ø 90mm | 75W 20W E27 |
| 00-00-238 | 72 B | WH     | A: 280mm B: max 700mm base Ø 90mm | 75W 20W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > With aluminium chain
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Art.72B complete with wiring
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

# MAGNUS



Magnus is the big four angle glass diffuser lantern series, always combining wall, ceiling and garden installation. Magnus and Quadra share similar design, their sole difference lies in size. Combine both models at the same site according to the lighting and size needs of each application. This series is available in various colours and two glass diffuser types: clear and opal.

**MAGNUS****Art. 68/68A**>>> Alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με γυαλί διάφανο

68



| CODE      | ART  | COLOUR | DIMENSIONS                   | WATTAGE     |
|-----------|------|--------|------------------------------|-------------|
| 00-00-109 | 68   | BK     | A: Ø 205mm B: 260mm C: 360mm | 75W 20W E27 |
| 00-00-068 | 68   | WH     | A: Ø 205mm B: 260mm C: 360mm | 75W 20W E27 |
| 00-00-116 | 68 A | BK     | A: Ø 205mm B: 260mm C: 360mm | 75W 20W E27 |
| 00-00-680 | 68 A | WH     | A: Ø 205mm B: 260mm C: 360mm | 75W 20W E27 |

**MAGNUS****NEW****Art. 68P**>>> Alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με γυαλί διάφανο

| CODE      | ART | COLOUR | DIMENSIONS        | WATTAGE     |
|-----------|-----|--------|-------------------|-------------|
| 00-00-586 | 68P | BK     | A: 430mm B: 400mm | 75W 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Complete with wiring
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

**MAGNUS****Art. 68 D**>>> Alouminium garden lantern with clear glass diffuser  
Φανάρι δαπέδου αλουμινίου με γυαλί διάφανο

CE

| CODE      | ART  | COLOUR | DIMENSIONS                   | WATTAGE         |
|-----------|------|--------|------------------------------|-----------------|
| 00-00-149 | 68 D | BK     | Ø 260mm cone Ø 125mm ↑ 440mm | ✉ 75W ↪ 20W E27 |
| 00-00-682 | 68 D | WH     | Ø 260mm cone Ø 125mm ↑ 440mm | ✉ 75W ↪ 20W E27 |

**MAGNUS****Art. 68 K**>>> Alouminium garden lantern with clear glass diffuser  
Φανάρι δαπέδου αλουμινίου με γυαλί διάφανο

CE

| CODE      | ART  | COLOUR | DIMENSIONS                   | WATTAGE         |
|-----------|------|--------|------------------------------|-----------------|
| 00-00-382 | 68 K | BK     | Ø 260mm cone Ø 125mm ↑ 950mm | ✉ 75W ↪ 20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP 43 ☑
- > 220 - 240V / 50-60Hz
- > Class I

MAGNUS




Art. 68 H

>>> Alouminium head on Ø60 alouminium pole  
Κεφαλή αλουμινίου σε Ø60 κολώνα αλουμινίου

| CODE      | ART       | COLOUR | DIMENSIONS                  | WATTAGE     |
|-----------|-----------|--------|-----------------------------|-------------|
| 00-00-534 | 68 H      | BK     | ↑275mm Ø 260mm              | 75W 20W E27 |
| 00-01-011 | K 43/0.25 | BK     | Ø 60mm ↑250mm base Ø 150mm  |             |
| 00-01-012 | K 43/0.50 | BK     | Ø 60mm ↑500mm base Ø 150mm  |             |
| 00-01-013 | K 43/0.70 | BK     | Ø 60mm ↑700mm base Ø 150mm  |             |
| 00-01-014 | K 43/1.00 | BK     | Ø 60mm ↑1000mm base Ø 150mm |             |
| 00-01-015 | K 43/1.50 | BK     | Ø 60mm ↑1500mm base Ø 150mm |             |
| 00-01-016 | K 43/2.00 | BK     | Ø 60mm ↑2000mm base Ø 150mm |             |

MAGNUS

Art. 68 B

>>> Alouminium hanging lantern with clear glass diffuser  
Φανάρι κρεμαστό αλουμινίου με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS                        | WATTAGE     |
|-----------|------|--------|-----------------------------------|-------------|
| 00-00-964 | 68 B | BK     | A: 290mm B: max 700mm base Ø 90mm | 75W 20W E27 |
| 00-00-965 | 68 B | WH     | A: 290mm B: max 700mm base Ø 90mm | 75W 20W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > With aluminium chain
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, opal glass diffuser available upon request
- > With porcelain lampholder
- > Art.68B complete with wiring
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

# LAMDA



A complete range of an impressive six angled glass diffuser lantern design. Big sized to fit spacious sites, requiring strong illumination coverage. Suitable for balconies and terraces, gardens and gates. Lamda is available in various colours and two glass diffuser types: clear and opal.

LAMDA

Art. 74/74A

>>> Alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με γυαλί διάφανο

74



| CODE      | ART | COLOUR | DIMENSIONS                 | WATTAGE      |
|-----------|-----|--------|----------------------------|--------------|
| 00-00-402 | 74  | BK     | A: 205mm B: 300mm C: 420mm | 100W 23W E27 |
| 00-00-403 | 74A | BK     | A: 205mm B: 300mm C: 420mm | 100W 20W E27 |

LAMDA

NEW

Art. 74 P

>>> Alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS        | WATTAGE      |
|-----------|------|--------|-------------------|--------------|
| 00-00-587 | 74 P | BK     | A: 510mm B: 420mm | 100W 23W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, available in opal glass diffuser upon request
- > With porcelain lampholder
- > Complete with wiring
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

**LAMDA****Art. 74 D**>>> Alouminium garden lantern with clear glass diffuser  
Φανάρι δαπέδου αλουμινίου με γυαλί διάφανο

| CODE      | ART  | COLOUR | DIMENSIONS                  | WATTAGE      |
|-----------|------|--------|-----------------------------|--------------|
| 00-00-404 | 74 D | BK     | 1500mm Ø 300mm cone Ø 125mm | 100W 23W E27 |

**LAMDA****Art. 74 B**>>> Hanging alouminium lantern with clear glass diffuser  
Φανάρι αλουμινίου με ανάρτηση

| CODE      | ART  | COLOUR | DIMENSIONS                        | WATTAGE      |
|-----------|------|--------|-----------------------------------|--------------|
| 00-00-406 | 74 B | BK     | A: 350mm B: max 700mm Base Ø 90mm | 100W 23W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, available in opal glass diffuser upon request
- > With porcelain lampholder
- > Art.74B complete with wiring
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART       | COLOUR | DIMENSIONS                  | WATTAGE      |
|-----------|-----------|--------|-----------------------------|--------------|
| 00-00-410 | 74 H      | BK     | ↑360mm Ø 300mm              | 100W 25W E27 |
| 00-01-011 | K 43/0.25 | BK     | Ø 60mm ↑250mm Base Ø 150mm  |              |
| 00-01-012 | K 43/0.50 | BK     | Ø 60mm ↑500mm Base Ø 150mm  |              |
| 00-01-013 | K 43/0.70 | BK     | Ø 60mm ↑700mm Base Ø 150mm  |              |
| 00-01-014 | K 43/1.00 | BK     | Ø 60mm ↑1000mm Base Ø 150mm |              |
| 00-01-015 | K 43/1.50 | BK     | Ø 60mm ↑1500mm Base Ø 150mm |              |
| 00-01-016 | K 43/2.00 | BK     | Ø 60mm ↑2000mm Base Ø 150mm |              |

#### PRODUCT FEATURES

- > Die-cast aluminium base, top and seal
- > With aluminium chain
- > Polyester powder coating, UV resistant
- > Clear glass diffuser, available in opal glass diffuser upon request
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I




S  
S  
C  
m

Brass

Ορειχάλκινα

# GEA




Gea series includes oval die-cast brass bulkheads in different sizes and styles, wattage and diffusers. Best fitted in garden areas and stairs, bulkheads offer adequate yet discrete illumination to the outdoor area. Gea series in brass are highly recommended for areas with difficult environmental conditions, especially near the sea.

GEA

Art. 12 A

&gt;&gt;&gt;

Solid brass bulkhead with clear glass diffuser  
Χειλώνα ορειχάλκινη με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS      | WATTAGE     |
|-----------|------|------------|-----------------|-------------|
| 00-00-124 | 12 A | Brass      | 200x98mm ↑108mm | 60W 15W E27 |
| 00-00-290 | 12 A | Nickel mat | 200x98mm ↑108mm | 60W 15W E27 |

GEA

Art. 12 AF

&gt;&gt;&gt;

Solid brass bulkhead with opal glass diffuser  
Χειλώνα ορειχάλκινη με ματ γυαλί

| CODE      | ART   | FINISH     | DIMENSIONS      | WATTAGE     |
|-----------|-------|------------|-----------------|-------------|
| 00-00-122 | 12 AF | Brass      | 200x98mm ↑108mm | 60W 15W E27 |
| 00-00-291 | 12 AF | Nickel mat | 200x98mm ↑108mm | 60W 15W E27 |



CHR

Χρώμιο / Chrome



COP

Χαλκός / Copper



OXD

Οξυδέτε βουρτσισμένο  
Oxyde brushed

OXY


Οξείδωση / Oxydization

#### PRODUCT FEATURES

- > Die-cast brass housing and guard
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

GEA

Art. 134

>>> Solid brass bulkhead with clear glass diffuser  
Χελώνα ορειχάλκινη με διάφανο γυαλί

Διαθέσιμο και με πεταλούδες  
Also available with wingnuts



| CODE      | ART | FINISH     | DIMENSIONS       | WATTAGE     |
|-----------|-----|------------|------------------|-------------|
| 00-00-220 | 134 | Brass      | 225x105mm ↑105mm | 75W 20W E27 |
| 00-00-292 | 134 | Nickel mat | 225x105mm ↑105mm | 75W 20W E27 |

GEA

Art. 134 F

>>> Solid brass bulkhead with opal glass diffuser  
Χελώνα ορειχάλκινη με ματ γυαλί

Διαθέσιμο και με πεταλούδες  
Also available with wingnuts



| CODE      | ART   | FINISH     | DIMENSIONS       | WATTAGE     |
|-----------|-------|------------|------------------|-------------|
| 00-00-260 | 134 F | Brass      | 225x105mm ↑105mm | 75W 20W E27 |
| 00-00-293 | 134 F | Nickel mat | 225x105mm ↑105mm | 75W 20W E27 |




#### PRODUCT FEATURES

- > Die-cast brass housing and guard
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

GEA

Art. 13 A

>>> Solid brass bulkhead with clear glass diffuser  
Χελώνα ορειχάλκινη με διάφανο γυαλί

| CODE      | ART  | FINISH     | DIMENSIONS          | WATTAGE         |
|-----------|------|------------|---------------------|-----------------|
| 00-00-115 | 13 A | Brass      | □ 220x110mm ↑ 120mm | ✉ 75W ↪ 20W E27 |
| 00-00-294 | 13 A | Nickel mat | □ 220x110mm ↑ 120mm | ✉ 75W ↪ 20W E27 |

GEA

Art. 13 AF

>>> Solid brass bulkhead with opal glass diffuser  
Χελώνα ορειχάλκινη με ματ γυαλί

| CODE      | ART   | FINISH     | DIMENSIONS          | WATTAGE         |
|-----------|-------|------------|---------------------|-----------------|
| 00-00-117 | 13 AF | Brass      | □ 220x110mm ↑ 120mm | ✉ 75W ↪ 20W E27 |
| 00-00-295 | 13 AF | Nickel mat | □ 220x110mm ↑ 120mm | ✉ 75W ↪ 20W E27 |



#### PRODUCT FEATURES

- > Die-cast brass housing and guard
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◊ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

GEA

Art. 12 S

>>> Solid brass bulkhead with clear glass diffuser  
Χελώνα ορειχάλκινη με διάφανο γυαλί

| CODE      | ART  | FINISH     | DIMENSIONS      | WATTAGE     |
|-----------|------|------------|-----------------|-------------|
| 00-00-033 | 12 S | Brass      | 200x98mm ↑110mm | 60W 15W E27 |
| 00-00-296 | 12 S | Nickel mat | 200x98mm ↑110mm | 60W 15W E27 |

GEA

Art. 12 SF

>>> Solid brass bulkhead with opal glass diffuser  
Χελώνα ορειχάλκινη με ματ γυαλί

| CODE      | ART   | FINISH     | DIMENSIONS      | WATTAGE     |
|-----------|-------|------------|-----------------|-------------|
| 00-00-263 | 12 SF | Brass      | 200x98mm ↑110mm | 60W 15W E27 |
| 00-00-297 | 12 SF | Nickel mat | 200x98mm ↑110mm | 60W 15W E27 |



### PRODUCT FEATURES

- > Die-cast brass housing and cover
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

GEA

Art. 133

>>> Solid brass bulkhead with clear glass diffuser  
Χελώνα ορειχάλκινη με διάφανο γυαλί

Διαθέσιμο και με πεταλούδες  
Also available with wingnuts

| CODE      | ART | FINISH     | DIMENSIONS          | WATTAGE         |
|-----------|-----|------------|---------------------|-----------------|
| 00-00-207 | 133 | Brass      | □ 225x105mm ↕ 100mm | ↳ 60W ↙ 20W E27 |
| 00-00-298 | 133 | Nickel mat | □ 225x105mm ↕ 100mm | ↳ 60W ↙ 20W E27 |



GEA

Art. 133 F

>>> Solid brass bulkhead with opal glass diffuser  
Χελώνα ορειχάλκινη με ματ γυαλί

Διαθέσιμο και με πεταλούδες  
Also available with wingnuts

| CODE      | ART   | FINISH     | DIMENSIONS          | WATTAGE         |
|-----------|-------|------------|---------------------|-----------------|
| 00-00-262 | 133 F | Brass      | □ 225x105mm ↕ 100mm | ↳ 60W ↙ 20W E27 |
| 00-00-299 | 133 F | Nickel mat | □ 225x105mm ↕ 100mm | ↳ 60W ↙ 20W E27 |




CHR

Χρώμιο / Chrome



COP

Χαλκός / Copper



OXD

Οξυτές βουρτσισμένο  
Oxyde brushed

OXY

Οξείδωση / Oxydization

#### PRODUCT FEATURES

- > Die-cast brass housing and guard
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ♦ ▲ ▽
- > 220 - 240V / 50Hz
- > Class I


# HERMES



Bulkhead series with decorative accessories coming out in two sizes: smaller max 60W and the bigger max75W, and two type glass diffuser: opal and clear. Hermes series is ideal for garden wall illumination, but also for interior decoration featuring industrial or nautical style.

HERMES

Art. 130


>>> Solid brass bulkhead with clear glass diffuser  
Χειρώνα ορειχάλκινη με γυαλί διάφανο

CE

| CODE      | ART | FINISH     | DIMENSIONS       | WATTAGE     |
|-----------|-----|------------|------------------|-------------|
| 00-00-189 | 130 | Brass      | 190x125mm ↑110mm | 60W 15W E27 |
| 00-00-300 | 130 | Nickel mat | 190x125mm ↑110mm | 60W 15W E27 |

HERMES

Art. 130 F

>>> Solid brass bulkhead with opal glass diffuser  
Χειρώνα ορειχάλκινη με γυαλί ματ

CE

| CODE      | ART   | FINISH     | DIMENSIONS       | WATTAGE     |
|-----------|-------|------------|------------------|-------------|
| 00-00-190 | 130 F | Brass      | 190x125mm ↑110mm | 60W 15W E27 |
| 00-00-301 | 130 F | Nickel mat | 190x125mm ↑110mm | 60W 15W E27 |



CHR

Χρώμιο / Chrome



COP

Χαλκός / Copper



OXD

Οξυντέ βουρτσισμένο  
Oxyde brushed

OXY


Οξείδωση / Oxydization

## PRODUCT FEATURES

- > Die-cast brass housing and guard
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ♦ ♠ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

HERMES

Art. 129


>>> Solid brass bulkhead with clear glass diffuser  
Χελώνα ορειχάλκινη με γυαλί διάφανο

CE

| CODE      | ART | FINISH     | DIMENSIONS       | WATTAGE     |
|-----------|-----|------------|------------------|-------------|
| 00-00-178 | 129 | Brass      | 245x160mm ↑112mm | 75W 23W E27 |
| 00-00-302 | 129 | Nickel mat | 245x160mm ↑112mm | 75W 23W E27 |

HERMES

Art. 129 F

>>> Solid brass bulkhead with opal glass diffuser  
Χελώνα ορειχάλκινη με γυαλί ματ

CE

| CODE      | ART   | FINISH     | DIMENSIONS       | WATTAGE     |
|-----------|-------|------------|------------------|-------------|
| 00-00-261 | 129 F | Brass      | 245x160mm ↑112mm | 75W 23W E27 |
| 00-00-303 | 129 F | Nickel mat | 245x160mm ↑112mm | 75W 23W E27 |



## PRODUCT FEATURES

- > Die-cast brass housing and guard
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I



# BLOB



A decorative design bulkhead, highlighting the most exclusive sites. Blob is presented in two styles: with frame or with guard and is available with clear or opal glass diffuser.

**BLOB****Art. 131**>>> Solid brass wall lamp with clear glass diffuser  
Απλίκα ορειχάλκινη με γυαλί διάφανο

CE

| CODE      | ART | FINISH     | DIMENSIONS      | WATTAGE     |
|-----------|-----|------------|-----------------|-------------|
| 00-00-188 | 131 | Brass      | 200x95mm ↑102mm | 60W 15W E27 |
| 00-00-442 | 131 | Nickel mat | 200x95mm ↑102mm | 60W 15W E27 |

**BLOB****Art. 131 F**>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα ορειχάλκινη με γυαλί ματ

CE

| CODE      | ART   | FINISH     | DIMENSIONS      | WATTAGE     |
|-----------|-------|------------|-----------------|-------------|
| 00-00-259 | 131 F | Brass      | 200x95mm ↑102mm | 60W 15W E27 |
| 00-00-443 | 131 F | Nickel mat | 200x95mm ↑102mm | 60W 15W E27 |



CHR

Χρώμιο / Chrome



COP

Χαλκός / Copper



OXD

Οξυτέρε βουρτσισμένο  
Oxyde brushed

OXY


Οξείδωση / Oxydization

### PRODUCT FEATURES

- > Die-cast brass housing and cover
- > Clear or opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Brass screws
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > Rear cable entry
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

BLOB

Art. 132

>>> Solid brass wall lamp with clear glass diffuser  
Απλίκα ορειχάλκινη με γυαλί διάφανο

| CODE      | ART | FINISH     | DIMENSIONS      | WATTAGE     |
|-----------|-----|------------|-----------------|-------------|
| 00-00-180 | 132 | Brass      | 200x95mm ↑110mm | 60W 15W E27 |
| 00-00-451 | 132 | Nickel mat | 200x95mm ↑110mm | 60W 15W E27 |

BLOB

Art. 132 F

>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα ορειχάλκινη με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS      | WATTAGE     |
|-----------|-------|------------|-----------------|-------------|
| 00-00-440 | 132 F | Brass      | 200x95mm ↑110mm | 60W 15W E27 |
| 00-00-453 | 132 F | Nickel mat | 200x95mm ↑110mm | 60W 15W E27 |



### PRODUCT FEATURES

- > Die-cast brass housing and cover
- > Clear or opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Brass screws
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > Rear cable entry
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I



# PUCK



Puck series in brass are ideal for peripheral and pathway placement, achieving distinctive illumination. As a decorative fixture, Puck series presents three different designs giving more options at every site. This series is available in three options of lampholders: G9, G4-12V and economy GX53.

PUCK

Art. 115

>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου ορειχάλκινη με γυαλί ματ

| CODE      | ART | FINISH     | DIMENSIONS | WATTAGE               |
|-----------|-----|------------|------------|-----------------------|
| 00-00-061 | 115 | Brass      | Ø 140x55mm | 40W 9W G9/G4-12V/GX53 |
| 00-00-304 | 115 | Nickel mat | Ø 140x55mm | 40W 9W G9/G4-12V/GX53 |

PUCK

Art. 116

>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου ορειχάλκινη με γυαλί ματ

| CODE      | ART | FINISH     | DIMENSIONS | WATTAGE               |
|-----------|-----|------------|------------|-----------------------|
| 00-00-062 | 116 | Brass      | Ø 140x55mm | 40W 9W G9/G4-12V/GX53 |
| 00-00-305 | 116 | Nickel mat | Ø 140x55mm | 40W 9W G9/G4-12V/GX53 |

PUCK

Art. 118

>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου ορειχάλκινη με γυαλί ματ

| CODE      | ART | FINISH     | DIMENSIONS | WATTAGE               |
|-----------|-----|------------|------------|-----------------------|
| 00-00-065 | 118 | Brass      | Ø 140x55mm | 40W 9W G9/G4-12V/GX53 |
| 00-00-307 | 118 | Nickel mat | Ø 140x55mm | 40W 9W G9/G4-12V/GX53 |



#### PRODUCT FEATURES

- > Die-cast brass housing and frame, guard and cover
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Standard edition with G9 lampholder, G4-12V and economy GX53 available upon request
- > Brass screws
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > Rear cable entry
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

# RONDO



The biggest round-type fixtures are included in Rondo series. The small model is available in two designs: one with guard and second with cover; covered version is a model of exquisite design providing a beautiful lighting effect. Rondo models offer rich illumination result due to the big size and round figure.

RONDO

Art. 10 A

>>> Solid brass bulkhead with opal glass diffuser  
Χειλώνα ορειχάλκινη με γυαλί ματ

| CODE      | ART  | FINISH     | DIMENSIONS     | WATTAGE     |
|-----------|------|------------|----------------|-------------|
| 00-00-101 | 10 A | Brass      | Ø 195mm ↑ 93mm | 60W 15W E27 |
| 00-00-311 | 10 A | Nickel mat | Ø 195mm ↑ 93mm | 60W 15W E27 |



Διαθέσιμο και με πεταλούδες  
Also available with wingnuts

RONDO

Art. 10 B

>>> Solid brass bulkhead with clear glass diffuser  
Χειλώνα ορειχάλκινη με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS     | WATTAGE     |
|-----------|------|------------|----------------|-------------|
| 00-00-103 | 10 B | Brass      | Ø 195mm ↑ 93mm | 60W 15W E27 |
| 00-00-310 | 10 B | Nickel mat | Ø 195mm ↑ 93mm | 60W 15W E27 |



Διαθέσιμο και με πεταλούδες  
Also available with wingnuts



CHR  
Χρώμιο / Chrome



COP  
Χαλκός / Copper



OXD  
Οξυτέ βουρτσισμένο  
Oxyde brushed



OXY  
Οξειδωση / Oxydation

#### PRODUCT FEATURES

- > Die-cast brass housing and guard
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

RONDO

Art. 11 A

&gt;&gt;&gt;

Solid brass bulkhead with opal glass diffuser

Χειλώνα ορειχάλκινη με γυαλί ματ



| CODE      | ART  | FINISH     | DIMENSIONS     | WATTAGE          |
|-----------|------|------------|----------------|------------------|
| 00-00-111 | 11 A | Brass      | Ø 245mm ↑ 93mm | → 60W ← 20W E-27 |
| 00-00-313 | 11 A | Nickel mat | Ø 245mm ↑ 93mm | → 60W ← 20W E-27 |



Διαθέσιμο και με πεταλούδες  
Also available with wingnuts

RONDO

Art. 11 B

&gt;&gt;&gt;

Solid brass bulkhead with clear glass diffuser

Χειλώνα ορειχάλκινη με γυαλί διάφανο



| CODE      | ART  | FINISH     | DIMENSIONS     | WATTAGE          |
|-----------|------|------------|----------------|------------------|
| 00-00-112 | 11 B | Brass      | Ø 245mm ↑ 93mm | → 60W ← 20W E-27 |
| 00-00-312 | 11 B | Nickel mat | Ø 245mm ↑ 93mm | → 60W ← 20W E-27 |



Διαθέσιμο και με πεταλούδες  
Also available with wingnuts



CHR

Χρόμιο / Chrome



COP

Χαλκός / Copper



OXD

Οξυτέ βουρτσωμένο  
Oxyde brushed

OXY

Οξείδωση / Oxidization

### PRODUCT FEATURES

- > Die-cast brass housing and guard
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◊ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I

RONDO

Art. 10 S

>>> Solid brass bulkhead with clear glass diffuser  
Χειλώνα ορειχάλκινη με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS      | WATTAGE      |
|-----------|------|------------|-----------------|--------------|
| 00-00-239 | 10 S | Brass      | Ø 195mm ↑ 100mm | 60W 15W E-27 |
| 00-00-314 | 10 S | Nickel mat | Ø 195mm ↑ 100mm | 60W 15W E-27 |

RONDO

Art. 10 SF

>>> Solid brass bulkhead with opal glass diffuser  
Χειλώνα ορειχάλκινη με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS      | WATTAGE      |
|-----------|-------|------------|-----------------|--------------|
| 00-00-264 | 10 SF | Brass      | Ø 195mm ↑ 100mm | 60W 15W E-27 |
| 00-00-315 | 10 SF | Nickel mat | Ø 195mm ↑ 100mm | 60W 15W E-27 |

#### PRODUCT FEATURES

- > Die-cast brass housing and cover
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Side cable entry, side cable input-output available upon request
- > Brass screws and cable gland
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I



CHR  
Χρώμιο / Chrome



COP  
Χαλκός / Copper



OXD  
Οξυτέ βουρτσαιμένο  
Oxyde brushed



OXY  
Οξείδωση / Oxydization

# TETRA



As an alternative to round shape series, Tetra presents the square version for small fixtures offering distinctive illumination. Each one of the three cover types give out a different lighting effect; especially art. 122 offers downward directional lighting, ideal for pathway illumination. As a residential or architectural option, Tetra will offer a modern perspective at the site. Tetra models are available with G9, G4-12V and economy lamp GX53 lampholders.

**PUCK****Art. 120**>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου ορειχάλκινη με γυαλί ματ

| CODE      | ART | FINISH     | DIMENSIONS       | WATTAGE               |
|-----------|-----|------------|------------------|-----------------------|
| 00-00-942 | 120 | Brass      | 120x120mm ↵ 50mm | 40W 9W G9/G4-12V/GX53 |
| 00-00-316 | 120 | Nickel mat | 120x120mm ↵ 50mm | 40W 9W G9/G4-12V/GX53 |

**PUCK****Art. 121**>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου ορειχάλκινη με γυαλί ματ

| CODE      | ART | FINISH     | DIMENSIONS       | WATTAGE               |
|-----------|-----|------------|------------------|-----------------------|
| 00-00-941 | 121 | Brass      | 120x120mm ↵ 50mm | 40W 9W G9/G4-12V/GX53 |
| 00-00-317 | 121 | Nickel mat | 120x120mm ↵ 50mm | 40W 9W G9/G4-12V/GX53 |

**PUCK****Art. 122**>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου ορειχάλκινη με γυαλί ματ

| CODE      | ART | FINISH     | DIMENSIONS       | WATTAGE               |
|-----------|-----|------------|------------------|-----------------------|
| 00-00-943 | 122 | Brass      | 120x120mm ↵ 50mm | 40W 9W G9/G4-12V/GX53 |
| 00-00-318 | 122 | Nickel mat | 120x120mm ↵ 50mm | 40W 9W G9/G4-12V/GX53 |

### PRODUCT FEATURES

- > Die-cast brass housing and frame, guard and cover
- > Opal tempered glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Standard edition with G9 lampholder, G4-12V and economy GX53 available upon request
- > Rear cable entry
- > Brass screws
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ▲ ▽
- > 220 - 240V / 50-60Hz
- > Class I


CHR  
Χρώμιο / ChromeCOP  
Χαλκός / CopperOXD  
Οξυτέ βουρτσαμένο  
Oxyde brushedOXY  
Οξείδωση / Oxydization

**NEW**


## FAROS & FAROS mini



FAROS & FAROS mini series comprises of two new brass designs offering both wall, garden and pendant versions. There is a variety of glass diffusers and arm accessories to complete the full range of the series. Select the one best fitting your place and architecture. The choice is yours! Manufactured by high quality brass materials, this series is also recommended for sea-side use.

**FAROS mini****Art. 96**>>> Solid brass wall lamp with clear glass diffuser  
Απλίκα τοίχου από ορείχαλκο με γυαλί διάφανο


| CODE      | ART | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|-----|------------|---------------------------|--------------|
| 00-00-414 | 96  | Brass      | A: 180mm B: 145mm Ø 120mm | 60W 15W E-27 |
| 00-00-416 | 96  | Nickel mat | A: 180mm B: 145mm Ø 120mm | 60W 15W E-27 |

**FAROS mini****Art. 96 F**>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου από ορείχαλκο με γυαλί ματ


| CODE      | ART  | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|------|------------|---------------------------|--------------|
| 00-00-415 | 96 F | Brass      | A: 180mm B: 145mm Ø 120mm | 60W 15W E-27 |
| 00-00-417 | 96 F | Nickel mat | A: 180mm B: 145mm Ø 120mm | 60W 15W E-27 |

CHR  
Χρώμιο / ChromeCOP  
Χαλκός / CopperOXD  
Οξυτέ βουρτσωμένο  
Oxyde brushedOXY  
Οξείδωση / OxidizationNIM  
Νικέλ ματ / Nickel matt**PRODUCT FEATURES**

- > Die-cast brass base, top & seal, brass screws and cable gland
- > Opal or clear glass diffuser
- > With thermoplastic gasket, porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

**FAROS mini****Art. 96 S**>>> Solid brass lantern with clear glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|------|------------|---------------------------|--------------|
| 00-00-418 | 96 S | Brass      | A: 230mm B: 220mm Ø 120mm | 60W 15W E-27 |
| 00-00-420 | 96 S | Nickel mat | A: 230mm B: 220mm Ø 120mm | 60W 15W E-27 |


**FAROS mini****Art. 96 SF**>>> Solid brass lantern with opal glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|-------|------------|---------------------------|--------------|
| 00-00-419 | 96 SF | Brass      | A: 230mm B: 220mm Ø 120mm | 60W 15W E-27 |
| 00-00-421 | 96 SF | Nickel mat | A: 230mm B: 220mm Ø 120mm | 60W 15W E-27 |




#### PRODUCT FEATURES

- > Die-cast brass base, top & seal, brass screws
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

**FAROS mini****Art. 96 A**>>> Solid brass lantern with clear glass diffuser  
Φανάρι τοίχου ορειχάλκινο με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|------|------------|---------------------------|--------------|
| 00-00-664 | 96 A | Brass      | A: 235mm B: 205mm Ø 120mm | 60W 15W E-27 |
| 00-00-665 | 96 A | Nickel mat | A: 235mm B: 205mm Ø 120mm | 60W 15W E-27 |


**FAROS mini****Art. 96 AF**>>> Solid brass lantern with opal glass diffuser  
Φανάρι τοίχου ορειχάλκινο με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|-------|------------|---------------------------|--------------|
| 00-00-666 | 96 AF | Brass      | A: 235mm B: 205mm Ø 120mm | 60W 15W E-27 |
| 00-00-671 | 96 AF | Nickel mat | A: 235mm B: 205mm Ø 120mm | 60W 15W E-27 |




#### PRODUCT FEATURES

- > Die-cast brass base, top & seal, brass screws
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

**FAROS****Art. 90**>>> Solid brass lantern with clear glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί διάφανο


| CODE      | ART | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|-----|------------|---------------------------|--------------|
| 00-00-975 | 90  | Brass      | A: 290mm B: 235mm Ø 150mm | 75W 15W E-27 |
| 00-00-977 | 90  | Nickel mat | A: 290mm B: 235mm Ø 150mm | 75W 15W E-27 |

**FAROS****Art. 90 F**>>> Solid brass lantern with opal glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί ματ


| CODE      | ART  | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|------|------------|---------------------------|--------------|
| 00-00-976 | 90 F | Brass      | A: 290mm B: 235mm Ø 150mm | 75W 15W E-27 |
| 00-00-978 | 90 F | Nickel mat | A: 290mm B: 235mm Ø 150mm | 75W 15W E-27 |

**PRODUCT FEATURES**

- > Die-cast brass base, top & seal, brass screws
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Brass screws
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

**FAROS****Art. 90 S**>>> Solid brass lantern with clear glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS                | WATTAGE          |
|-----------|------|------------|---------------------------|------------------|
| 00-00-422 | 90 S | Brass      | A: 295mm B: 210mm Ø 150mm | ↪ 75W ↘ 15W E-27 |
| 00-00-424 | 90 S | Nickel mat | A: 295mm B: 210mm Ø 150mm | ↪ 75W ↘ 15W E-27 |

**FAROS****Art. 90 SF**>>> Solid brass lantern with opal glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS                | WATTAGE          |
|-----------|-------|------------|---------------------------|------------------|
| 00-00-423 | 90 SF | Brass      | A: 295mm B: 210mm Ø 150mm | ↪ 75W ↘ 15W E-27 |
| 00-00-425 | 90 SF | Nickel mat | A: 295mm B: 210mm Ø 150mm | ↪ 75W ↘ 15W E-27 |



#### PRODUCT FEATURES

- > Die-cast brass base, top & seal, brass screws
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64 ⚡ ⚧
- > 220 - 240V / 50-60Hz
- > Class I

**FAROS mini****Art. 96 D/0****>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο**

| CODE      | ART    | FINISH     | DIMENSIONS      | WATTAGE      |
|-----------|--------|------------|-----------------|--------------|
| 00-00-426 | 96 D/0 | Brass      | ↑ 225mm Ø 120mm | 60W 15W E-27 |
| 00-00-436 | 96 D/0 | Nickel mat | ↑ 225mm Ø 120mm | 60W 15W E-27 |

**FAROS mini****Art. 96 D/0.25****>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο**

| CODE      | ART       | FINISH     | DIMENSIONS      | WATTAGE      |
|-----------|-----------|------------|-----------------|--------------|
| 00-00-427 | 96 D/0.25 | Brass      | ↑ 460mm Ø 120mm | 60W 15W E-27 |
| 00-00-498 | 96 D/0.25 | Nickel mat | ↑ 460mm Ø 120mm | 60W 15W E-27 |

**FAROS mini****Art. 96 D/0.50****>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο**

| CODE      | ART       | FINISH     | DIMENSIONS      | WATTAGE      |
|-----------|-----------|------------|-----------------|--------------|
| 00-00-428 | 96 D/0.50 | Brass      | ↑ 710mm Ø 120mm | 60W 15W E-27 |
| 00-00-499 | 96 D/0.50 | Nickel mat | ↑ 710mm Ø 120mm | 60W 15W E-27 |

#### PRODUCT FEATURES

- > Die-cast brass base, top and seal
- > Brass tube and screws
- > Clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64 ♦ ▲
- > 220 - 240V / 50-60Hz
- > Class I

CHR  
Χρύσιο / ChromeCOP  
Χαλκός / CopperOXD  
Οξυτέρε βουρτσισμένο  
Oxide brushedOXY  
Οξείδωση / OxydizationNIM  
Νικέλ ματ / Nickel matt

**FAROS mini****Art. 96 FD/0**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ

| CODE      | ART     | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|---------|------------|-----------------|------------------|
| 00-00-429 | 96 FD/0 | Brass      | ↑ 225mm Ø 120mm | → 60W → 15W E-27 |
| 00-00-500 | 96 FD/0 | Nickel mat | ↑ 225mm Ø 120mm | → 60W → 15W E-27 |

**FAROS mini****Art. 96 FD/0.25**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ


| CODE      | ART        | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|------------|------------|-----------------|------------------|
| 00-00-433 | 96 FD/0.25 | Brass      | ↑ 460mm Ø 120mm | → 60W → 15W E-27 |
| 00-00-502 | 96 FD/0.25 | Nickel mat | ↑ 460mm Ø 120mm | → 60W → 15W E-27 |

**FAROS mini****Art. 96 FD/0.50**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ

| CODE      | ART        | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|------------|------------|-----------------|------------------|
| 00-00-434 | 96 FD/0.50 | Brass      | ↑ 710mm Ø 120mm | → 60W → 15W E-27 |
| 00-00-503 | 96 FD/0.50 | Nickel mat | ↑ 710mm Ø 120mm | → 60W → 15W E-27 |

## PRODUCT FEATURES

- > Die-cast brass base, top and seal
- > Brass tube and screws
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64 ☀️ ⚡
- > 220 - 240V / 50-60Hz
- > Class I

CHR  
Χρύμιο / ChromeCOP  
Χαλκός / CopperOXD  
Οξυτέ βουρτσισμένο  
Oxyde brushedOXY  
Οξείδωση / OxydationNIM  
Νικελί ματ / Nickel matt

**FAROS****Art. 90 D/0**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο

| CODE      | ART    | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|--------|------------|-----------------|------------------|
| 00-00-979 | 90 D/0 | Brass      | ↑ 300mm Ø 150mm | → 75W → 23W E-27 |
| 00-00-981 | 90 D/0 | Nickel mat | ↑ 300mm Ø 150mm | → 75W → 23W E-27 |

**FAROS****Art. 90 D/0.25**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο

| CODE      | ART       | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|-----------|------------|-----------------|------------------|
| 00-00-983 | 90 D/0.25 | Brass      | ↑ 550mm Ø 150mm | → 75W → 23W E-27 |
| 00-00-985 | 90 D/0.25 | Nickel mat | ↑ 550mm Ø 150mm | → 75W → 23W E-27 |

**FAROS****Art. 90 D/0.50**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο

| CODE      | ART       | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|-----------|------------|-----------------|------------------|
| 00-00-987 | 90 D/0.50 | Brass      | ↑ 800mm Ø 150mm | → 75W → 23W E-27 |
| 00-00-989 | 90 D/0.50 | Nickel mat | ↑ 800mm Ø 150mm | → 75W → 23W E-27 |

#### PRODUCT FEATURES

- > Die-cast brass base, top and seal
- > Brass tube and screws
- > Clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64 ☀️ ⚡
- > 220 - 240V / 50-60Hz
- > Class I



**FAROS****Art. 90 FD/0**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ

| CODE      | ART     | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|---------|------------|-----------------|------------------|
| 00-00-980 | 90 FD/0 | Brass      | † 300mm Ø 150mm | ✉ 75W ↘ 23W E-27 |
| 00-00-982 | 90 FD/0 | Nickel mat | † 300mm Ø 150mm | ✉ 75W ↘ 23W E-27 |

**FAROS****Art. 90 FD/0.25**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ

| CODE      | ART        | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|------------|------------|-----------------|------------------|
| 00-00-984 | 90 FD/0.25 | Brass      | † 550mm Ø 150mm | ✉ 75W ↘ 23W E-27 |
| 00-00-986 | 90 FD/0.25 | Nickel mat | † 550mm Ø 150mm | ✉ 75W ↘ 23W E-27 |

**FAROS****Art. 90 FD/0.50**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ

| CODE      | ART        | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|------------|------------|-----------------|------------------|
| 00-00-988 | 90 FD/0.50 | Brass      | † 800mm Ø 150mm | ✉ 75W ↘ 23W E-27 |
| 00-00-990 | 90 FD/0.50 | Nickel mat | † 800mm Ø 150mm | ✉ 75W ↘ 23W E-27 |

#### PRODUCT FEATURES

- > Die-cast brass base, top and seal
- > Brass tube and screws
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64 ♦ ▲
- > 220 - 240V / 50-60Hz
- > Class I

CHR  
Χρύσο / ChromeCOP  
Χαλκός / CopperOXD  
Οξυγέτε βουρτσαμένο  
Oxyde brushedOXY  
Οξείδωση / OxidizationNIM  
Νικέλ ματ / Nickel matt

**FAROS mini****Art. 96 B**>>> Solid brass pendant lighting with clear glass diffuser  
Κρεμαστό ορειχάλκινο με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS                    | WATTAGE      |
|-----------|------|------------|-------------------------------|--------------|
| 00-00-504 | 96 B | Brass      | A: max 700mm B: 180mm Ø 120mm | 60W 15W E-27 |
| 00-00-507 | 96 B | Nickel mat | A: max 700mm B: 180mm Ø 120mm | 60W 15W E-27 |

**FAROS mini****Art. 96 FB**>>> Solid brass pendant lighting with opal glass diffuser  
Κρεμαστό ορειχάλκινο με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS                    | WATTAGE      |
|-----------|-------|------------|-------------------------------|--------------|
| 00-00-505 | 96 FB | Brass      | A: max 700mm B: 180mm Ø 120mm | 60W 15W E-27 |
| 00-00-508 | 96 FB | Nickel mat | A: max 700mm B: 180mm Ø 120mm | 60W 15W E-27 |



#### PRODUCT FEATURES

- > Die-cast brass base, top & seal
- > Brass screws and chain
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

**FAROS mini****Art. 96 C**>>> Solid brass ceiling lighting with clear glass diffuser  
Οροφής ορειχάλκινο φωτιστικό με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS      | WATTAGE      |
|-----------|------|------------|-----------------|--------------|
| 00-00-643 | 96 C | Brass      | ↑ 225mm Ø 120mm | 60W 15W E-27 |
| 00-00-645 | 96 C | Nickel mat | ↑ 225mm Ø 120mm | 60W 15W E-27 |

**FAROS mini****Art. 96 CF**>>> Solid brass ceiling lighting with opal glass diffuser  
Οροφής ορειχάλκινο φωτιστικό με γυαλί οπάλ

| CODE      | ART   | FINISH     | DIMENSIONS      | WATTAGE      |
|-----------|-------|------------|-----------------|--------------|
| 00-00-644 | 96 CF | Brass      | ↑ 225mm Ø 120mm | 60W 15W E-27 |
| 00-00-646 | 96 CF | Nickel mat | ↑ 225mm Ø 120mm | 60W 15W E-27 |



#### PRODUCT FEATURES

- > Die-cast brass base, top & seal
- > Brass screws
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64 ♦ ▲
- > 220 - 240V / 50-60Hz
- > Class I

**FAROS****Art. 90 B**>>> Solid brass pendant lighting with clear glass diffuser  
Κρεμαστό ορειχάλκινο με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS                    | WATTAGE      |
|-----------|------|------------|-------------------------------|--------------|
| 00-00-991 | 90 B | Brass      | A: max 700mm B: 235mm Ø 150mm | 75W 23W E-27 |
| 00-00-993 | 90 B | Nickel mat | A: max 700mm B: 235mm Ø 150mm | 75W 23W E-27 |

**FAROS****Art. 90 FB**>>> Solid brass pendant lighting with opal glass diffuser  
Κρεμαστό ορειχάλκινο με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS                    | WATTAGE      |
|-----------|-------|------------|-------------------------------|--------------|
| 00-00-992 | 90 FB | Brass      | A: max 700mm B: 235mm Ø 150mm | 75W 23W E-27 |
| 00-00-994 | 90 FB | Nickel mat | A: max 700mm B: 235mm Ø 150mm | 75W 23W E-27 |



#### PRODUCT FEATURES

- > Die-cast brass base, top & seal
- > Brass screws and chain
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

**FAROS****Art. 90 C**>>> Solid brass ceiling lighting with clear glass diffuser  
Οροφής ορειχάλκινο με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|------|------------|-----------------|------------------|
| 00-00-675 | 90 C | Brass      | ↑ 300mm Ø 150mm | → 75W → 23W E-27 |
| 00-00-677 | 90 C | Nickel mat | ↑ 300mm Ø 150mm | → 75W → 23W E-27 |

**FAROS****Art. 90 CF**>>> Solid brass ceiling lighting with opal glass diffuser  
Οροφής ορειχάλκινο με γυαλί οπάλ

| CODE      | ART   | FINISH     | DIMENSIONS      | WATTAGE          |
|-----------|-------|------------|-----------------|------------------|
| 00-00-676 | 90 CF | Brass      | ↑ 300mm Ø 150mm | → 75W → 23W E-27 |
| 00-00-678 | 90 CF | Nickel mat | ↑ 300mm Ø 150mm | → 75W → 23W E-27 |




#### PRODUCT FEATURES

- > Die-cast brass base, top & seal
- > Brass screws
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal for sea side use
- > IP 64 ♦ ▲
- > 220 - 240V / 50-60Hz
- > Class I


# LAMPADA



Lampada series comprise of wall, garden and pendant brass fixtures, covering all lighting needs. Discover the traditional design in lantern type models 127 and 127 F, while a minimal aspect reflected on models 71A , 71 AF And 78 F. New Art.171 presents a different arm design in the Lampada lantern series. Lampada models vary in size as well as glass diffuser type: clear or opal.

**LAMPADA****Art. 127**>>> Solid brass lantern with clear glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί διάφανο

| CODE      | ART | FINISH     | DIMENSIONS                              | WATTAGE      |
|-----------|-----|------------|---|--------------|
| 00-00-193 | 127 | Brass      | A: 260mm B: 193mm Ø 1: 120mm Ø 2: 110mm | 75W 20W E-27 |
| 00-00-324 | 127 | Nickel mat | A: 260mm B: 193mm Ø 1: 120mm Ø 2: 110mm | 75W 20W E-27 |

Διαθέσιμο και με πεταλούδες  
Also available with wingnuts**LAMPADA****Art. 127 F**>>> Solid brass lantern with opal glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS                              | WATTAGE      |
|-----------|-------|------------|---|--------------|
| 00-00-194 | 127 F | Brass      | A: 260mm B: 193mm Ø 1: 120mm Ø 2: 110mm | 75W 20W E-27 |
| 00-00-325 | 127 F | Nickel mat | A: 260mm B: 193mm Ø 1: 120mm Ø 2: 110mm | 75W 20W E-27 |

Διαθέσιμο και με πεταλούδες  
Also available with wingnuts

CHR

Χρύσιο / Chrome



COP

Χαλκός / Copper



OXD

Οξυντέ βουρτσισμένο  
Oxyde brushed

OXY

Οξείδωση / Oxydization

**PRODUCT FEATURES**


- > Die-cast brass base, top and seal
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Brass screws and components
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ◇
- > 220 - 240V / 50-60Hz
- > Class I

**LAMPADA**

Art. 171

&gt;&gt;&gt;

Solid brass lantern with clear glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί διάφανο



Διαθέσιμο και με πεταλούδες  
Also available with wingnuts



| CODE      | ART | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|-----|------------|---------------------------|--------------|
| 00-00-521 | 171 | Brass      | A: 220mm B: 200mm Ø 120mm | 75W 20W E-27 |
| 00-00-523 | 171 | Nickel mat | A: 220mm B: 200mm Ø 120mm | 75W 20W E-27 |

**LAMPADA**

Art. 171 F

&gt;&gt;&gt;

Solid brass lantern with opal glass diffuser  
Φανάρι τοίχου από ορείχαλκο με γυαλί ματ



Διαθέσιμο και με πεταλούδες  
Also available with wingnuts



| CODE      | ART   | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|-------|------------|---------------------------|--------------|
| 00-00-522 | 171 F | Brass      | A: 220mm B: 200mm Ø 120mm | 75W 20W E-27 |
| 00-00-524 | 171 F | Nickel mat | A: 220mm B: 200mm Ø 120mm | 75W 20W E-27 |



CHR

Χρώμα / Chrome



COP

Χαλκός / Copper



OXD

Οξυνέ βουρτσισμένο  
Oxyde brushed

OXY

Οξείδωση / Oxydization



NIM

Νίκελ ματ / Nickel matt

### PRODUCT FEATURES

- > Die-cast brass base, top and seal
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Complete with wiring
- > Brass screws and components
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ⚡ ⚪
- > 220 - 240V / 50-60Hz
- > Class I



**LAMPADA****Art. 71 A**>>> Solid brass wall lamp with clear glass diffuser  
Απλίκα τοίχου από ορείχαλκο με γυαλί διάφανοΔιαθέσιμο και με πεταλούδες  
Also available with wingnuts

| CODE      | ART  | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|------|------------|---------------------------|--------------|
| 00-00-712 | 71 A | Brass      | A: 180mm B: 150mm Ø 120mm | 60W 15W E-27 |
| 00-00-328 | 71 A | Nickel mat | A: 180mm B: 150mm Ø 120mm | 60W 15W E-27 |

**LAMPADA****Art. 71 AF**>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου από ορείχαλκο με γυαλί ματΔιαθέσιμο και με πεταλούδες  
Also available with wingnuts

| CODE      | ART   | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|-------|------------|---------------------------|--------------|
| 00-00-197 | 71 AF | Brass      | A: 180mm B: 150mm Ø 120mm | 60W 15W E-27 |
| 00-00-329 | 71 AF | Nickel mat | A: 180mm B: 150mm Ø 120mm | 60W 15W E-27 |



CHR

Χρύμιο / Chrome



COP

Χαλκός / Copper



OXD

Οξυτέ βουρτασμένο  
Oxyde brushed

OXY


Οξείδωση / Oxydization

**PRODUCT FEATURES**

- > Die-cast brass base, top and seal
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Brass screws
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ♦ △
- > 220 - 240V / 50-60Hz
- > Class I

**LAMPADA****Art. 78**>>> Solid brass wall lamp with clear glass diffuser  
Απλίκα τοίχου από ορείχαλκο με γυαλί διάφανο

| CODE      | ART | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|-----|------------|---------------------------|--------------|
| 00-00-780 | 78  | Brass      | A: 225mm B: 180mm Ø 150mm | 75W 23W E-27 |
| 00-00-330 | 78  | Nickel mat | A: 225mm B: 180mm Ø 150mm | 75W 23W E-27 |

**LAMPADA****Art. 78 F**>>> Solid brass wall lamp with opal glass diffuser  
Απλίκα τοίχου από ορείχαλκο με γυαλί ματ

| CODE      | ART  | FINISH     | DIMENSIONS                | WATTAGE      |
|-----------|------|------------|---------------------------|--------------|
| 00-00-196 | 78 F | Brass      | A: 225mm B: 180mm Ø 150mm | 75W 23W E-27 |
| 00-00-331 | 78 F | Nickel mat | A: 225mm B: 180mm Ø 150mm | 75W 23W E-27 |



CHR

Χρύμιο / Chrome



COP

Χαλκός / Copper



OXD

Οξυτέ βουρτσαμένο  
Oxyde brushed

OXY

Οξείδωση / Oxydization

### PRODUCT FEATURES

- > Die-cast brass base, top and seal
- > Opal or clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Brass screws
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

**LAMPADA****Art. 71 AD/0**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανοΔιαθέσιμο και με πεταλούδες  
Also available with wingnuts

CE

| CODE      | ART     | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|---------|------------|------------|------------------|
| 00-00-726 | 71 AD/0 | Brass      | ↑ 250mm    | → 75W → 15W E-27 |
| 00-00-339 | 71 AD/0 | Nickel mat | ↑ 250mm    | → 75W → 15W E-27 |

**LAMPADA****Art. 71 AD/0.25**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανοΔιαθέσιμο και με πεταλούδες  
Also available with wingnuts

CE

| CODE      | ART        | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|------------|------------|------------|------------------|
| 00-00-785 | 71 AD/0.25 | Brass      | ↑ 500mm    | → 75W → 15W E-27 |
| 00-00-340 | 71 AD/0.25 | Nickel mat | ↑ 500mm    | → 75W → 15W E-27 |

**LAMPADA****Art. 71 AD/0.50**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανοΔιαθέσιμο και με πεταλούδες  
Also available with wingnuts

CE

| CODE      | ART        | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|------------|------------|------------|------------------|
| 00-00-713 | 71 AD/0.50 | Brass      | ↑ 750mm    | → 75W → 15W E-27 |
| 00-00-341 | 71 AD/0.50 | Nickel mat | ↑ 750mm    | → 75W → 15W E-27 |

**PRODUCT FEATURES**

- > Die-cast brass base, top and seal
- > Brass tube and screws
- > Clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ◇
- > 220 - 240V / 50-60Hz
- > Class I



CHR



COP



OXD



Οξύτε βούρτονερό

Οξύde brushed

Οξύδωση / Oxidization

**LAMPADA****Art. 71 AFD/0**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματΔιαθέσιμο και με πεταλούδες  
Also available with wingnuts

CE

| CODE      | ART      | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|----------|------------|------------|------------------|
| 00-00-284 | 71 AFD/0 | Brass      | ↑ 250mm    | → 75W ← 15W E-27 |
| 00-00-344 | 71 AFD/0 | Nickel mat | ↑ 250mm    | → 75W ← 15W E-27 |

**LAMPADA****Art. 71 AFD/0.25**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματΔιαθέσιμο και με πεταλούδες  
Also available with wingnuts

CE

| CODE      | ART         | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|-------------|------------|------------|------------------|
| 00-00-285 | 71 AFD/0.25 | Brass      | ↑ 500mm    | → 75W ← 15W E-27 |
| 00-00-345 | 71 AFD/0.25 | Nickel mat | ↑ 500mm    | → 75W ← 15W E-27 |

**LAMPADA****Art. 71 AFD/0.50**>>> Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματΔιαθέσιμο και με πεταλούδες  
Also available with wingnuts

CE

| CODE      | ART         | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|-------------|------------|------------|------------------|
| 00-00-286 | 71 AFD/0.50 | Brass      | ↑ 750mm    | → 75W ← 15W E-27 |
| 00-00-346 | 71 AFD/0.50 | Nickel mat | ↑ 750mm    | → 75W ← 15W E-27 |

**PRODUCT FEATURES**

- > Die-cast brass base, top and seal
- > Brass tube and screws
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◻ ◇ ▲
- > 220 - 240V / 50-60Hz
- > Class I

CHR  
Χρώμα / ChromeCOP  
Χαλκός / CopperOXD  
Οξωτές βουρτσωτένες  
Oxyde brushedOXY  
Οξείδωση / Oxidization

**LAMPADA****Art. 78 D/0**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο

| CODE      | ART    | FINISH     | DIMENSIONS | WATTAGE      |
|-----------|--------|------------|------------|--------------|
| 00-00-784 | 78 D/0 | Brass      | † 300mm    | 75W 23W E-27 |
| 00-00-348 | 78 D/0 | Nickel mat | † 300mm    | 75W 23W E-27 |

**LAMPADA****Art. 78 D/0.25**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο

| CODE      | ART       | FINISH     | DIMENSIONS | WATTAGE      |
|-----------|-----------|------------|------------|--------------|
| 00-00-782 | 78 D/0.25 | Brass      | † 550mm    | 75W 23W E-27 |
| 00-00-349 | 78 D/0.25 | Nickel mat | † 550mm    | 75W 23W E-27 |

**LAMPADA****Art. 78 D/0.50**>>> Solid brass garden lighting with clear glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί διάφανο

| CODE      | ART       | FINISH     | DIMENSIONS | WATTAGE      |
|-----------|-----------|------------|------------|--------------|
| 00-00-078 | 78 D/0.50 | Brass      | † 800mm    | 75W 23W E-27 |
| 00-00-350 | 78 D/0.50 | Nickel mat | † 800mm    | 75W 23W E-27 |

**PRODUCT FEATURES**

- > Die-cast brass base, top and seal
- > Brass tube and screws
- > Clear glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ◆ ▲
- > 220 - 240V / 50-60Hz
- > Class I



**LAMPADA****Art. 78 F D/0**

&gt;&gt;&gt;

Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ

| CODE      | ART      | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|----------|------------|------------|------------------|
| 00-00-287 | 78 F D/0 | Brass      | ↑ 300mm    | → 75W ← 23W E-27 |
| 00-00-351 | 78 F D/0 | Nickel mat | ↑ 300mm    | → 75W ← 23W E-27 |

**LAMPADA****Art. 78 F D/0.25**

&gt;&gt;&gt;

Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ

| CODE      | ART        | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|------------|------------|------------|------------------|
| 00-00-288 | 78 FD/0.25 | Brass      | ↑ 550mm    | → 75W ← 23W E-27 |
| 00-00-352 | 78 FD/0.25 | Nickel mat | ↑ 550mm    | → 75W ← 23W E-27 |

**LAMPADA****Art. 78 F D/0.50**

&gt;&gt;&gt;

Solid brass garden lighting with opal glass diffuser  
Δαπέδου ορειχάλκινο με γυαλί ματ

| CODE      | ART        | FINISH     | DIMENSIONS | WATTAGE          |
|-----------|------------|------------|------------|------------------|
| 00-00-289 | 78 FD/0.50 | Brass      | ↑ 800mm    | → 75W ← 23W E-27 |
| 00-00-353 | 78 FD/0.50 | Nickel mat | ↑ 800mm    | → 75W ← 23W E-27 |

#### PRODUCT FEATURES

- > Die-cast brass base, top and seal
- > Brass tube and screws
- > Opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64 ⚡ ⚠
- > 220 - 240V / 50-60Hz
- > Class I



CHR




COP

OXD  
Οξύτε πορτοφένεOXY  
Οξείδωση

**LAMPADA****Art. 71A B**

&gt;&gt;&gt;

Solid brass pendant lighting with clear glass diffuser  
Κρεμαστό από ορείχαλκο με γυαλί διάφανο



Διαθέσιμο και με πεταλούδες  
Also available with wingnuts




| CODE      | ART   | FINISH     | DIMENSIONS           | WATTAGE      |
|-----------|-------|------------|----------------------|--------------|
| 00-00-455 | 71A B | Brass      | A: max 700mm B:180mm | 75W 15W E-27 |
| 00-00-460 | 71A B | Nickel mat | A: max 700mm B:180mm | 75W 15W E-27 |

**LAMPADA****Art. 71AF B**

&gt;&gt;&gt;

Solid brass pendant lighting with opal glass diffuser  
Κρεμαστό από ορείχαλκο με γυαλί ματ



Διαθέσιμο και με πεταλούδες  
Also available with wingnuts



| CODE      | ART    | FINISH     | DIMENSIONS           | WATTAGE      |
|-----------|--------|------------|----------------------|--------------|
| 00-00-456 | 71AF B | Brass      | A: max 700mm B:180mm | 75W 15W E-27 |
| 00-00-461 | 71AF B | Nickel mat | A: max 700mm B:180mm | 75W 15W E-27 |

#### PRODUCT FEATURES

- > Die-cast brass base, top and seal
- > Brass chain and screws
- > Clear or opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I



CHR



COP

OXD  
Οξύτε βουρτσωτένε  
Oxide brushedOXY  
Οξεδώση / Oxidation

**LAMPADA****Art. 78 B**

&gt;&gt;&gt;

Solid brass pendant lighting with clear glass diffuser  
Κρεμαστό από ορείχαλκο με γυαλί διάφανο

| CODE      | ART  | FINISH     | DIMENSIONS           | WATTAGE      |
|-----------|------|------------|----------------------|--------------|
| 00-00-457 | 78 B | Brass      | A: max 700mm B:225mm | 75W 15W E-27 |
| 00-00-465 | 78 B | Nickel mat | A: max 700mm B:225mm | 75W 5W E-27  |

**LAMPADA****Art. 78F B**

&gt;&gt;&gt;

Solid brass pendant lighting with opal glass diffuser  
Κρεμαστό από ορείχαλκο με γυαλί ματ

| CODE      | ART   | FINISH     | DIMENSIONS           | WATTAGE      |
|-----------|-------|------------|----------------------|--------------|
| 00-00-458 | 78F B | Brass      | A: max 700mm B:225mm | 75W 23W E-27 |
| 00-00-468 | 78F B | Nickel mat | A: max 700mm B:225mm | 75W 23W E-27 |


**PRODUCT FEATURES**

- > Die-cast brass base, top and seal
- > Brass chain and screws
- > Clear or opal glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I



NEW


## PYRSOS



PYRSOS series comprises of the wall lamp and garden lighting versions. It is a modern design brass lighting series, matching contemporary architecture. The E27 max.30W lampholder gives the opportunity of high lighting output through the plexiglass diffuser. Manufactured by high quality brass materials, this series is also recommended for sea-side use.

PYRSOS

Art. 135

>>> Brass wall lamp with opal plexiglass diffuser  
Ορειχάλκινη απλίκα τοίχου με κάλυμμα plexiglass οπάλ

| CODE      | ART | FINISH     | DIMENSIONS                | WATTAGE  |
|-----------|-----|------------|---------------------------|----------|
| 00-00-493 | 135 | Brass      | A: 385mm B: 170mm Ø 100mm | 30W E-27 |
| 00-00-495 | 135 | Nickel mat | A: 385mm B: 170mm Ø 100mm | 30W E-27 |

PYRSOS

Art. 135 D

>>> Brass garden lighting with opal plexiglass diffuser  
Ορειχάλκινο δαπέδου με κάλυμμα plexiglass οπάλ

| CODE      | ART          | FINISH     | DIMENSIONS     | WATTAGE  |
|-----------|--------------|------------|----------------|----------|
| 00-00-492 | 135 D / 0.73 | Brass      | 1730mm Ø 100mm | 30W E-27 |
| 00-00-494 | 135 D / 0.73 | Nickel mat | 1730mm Ø 100mm | 30W E-27 |
| 00-00-732 | 135 D / 0.39 | Brass      | 1390mm Ø 100mm | 30W E-27 |
| 00-00-733 | 135 D / 0.39 | Nickel mat | 1390mm Ø 100mm | 30W E-27 |

#### PRODUCT FEATURES

- > Brass tube and accessories
- > Opal plexiglass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Wall lamp complete with wiring
- > Available in all colour finishes upon request
- > Art.135D also available in different height upon request
- > High quality brass material, ideal for sea side use
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I



NEW

## CANNON



The brass version of Cannon extends the possibilities of use also in the most difficult conditions. Up-down, downward and rotating spot illumination for walls, mantels, columns and gates. Create an impressive illumination effect at your site with Cannon series.

**CANNON****Art. 500**>>> Up-down brass spot  
Διπλό σποτ ορειχάλκινο

| CODE      | ART | FINISH     | DIMENSIONS                         | WATTAGE           |
|-----------|-----|------------|------------------------------------|-------------------|
| 11-11-119 | 500 | Brass      | Ø 60mm ↑ 160mm ↔ 100mm Base Ø 60mm | 2x50W 2x11W GU 10 |
| 00-00-319 | 500 | Nickel mat | Ø 60mm ↑ 160mm ↔ 100mm Base Ø 60mm | 2x50W 2x11W GU 10 |

**CANNON****Art. 501**>>> Downward brass spot  
Μονό σποτ ορειχάλκινο


| CODE      | ART | FINISH     | DIMENSIONS                        | WATTAGE       |
|-----------|-----|------------|-----------------------------------|---------------|
| 11-11-120 | 501 | Brass      | Ø 60mm ↑ 90mm ↔ 100mm Base Ø 60mm | 50W 11W GU 10 |
| 00-00-320 | 501 | Nickel mat | Ø 60mm ↑ 90mm ↔ 100mm Base Ø 60mm | 50W 11W GU 10 |

**CANNON****Art. 502**>>> Rotating brass spot  
Κινητό σποτ ορειχάλκινο

| CODE      | ART | FINISH     | DIMENSIONS                        | WATTAGE       |
|-----------|-----|------------|-----------------------------------|---------------|
| 11-11-121 | 502 | Brass      | Ø 60mm ↑ 175mm ↔ 80mm Base Ø 60mm | 50W 11W GU 10 |
| 00-00-321 | 502 | Nickel mat | Ø 60mm ↑ 175mm ↔ 80mm Base Ø 60mm | 50W 11W GU 10 |

## PRODUCT FEATURES

- > Brass tube and cover
- > Clear tempered glass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Full wiring in protective plastic box on the base of the lighting fixture
- > Brass screws and components
- > Available in all colour and material finishes upon request
- > High quality brass material, ideal near sea side
- > IP 65 ♦ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I

CHR  
Χρώμιο / ChromeCOP  
Χαλκός / CopperOXD  
Οξυτέ βουρτσισμένο  
Oxyde brushedOXY  
Οξείδωση / Oxidization

NEW


## BEACON



Another wall lamp and garden lighting brass series responding to the contemporary style. Elegant and easy-to-fit design assures a great decorative outcome. Also, lighting output is quite satisfactory with an E14 max. 15W lampholder option. Manufactured by high quality brass materials, this series is also recommended for sea-side use.

BEACON

Art. 136

>>> Brass wall lamp with opal plexiglass diffuser  
Ορειχάλκινη απλίκα τοίχου με κάλυμμα plexiglass οπάλ

| CODE      | ART | FINISH     | DIMENSIONS              | WATTAGE  |
|-----------|-----|------------|-------------------------|----------|
| 00-00-970 | 136 | Brass      | A: 200mm B: 98mm Ø 60mm | 15W E-14 |
| 00-00-971 | 136 | Nickel mat | A: 200mm B: 98mm Ø 60mm | 15W E-14 |

BEACON

Art. 136 D

>>> Brass garden lighting with opal plexiglass diffuser  
Ορειχάλκινο δαπέδου με κάλυμμα plexiglass οπάλ

| CODE      | ART          | FINISH     | DIMENSIONS   | WATTAGE  |
|-----------|--------------|------------|--------------|----------|
| 00-00-972 | 136 D / 0.58 | Brass      | 580mm Ø 60mm | 15W E-14 |
| 00-00-973 | 136 D / 0.58 | Nickel mat | 580mm Ø 60mm | 15W E-14 |
| 00-00-728 | 136D / 0.21  | Brass      | 210mm Ø 60mm | 15W E-14 |
| 00-00-730 | 136D / 0.21  | Nickel mat | 210mm Ø 60mm | 15W E-14 |
| 00-00-729 | 136D / 0.38  | Brass      | 380mm Ø 60mm | 15W E-14 |
| 00-00-731 | 136D / 0.38  | Nickel mat | 380mm Ø 60mm | 15W E-14 |

#### PRODUCT FEATURES

- > Brass tube and accessories
- > Opal plexiglass diffuser
- > With thermoplastic gasket and porcelain lampholder
- > Wall lamp complete with wiring
- > Available in all colour finishes upon request
- > Art.136D also available in different height upon request
- > High quality brass material, ideal for sea side use
- > IP 64
- > 220 - 240V / 50-60Hz
- > Class I

CHR  
Χρώμιο / ChromeCOP  
Χαλκός / CopperOXD  
Οξυγέτε βουρτσασμένο  
Oxide brushedOXY  
Οξειδωση / OxydizationNIM  
Νικέλ πατ / Nickel matt






**Globes**

**Μπάλες**

# GLOBES AND BASES



Acrylic globes come out in five standard dimensions: Ø 200mm, Ø 250mm, Ø 300mm, Ø 400mm, Ø 500mm and three colours: opal, smoked and clear. Globe represents an easy-going fixture that has various applications: on posts, at entrance gates and against walls. Globes are the most common fixture used in urban illumination. Bases come out in plastic and aluminium materials both with porcelain lampholder. Plastic, as well as aluminium bases have various applications and are used on posts, applied in garden, wall and pendant fixtures.

**GLOBE****Art. 62/63/64/65**>>> Opal acrylic globes  
Ακρυλικές μπάλες οπάλ

| CODE      | ART | DIMENSIONS | WATTAGE         |
|-----------|-----|------------|-----------------|
| 00-00-615 | 62  | Ø 200mm    | 40W / 15W E-27  |
| 00-00-609 | 63  | Ø 250mm    | 60W / 20W E-27  |
| 00-00-614 | 64  | Ø 300mm    | 75W / 30W E-27  |
| 00-00-617 | 65  | Ø 400mm    | 100W / 40W E-27 |
| 13-00-811 |     | Ø 500mm    | 150W / 40W E-27 |

\* Codes referring to globes without base. / Οι κωδικοί αφορούν μπάλες χωρίς βάση.

**GLOBE****Art. 62/63/64/65**>>> Smoked acrylic globes  
Ακρυλικές μπάλες φιμέ

| CODE *    | ART | DIMENSIONS | WATTAGE         |
|-----------|-----|------------|-----------------|
| 00-00-613 | 62  | Ø 200mm    | 40W / 15W E-27  |
| 00-00-625 | 63  | Ø 250mm    | 60W / 20W E-27  |
| 00-00-626 | 64  | Ø 300mm    | 75W / 30W E-27  |
| 00-00-627 | 65  | Ø 400mm    | 100W / 40W E-27 |
| 00-00-629 |     | Ø 500mm    | 150W / 40W E-27 |

\* Codes referring to globes without base. / Οι κωδικοί αφορούν μπάλες χωρίς βάση.

**GLOBE****Art. 62/63/64/65**>>> Clear acrylic globes  
Ακρυλικές μπάλες διάφανες

| CODE *    | ART | DIMENSIONS | WATTAGE         |
|-----------|-----|------------|-----------------|
| 00-00-215 | 62  | Ø 200mm    | 40W / 15W E-27  |
| 00-00-635 | 63  | Ø 250mm    | 60W / 20W E-27  |
| 00-00-636 | 64  | Ø 300mm    | 75W / 30W E-27  |
| 00-00-206 | 65  | Ø 400mm    | 100W / 40W E-27 |
| 00-00-535 |     | Ø 500mm    | 150W / 40W E-27 |

\* Codes referring to globes without base. / Οι κωδικοί αφορούν μπάλες χωρίς βάση.

**PRODUCT FEATURES** Acrylic globes

- > Acrylic (PMMA) globe
- > UV resistant material
- > Opal, fume and clear diffuser
- > Anti-corrosion high quality plastic materials, ideal near sea side

## SPECIAL GLOBES

**NEW**

>>>

Opal and clear polycarbonate globes Ø 400 - Ø 500  
Οπάλ και διάφανη μπάλα πολυκαρμπονική Ø 400 - Ø 500



| CODE *     | COLOUR | DIMENSIONS | WATTAGE          |
|------------|--------|------------|------------------|
| 13-00-1559 | opal   | Ø 400mm    | → 100W ← 40W E27 |
| 13-01-022  | clear  | Ø 400mm    | → 100W ← 40W E27 |
| 13-00-1560 | opal   | Ø 500mm    | → 150W ← 40W E27 |
| 13-01-021  | clear  | Ø 500mm    | → 150W ← 40W E27 |

\* Codes referring to globes without base. / Οι κωδικοί αφορούν μπάλες χωρίς βάση.

### PRODUCT FEATURES

- > Polycarbonate (PC) globe
- > UV resistant material
- > Opal or clear diffuser
- > High resistance against shock and fractures
- > Anti-corrosion high quality plastic material, ideal near sea side

## SPECIAL GLOBES

**NEW**

>>>

LCS acrylic/ura globes Ø 400  
LCS μπάλα/ura ακρυλικά Ø 400



| CODE *     | ART       | DIMENSIONS | WATTAGE          |
|------------|-----------|------------|------------------|
| 00-00-968  | Globe LCS | Ø 400mm    | → 100W ← 40W E27 |
| 13-00-1934 | Ura LCS   | Ø 400mm    | → 100W ← 40W E27 |

\* Codes referring to globes without base. / Οι κωδικοί αφορούν μπάλες χωρίς βάση.

### PRODUCT FEATURES

- > Acrylic (PMMA) globe
- > UV resistant material
- > LCS clear diffuser
- > Anti-corrosion high quality plastic materials, ideal near sea side

URA

>>> Opal, smoked, clear acrylic URA 300 - URA 400  
Οπάλ, φιμέ, διάφανο ακρυλικό URA 300 - URA 400

| CODE *     | ART            | DIMENSIONS | WATTAGE      |
|------------|----------------|------------|--------------|
| 13-00-1561 | URA 300 opal   | Ø 300mm    | 75W 30W E27  |
| 13-00-1562 | URA 300 smoked | Ø 300mm    | 75W 30W E27  |
| 13-01-033  | URA 300 clear  | Ø 300mm    | 75W 30W E27  |
| 13-00-1564 | URA 400 opal   | Ø 400mm    | 100W 40W E27 |
| 13-00-1959 | URA 400 smoked | Ø 400mm    | 100W 40W E27 |
| 13-00-1563 | URA 400 clear  | Ø 400mm    | 100W 40W E27 |

\* Codes referring to globes without base. / Οι κωδικοί αφορούν μηπάλες χωρίς βάση.

DADO

>>> Opal, smoked, clear acrylic DADO 250/300/400  
Οπάλ, φιμέ, διάφανο ακρυλικό DADO 250/300/400

| CODE *     | ART             | DIMENSIONS | WATTAGE      |
|------------|-----------------|------------|--------------|
| 13-00-1557 | DADO 250 opal   | Ø 266mm    | 60W 20W E27  |
| 13-00-1558 | DADO 250 smoked | Ø 266mm    | 60W 20W E27  |
| 13-01-034  | DADO 250 clear  | Ø 266mm    | 60W 20W E27  |
| 13-00-1441 | DADO 300 opal   | Ø 320mm    | 75W 30W E27  |
| 13-00-1556 | DADO 300 smoked | Ø 320mm    | 75W 30W E27  |
| 13-00-1493 | DADO 300 clear  | Ø 320mm    | 75W 30W E27  |
| 13-00-1253 | DADO 400 opal   | Ø 423mm    | 100W 40W E27 |
| 13-00-1886 | DADO 400 smoked | Ø 423mm    | 100W 40W E27 |
| 13-00-1887 | DADO 400 clear  | Ø 423mm    | 100W 40W E27 |

\* Codes referring to globes without base. / Οι κωδικοί αφορούν μηπάλες χωρίς βάση.

## PRODUCT FEATURES

- > Acrylic (PMMA) globe
- > UV resistant material
- > Opal, smoked and clear diffuser
- > Anti-corrosion high quality plastic materials, ideal near sea side

## BASE

>>> Plastic base for globes  
Γρίφα πλαστική για μπάλες



| CODE              | ART                 | COLOUR   | DIMENSIONS | WATTAGE          |
|-------------------|---------------------|----------|------------|------------------|
| 00-00-605/602/601 | Base for globe Ø200 | BK/GR/WH | Ø 100mm    | ↳ 40W ↙ 15W E27  |
| 00-00-606/604/603 | Base for globe Ø250 | BK/GR/WH | Ø 125mm    | ↳ 60W ↙ 20W E27  |
| 00-00-607/620/619 | Base for globe Ø300 | BK/GR/WH | Ø 144mm    | ↳ 75W ↙ 30W E27  |
| 00-00-608/622/621 | Base for globe Ø400 | BK/GR/WH | Ø 185mm    | ↳ 100W ↙ 40W E27 |
| 00-00-641         | Base for globe Ø500 | BK       | Ø 235mm    | ↳ 150W ↙ 40W E27 |

### PRODUCT FEATURES

- > Polypropylene (PP) base
- > UV resistant material
- > E27 porcelain lampholder included
- > Ø 63mm open on the bottom for Ø 60mm pole installation
- > Anti-corrosion high quality plastic materials, ideal near sea side

### PRODUCT FEATURES

Acrylic globes with plastic base

- > Acrylic (PMMA) globe with polyamide (PA) base
- > UV resistant materials
- > Opal, fume and clear diffuser
- > E 27 porcelain lampholder included
- > IP 65 ◻ ◇ ◇
- > 220 - 240V / 50-60Hz
- > Class II □

## BASE



>>> Aluminium base for globes /Alouminium base for globes adj. to Ø 60 pole  
Γρίφα αλουμινίου για μπάλες / Γρίφα αλουμινίου για μπάλες με συστολή για τοποθέτηση σε κολώνα Ø 60



| CODE       | ART                                  | COLOUR | DIMENSIONS | WATTAGE          |
|------------|--------------------------------------|--------|------------|------------------|
| 13-00-1090 | Base for globe Ø200                  | BK     | Ø 105mm    | ↳ 40W ↙ 15W E27  |
| 13-00-1151 | Base for globe Ø250                  | BK     | Ø 129mm    | ↳ 60W ↙ 20W E27  |
| 13-00-1173 | Base for globe Ø300                  | BK     | Ø 145mm    | ↳ 75W ↙ 30W E27  |
| 13-00-1225 | Base for globe Ø400                  | BK     | Ø 185mm    | ↳ 100W ↙ 40W E27 |
| 00-00-579  | Base for globe Ø200 adj. to Ø60 pole | BK     | Ø 105mm    | ↳ 40W ↙ 15W E27  |
| 00-00-580  | Base for globe Ø250 adj. to Ø60 pole | BK     | Ø 129mm    | ↳ 60W ↙ 20W E27  |
| 00-00-581  | Base for globe Ø300 adj. to Ø60 pole | BK     | Ø 145mm    | ↳ 75W ↙ 30W E27  |
| 00-00-582  | Base for globe Ø400 adj. to Ø60 pole | BK     | Ø 185mm    | ↳ 100W ↙ 40W E27 |



### PRODUCT FEATURES

- > Die-cast aluminium
- > Polyester powder coating UV resistant
- > Available in all finishes upon request
- > E27 porcelain lampholder included

SPECIAL BASE

**NEW**

>>> Aluminium base for Ø 400 globe  
Βάση αλουμινίου κώνος για Ø 400 μπάλα



CE

| CODE       | ART                 | COLOUR | DIMENSIONS                          | WATTAGE      |
|------------|---------------------|--------|-------------------------------------|--------------|
| 13-00-1520 | Base for globe Ø400 | BK     | Ø 190mm ↑ 83mm<br>adj. to Ø 60 pole | 100W 40W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium
- > Polyester powder coating UV resistant
- > Available in all finishes upon request
- > E27 porcelain lampholder included

Ø 400 ACCESSORY

**NEW**

>>> Anti - glare accessory for Ø 400 shapes  
Αντιθαμβωτική περσίδα για Ø 400



CE

| CODE      | ART            | DIMENSIONS      |
|-----------|----------------|-----------------|
| 13-00-698 | Aluminium inox | Ø 138mm ↑ 320mm |



# WALL GLOBES



Models for wall application of globes vary in design, globe size and wattage. Plastic or aluminium wall arms, bigger or smaller sizes, also broaden the range of models and the scope of applications. From residential to architectural or even industrial use, wall globes series cover every lighting need.

**WALL GLOBE****Art. 69 P / 70 P**>>> Wall globe Ø 200/250  
Μπάλα επίτοιχη Ø 200/250

| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-218 | 69 P | BK     | Ø 200mm ↑ 330mm | ✉ 40W ↪ 15W E27 |
| 00-00-699 | 69 P | WH     | Ø 200mm ↑ 330mm | ✉ 40W ↪ 15W E27 |
| 00-00-219 | 70 P | BK     | Ø 250mm ↑ 390mm | ✉ 60W ↪ 20W E27 |
| 00-00-703 | 70 P | WH     | Ø 250mm ↑ 390mm | ✉ 60W ↪ 20W E27 |

**WALL DADO****Art. 70 D**>>> Wall DADO 250  
Μπάλα επίτοιχη DADO 250

| CODE      | ART  | COLOUR | DIMENSIONS | WATTAGE         |
|-----------|------|--------|------------|-----------------|
| 00-00-536 | 70 D | BK     | ▢ 250mm    | ✉ 60W ↪ 20W E27 |
| 00-00-537 | 70 D | WH     | ▢ 250mm    | ✉ 60W ↪ 20W E27 |

#### PRODUCT FEATURES

- > Opal, smoked or clear acrylic shapes with aluminium base and plastic arm
- > UV resistant materials
- > With porcelain lampholder
- > Complete through wiring
- > IP 64 ☑ ▲
- > 220 - 240V / 50-60Hz
- > Class II □

**NEW****WALL LAMP Art. 91 P / 92 P / 93 P**>>> Wall lamp with plastic base and plastic globe Ø 200, 250, 300  
Επίτοιχο φωτιστικό με πλαστική βάση & πλαστική μπάλα Ø 200, 250, 300SEA  
SIDE ✓LED  
Compatible

CE

| CODE      | ART  | COLOUR | DIMENSIONS                            | WATTAGE         |
|-----------|------|--------|---------------------------------------|-----------------|
| 00-00-995 | 91 P | BK     | base □ 52x105 ↔ 135mm Ø 200mm ↑ 230mm | ✉ 40W ↪ 15W E27 |
| 00-00-525 | 91 P | GR     | base □ 52x105 ↔ 135mm Ø 200mm ↑ 230mm | ✉ 40W ↪ 15W E27 |
| 00-00-996 | 92 P | BK     | base □ 63x123 ↔ 160mm Ø 250mm ↑ 280mm | ✉ 60W ↪ 20W E27 |
| 00-00-526 | 92 P | GR     | base □ 52x105 ↔ 135mm Ø 250mm ↑ 280mm | ✉ 60W ↪ 20W E27 |
| 00-00-997 | 93 P | BK     | base □ 71x145 ↔ 195mm Ø 300mm ↑ 330mm | ✉ 75W ↪ 30W E27 |
| 00-00-527 | 93 P | GR     | base □ 71x145 ↔ 195mm Ø 300mm ↑ 330mm | ✉ 75W ↪ 30W E27 |

**NEW****WALL LAMP Art. 94 P / 95 P**>>> Wall lamp with plastic base and dado Ø 250 Ø 300  
Επίτοιχο φωτιστικό με πλαστική βάση & dado Ø 250 Ø 300SEA  
SIDE ✓LED  
Compatible

CE

| CODE      | ART  | COLOUR | DIMENSIONS                                    | WATTAGE         |
|-----------|------|--------|---|-----------------|
| 00-00-998 | 94 P | BK     | base □ 63x123 ↔ 160mm ↑ 240mm<br>dado Ø 266mm | ✉ 60W ↪ 20W E27 |
| 00-00-528 | 94 P | GR     | base □ 63x123 ↔ 160mm ↑ 240mm<br>dado Ø 266mm | ✉ 60W ↪ 20W E27 |
| 00-00-999 | 95 P | BK     | base □ 71x145 ↔ 195mm ↑ 290mm<br>dado Ø 320mm | ✉ 75W ↪ 30W E27 |
| 00-00-529 | 95 P | GR     | base □ 52x105 ↔ 195mm ↑ 290mm<br>dado Ø 320mm | ✉ 75W ↪ 30W E27 |

**NEW****WALL LAMP Art. 98 P**>>> Wall lamp with plastic base and ura Ø 300  
Επίτοιχο φωτιστικό με πλαστική βάση & ura Ø 300SEA  
SIDE ✓LED  
Compatible

CE

| CODE       | ART  | COLOUR | DIMENSIONS                                   | WATTAGE         |
|------------|------|--------|--|-----------------|
| 00-00-1000 | 98 P | BK     | base □ 75x145 ↔ 195mm ↑ 320mm<br>ura Ø 300mm | ✉ 75W ↪ 30W E27 |
| 00-00-530  | 98 P | GR     | base □ 75x145 ↔ 195mm ↑ 320mm<br>ura Ø 300mm | ✉ 75W ↪ 30W E27 |

**PRODUCT FEATURES**

- > Opal, smoked or clear acrylic shapes with plastic base and plastic arm
- > UV resistant materials
- > With porcelain lampholder
- > Complete through wiring
- > Anti-corrosion high quality plastic materials, ideal near sea side.
- > IP 64 ♦ △
- > 220 - 240V / 50-60Hz
- > Class II □

**WALL GLOBE****Art. 81/82**>>> Wall globe Ø 200, Ø 250  
Μπάλα επίτοιχη Ø 200, Ø 250

| CODE      | ART | COLOUR | DIMENSIONS              | WATTAGE         |
|-----------|-----|--------|-------------------------|-----------------|
| 00-00-347 | 81  | BK     | Ø 200mm ↪ 240mm ↑ 295mm | ↳ 40W ↘ 15W E27 |
| 00-00-362 | 81  | WH     | Ø 200mm ↪ 240mm ↑ 295mm | ↳ 40W ↘ 15W E27 |
| 00-00-363 | 82  | BK     | Ø 250mm ↪ 240mm ↑ 295mm | ↳ 60W ↘ 20W E27 |
| 00-00-364 | 82  | WH     | Ø 250mm ↪ 265mm ↑ 330mm | ↳ 60W ↘ 20W E27 |

**WALL GLOBE**

NEW

**Art. 82 D**>>> Wall Dado Ø 250  
Dado επίτοιχο Ø 250

| CODE      | ART  | COLOUR | DIMENSIONS              | WATTAGE         |
|-----------|------|--------|-------------------------|-----------------|
| 00-00-658 | 82 D | BK     | Ø 266mm ↪ 245mm ↑ 310mm | ↳ 60W ↘ 20W E27 |
| 00-00-659 | 82 D | WH     | Ø 266mm ↪ 245mm ↑ 310mm | ↳ 60W ↘ 20W E27 |

**PRODUCT FEATURES**

- > Opal, smoked or clear acrylic globe with aluminium base and arm
- > UV resistant materials
- > Aluminium parts available in all finishes upon request
- > With porcelain lampholder
- > Complete through wiring
- > IP 64 ♦ ▲
- > 220 - 240V / 50-60Hz
- > Class II

**WALL URA****Art. 85 U**>>> Wall URA 300  
Επίτοιχο URA 300

| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-538 | 85 U | BK     | ↔ 465mm ↑ 470mm | ↪ 75W ↙ 30W E27 |

**WALL URA****Art. 86 U**>>> Wall URA 400  
Επίτοιχο URA 400

| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE          |
|-----------|------|--------|-----------------|------------------|
| 00-00-539 | 86 U | BK     | ↔ 480mm ↑ 560mm | ↪ 100W ↙ 40W E27 |

**PRODUCT FEATURES**

- > Opal, smoked or clear acrylic URA with aluminium base and arm
- > UV resistant materials
- > Aluminium parts available in all finishes upon request
- > With porcelain lampholder
- > Complete through wiring
- > IP 64 ⚡ ⚠
- > 220 - 240V / 50-60Hz
- > Class II

**WALL GLOBE****Art. 85**>>> Wall globe Ø300  
Μπάλα επίτοιχη Ø 300

| CODE      | ART | COLOUR | DIMENSIONS      | WATTAGE     |
|-----------|-----|--------|-----------------|-------------|
| 00-00-369 | 85  | BK     | ↔ 465mm ↑ 470mm | 60W 20W E27 |

**WALL GLOBE****Art. 86**>>> Wall globe Ø400  
Μπάλα επίτοιχη Ø 400

| CODE      | ART | COLOUR | DIMENSIONS      | WATTAGE     |
|-----------|-----|--------|-----------------|-------------|
| 00-00-371 | 86  | BK     | ↔ 480mm ↑ 560mm | 75W 30W E27 |

#### PRODUCT FEATURES

- > Opal, smoked or clear acrylic globe with aluminium base and arm
- > UV resistant materials
- > Aluminium parts available in all finishes upon request
- > With porcelain lampholder
- > Complete through wiring
- > IP 64 ☷ △
- > 220 - 240V / 50-60Hz
- > Class II

# GARDEN GLOBES



Garden globes, represent the most common garden lighting. This series includes globes on plastic/aluminium cones and on plastic/aluminium posts. Also Dado & Ura plastic shapes, broaden design models. Garden globes are also ideal for public places like parks, squares and building yards.

## GARDEN GLOBE

**NEW**

Art. 62 P

>>>

Plastic cone with plastic globe opal/smoked/clear Ø 200

Πλαστικός κώνος με πλαστική μπάλα οπάλ/φιμέ/διάφανη Ø 200



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-515 | 62 P | BK     | Ø 200mm ↑ 325mm | → 40W ← 15W E27 |
| 00-00-683 | 62 P | WH     | Ø 200mm ↑ 325mm | → 40W ← 15W E27 |
| 00-00-684 | 62 P | GR     | Ø 200mm ↑ 325mm | → 40W ← 15W E27 |

## GARDEN GLOBE

**NEW**

Art. 63 P

>>>

Plastic cone with plastic globe opal/smoked/clear Ø 250

Πλαστικός κώνος με πλαστική μπάλα οπάλ/φιμέ/διάφανη Ø 250



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-516 | 63 P | BK     | Ø 250mm ↑ 375mm | → 60W ← 20W E27 |
| 00-00-685 | 63 P | WH     | Ø 250mm ↑ 375mm | → 60W ← 20W E27 |
| 00-00-686 | 63 P | GR     | Ø 250mm ↑ 375mm | → 60W ← 20W E27 |

## GARDEN GLOBE

**NEW**

Art. 64 P

>>>

Plastic cone with plastic globe opal/smoked/clear Ø 300

Πλαστικός κώνος με πλαστική μπάλα οπάλ/φιμέ/διάφανη Ø 300



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-517 | 64 P | BK     | Ø 300mm ↑ 420mm | → 75W ← 30W E27 |
| 00-00-687 | 64 P | WH     | Ø 300mm ↑ 420mm | → 75W ← 30W E27 |
| 00-00-688 | 64 P | GR     | Ø 300mm ↑ 420mm | → 75W ← 30W E27 |



ANTS

Silver antique / Αντικέ ασημί



ANTG

Golden antique / Αντικέ χρυσό



COA

Copper antique / Αντικέ χαλκού

### PRODUCT FEATURES

- > Opal, smoked or clear acrylic globe with plastic base
- > UV resistant materials
- > With porcelain lampholder
- > Anti-corrosion high quality plastic materials, ideal near sea side.
- > IP 65 ♦ ▲ △
- > 220 - 240V / 50-60Hz
- > Class II

## GARDEN SQUARE HEAD

Art. 89 P



Plastic cone with DADO 250

Πλαστικός κώνος με DADO 250



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-518 | 89 P | BK     | Ø 266mm ↑ 350mm | ↳ 60W ↲ 20W E27 |
| 00-00-689 | 89 P | WH     | Ø 266mm ↑ 350mm | ↳ 60W ↲ 20W E27 |
| 00-00-691 | 89 P | GR     | Ø 266mm ↑ 350mm | ↳ 60W ↲ 20W E27 |

## GARDEN SQUARE HEAD

Art. 88 P



Plastic cone with DADO 300

Πλαστικός κώνος με DADO 300



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-519 | 88 P | BK     | Ø 320mm ↑ 400mm | ↳ 75W ↲ 30W E27 |
| 00-00-692 | 88 P | WH     | Ø 320mm ↑ 400mm | ↳ 75W ↲ 30W E27 |
| 00-00-693 | 88 P | GR     | Ø 320mm ↑ 400mm | ↳ 75W ↲ 30W E27 |

## GARDEN URA

Art. 87 P



Plastic cone with URA 300

Πλαστικός κώνος με URA 300



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-520 | 87 P | BK     | Ø 300mm ↑ 425mm | ↳ 75W ↲ 30W E27 |
| 00-00-695 | 87 P | WH     | Ø 300mm ↑ 425mm | ↳ 75W ↲ 30W E27 |
| 00-00-702 | 87 P | GR     | Ø 300mm ↑ 425mm | ↳ 75W ↲ 30W E27 |



ANTS

Silver antique / Αντικέ ασημί



ANTG

Golden antique / Αντικέ χρυσό




COA

Copper antique / Αντικέ χαλκού

### PRODUCT FEATURES

- > Opal, smoked or clear acrylic DADO/URA with plastic base
- > UV resistant materials
- > With porcelain lampholder
- > Anti-corrosion high quality plastic materials, ideal near sea side
- > IP 65 ◊ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class II



**GARDEN GLOBE****Art. 62 D**>>> Aluminium cone with globe opal/smoked/clear Ø 200  
Κώνος αλουμινίου με μπάλα οπάλ/φιμέ/διάφανη Ø 200

| CODE      | ART       | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|-----------|--------|-----------------|-----------------|
| 00-00-054 | 62 D Ø 20 | BK     | Ø 200mm ↑ 350mm | → 40W → 15W E27 |

**GARDEN GLOBE****Art. 63 D**>>> Aluminium cone with globe opal/smoked/clear Ø 250  
Κώνος αλουμινίου με μπάλα οπάλ/φιμέ/διάφανη Ø 250

| CODE      | ART       | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|-----------|--------|-----------------|-----------------|
| 00-00-063 | 63 D Ø 25 | BK     | Ø 250mm ↑ 415mm | → 60W → 20W E27 |

**GARDEN GLOBE****Art. 64 D**>>> Aluminium cone with globe opal/smoked/clear Ø 300  
Κώνος αλουμινίου με μπάλα οπάλ/φιμέ/διάφανη Ø 300

| CODE      | ART       | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|-----------|--------|-----------------|-----------------|
| 00-00-069 | 64 D Ø 30 | BK     | Ø 300mm ↑ 460mm | → 75W → 30W E27 |

**PRODUCT FEATURES**

- > Opal, smoked or clear acrylic globe shapes with aluminium base on aluminium cone
- > UV resistant materials
- > Aluminium parts available in all finishes upon request
- > With porcelain lampholder
- > IP 65 ◆ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I

## GARDEN SQUARE HEAD

Art. 89 D

>>> Aluminium cone with DADO 250

Κώνος αλουμινίου με DADO 250



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-408 | 89 D | BK     | Ø 266mm † 390mm | ↳ 60W ↲ 20W E27 |

## GARDEN SQUARE HEAD

Art. 88 D

>>> Aluminium cone with DADO 300

Κώνος αλουμινίου με DADO 300



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-540 | 88 D | BK     | Ø 320mm † 440mm | ↳ 75W ↲ 30W E27 |

## GARDEN URA

Art. 87 U

>>> Aluminium cone with URA 300

Κώνος αλουμινίου με URA 300



| CODE      | ART  | COLOUR | DIMENSIONS      | WATTAGE         |
|-----------|------|--------|-----------------|-----------------|
| 00-00-541 | 87 U | BK     | Ø 300mm † 465mm | ↳ 75W ↲ 30W E27 |

### PRODUCT FEATURES

- > Opal, smoked or clear acrylic globe shapes with aluminium base on aluminium cone
- > UV resistant materials
- > Aluminium parts available in all finishes upon request
- > With porcelain lampholder
- > IP 65 ♦ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I

**NEW****GARDEN GLOBE**

Art. 62K/63K/64K

&gt;&gt;&gt;

Aluminium garden lighting with globe Ø 200, 250, 300  
Κήπου αλουμινίου με μπάλα Ø 200, 250, 300

CE

| CODE *    | ART  | COLOUR       | DIMENSIONS                   | WATTAGE         |
|-----------|------|--------------|------------------------------|-----------------|
| 00-00-647 | 62 K | All finishes | Ø 200mm ↑ 870mm cone Ø 125mm | → 40W ← 15W E27 |
| 00-00-648 | 63 K | All finishes | Ø 250mm ↑ 920mm cone Ø 125mm | → 60W ← 20W E27 |
| 00-00-649 | 64 K | All finishes | Ø 300mm ↑ 970mm cone Ø 125mm | → 75W ← 30W E27 |

**GARDEN DADO/URA** **Art. 87K/88K/89K** **NEW**
>>> Aluminium garden lighting with DADO 250, 300, URA 300  
Κήπου αλουμινίου με DADO 250, 300, URA 300

CE

| CODE *    | ART             | COLOUR       | DIMENSIONS                   | WATTAGE         |
|-----------|-----------------|--------------|------------------------------|-----------------|
| 00-00-662 | 89 K / DADO 250 | All finishes | Ø 266mm ↑ 900mm cone Ø 125mm | → 60W ← 20W E27 |
| 00-00-663 | 88 K / DADO 300 | All finishes | Ø 320mm ↑ 950mm cone Ø 125mm | → 75W ← 30W E27 |
| 00-00-650 | 87 K / URA 300  | All finishes | Ø 300mm ↑ 970mm cone Ø 125mm | → 75W ← 30W E27 |

### PRODUCT FEATURES

- > Opal, smoked or clear acrylic globe shapes with aluminium base on aluminium cone
- > UV resistant materials
- > Aluminium parts available in all finishes upon request
- > With porcelain lampholder
- > IP 65 ♦ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I

## POST GLOBES COMBINATIONS

>>>

Globes (opal / smoked / clear), dado and ura on plastic or aluminium post  
Μπάλες (οπάλ / φιμέ / διάφανες), dado και ura σε πλαστική & αλουμινίου κολώνα



CE



CE

### PRODUCT FEATURES On plastic pole

- > Opal, smoked or clear acrylic globe / opal square head / opal prismatic head with plastic base on plastic pole with plastic ground base
- > UV resistant materials
- > With porcelain lampholder
- > Different heights available as presented in post section
- > Anti-corrosion high quality plastic materials, ideal near sea side
- > IP 65 ◊ ▲ ▲
- > 220 - 240V / 50Hz
- > Class II □

### PRODUCT FEATURES On aluminium pole

- > Opal, smoked or clear acrylic globe / opal square head / opal prismatic head with alouminium base on aluminium pole with aluminium ground base
- > UV resistant materials
- > Aluminium parts available in all finishes upon request
- > With porcelain lampholder
- > Different heights available as presented in post section
- > IP 65 ◊ ▲ ▲
- > 220 - 240V / 50Hz
- > Class I □

# PENDANT GLOBES



Pendant globes come out in two types: first with plastic and second with metal suspension. Make the right selection for your space. Black, white and grey are available colours for plastic suspension, while variety of colours is available for the metal ones. Can be installed indoors or outdoors.



| CODE      | ART  | BASE COLOUR | GLOBE COLOUR         | GLOBE DIMENSIONS | WATTAGE      |
|-----------|------|-------------|----------------------|------------------|--------------|
| 00-00-690 | 69 B | BK          | Opal, smoked, Transp | Ø 200mm          | 40W 15W E27  |
| 00-00-707 | 69 B | GR          | Opal, smoked, Transp | Ø 200mm          | 40W 15W E27  |
| 00-00-708 | 69 B | WH          | Opal, smoked, Transp | Ø 200mm          | 40W 15W E27  |
| 00-00-701 | 70 B | BK          | Opal, smoked, Transp | Ø 250mm          | 60W 20W E27  |
| 00-00-709 | 70 B | GR          | Opal, smoked, Transp | Ø 250mm          | 60W 20W E27  |
| 00-00-710 | 70 B | WH          | Opal, smoked, Transp | Ø 250mm          | 60W 20W E27  |
| 00-00-696 | 64 B | BK          | Opal, smoked, Transp | Ø 300mm          | 75W 30W E27  |
| 00-00-714 | 64 B | GR          | Opal, smoked, Transp | Ø 300mm          | 75W 30W E27  |
| 00-00-715 | 64 B | WH          | Opal, smoked, Transp | Ø 300mm          | 75W 30W E27  |
| 00-00-559 | 69 B | BK          | Yellow, Rose         | Ø 200mm          | 100W 40W E27 |
| 00-00-716 | 69 B | GR          | Yellow, Rose         | Ø 200mm          | 100W 40W E27 |
| 00-00-717 | 69 B | WH          | Yellow, Rose         | Ø 200mm          | 100W 40W E27 |

### PRODUCT FEATURES

- > Opal, smoked, clear, yellow or rose acrylic globe with aluminium base and plastic cord and ceiling base
- > UV resistant materials
- > With porcelain lampholder
- > Complete through wiring
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II

**PENDANT DADO**

NEW

**Art. 89 B / Art. 88 B****Pendant DADO 250/300****Κρεμαστό DADO 250/300**

| CODE      | ART  | BASE COLOUR | GLOBE COLOUR         | GLOBE DIMENSIONS | WATTAGE       |
|-----------|------|-------------|----------------------|------------------|---------------|
| 00-00-561 | 89 B | BK          | Opal, smoked, Transp | Ø 266mm          | 60W ↕ 20W E27 |
| 00-00-673 | 89 B | GR          | Opal, smoked, Transp | Ø 266mm          | 60W ↕ 20W E27 |
| 00-00-681 | 89 B | WH          | Opal, smoked, Transp | Ø 266mm          | 60W ↕ 20W E27 |
| 00-00-562 | 88 B | BK          | Opal, smoked, Transp | Ø 320mm          | 75W ↕ 30W E27 |
| 00-00-679 | 88 B | GR          | Opal, smoked, Transp | Ø 320mm          | 60W ↕ 20W E27 |
| 00-00-704 | 88 B | WH          | Opal, smoked, Transp | Ø 320mm          | 75W ↕ 30W E27 |

**PENDANT URA**

NEW

**Art. 87 B****Pendant URA 300****Κρεμαστό URA 300**

| CODE      | ART  | BASE COLOUR | GLOBE COLOUR         | GLOBE DIMENSIONS | WATTAGE       |
|-----------|------|-------------|----------------------|------------------|---------------|
| 00-00-563 | 87 B | BK          | Opal, smoked, Transp | Ø 300mm          | 75W ↕ 20W E27 |
| 00-00-705 | 87 B | GR          | Opal, smoked, Transp | Ø 300mm          | 60W ↕ 20W E27 |
| 00-00-706 | 87 B | WH          | Opal, smoked, Transp | Ø 300mm          | 60W ↕ 20W E27 |

**PRODUCT FEATURES**

- > Opal, smoked, clear, acrylic Dado/Ura with aluminium base and plastic cord and ceiling base
- > UV resistant materials
- > With porcelain lampholder
- > Complete through wiring
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II

**PENDANT GLOBES**

Art. C 69B/C 70B/C 64B/C 65B

&gt;&gt;&gt;

Pendant globe Ø200, Ø250, Ø300, Ø400  
Κρεμαστή μπάλα Ø200, Ø250, Ø300, Ø400

| CODE      | ART    | Base Colour         | Globe colour         | DIMENSIONS      | WATTAGE      |
|-----------|--------|---------------------|----------------------|-----------------|--------------|
| 00-00-376 | C 69 B | All colour finishes | Opal, smoked, Transp | Ø 200mm ↑ 700mm | 40W 15W E27  |
| 00-00-377 | C 70 B | All colour finishes | Opal, smoked, Transp | Ø 250mm ↑ 700mm | 60W 20W E27  |
| 00-00-378 | C 64 B | All colour finishes | Opal, smoked, Transp | Ø 300mm ↑ 700mm | 75W 30W E27  |
| 00-00-694 | C 65 B | All colour finishes | Opal, smoked, Transp | Ø 400mm ↑ 700mm | 100W 40W E27 |

**PENDANT URA**

NEW

Art. C 87B / C 100B

&gt;&gt;&gt;

Pendant ura Ø300, Ø400

Κρεμαστό ura Ø300, Ø400



| CODE      | ART     | Base Colour         | Globe colour         | DIMENSIONS      | WATTAGE      |
|-----------|---------|---------------------|----------------------|-----------------|--------------|
| 00-00-577 | C 87 B  | All colour finishes | Opal, smoked, Transp | Ø 300mm ↑ 700mm | 75W 30W E27  |
| 00-00-578 | C 100 B | All colour finishes | Opal, smoked, Transp | Ø 400mm ↑ 700mm | 100W 40W E27 |

**PRODUCT FEATURES**

- > Opal, smoked or clear acrylic globe / Ura with aluminium base, chain and ceiling base
- > UV resistant materials
- > Aluminium parts available in all colour finishes upon request
- > With porcelain lampholder
- > Complete through wiring
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

NEW

**PENDANT GLOBES**

Art. A 69B/A 70B/A 64B/A 65B

>>> Pendant globe Ø200, 250, 300, 400  
Κρεμαστή μπάλα Ø200, 250, 300, 400

| CODE      | ART    | BASE COLOUR         | GLOBE COLOUR         | GLOBE DIMENSIONS | WATTAGE      |
|-----------|--------|---------------------|----------------------|------------------|--------------|
| 00-00-564 | A 69 B | All colour finishes | Opal, smoked, Transp | Ø 200mm          | 40W 15W E27  |
| 00-00-565 | A 70 B | All colour finishes | Opal, smoked, Transp | Ø 250mm          | 60W 20W E27  |
| 00-00-566 | A 64 B | All colour finishes | Opal, smoked, Transp | Ø 300mm          | 75W 30W E27  |
| 00-00-567 | A 65 B | All colour finishes | Opal, smoked, Transp | Ø 400mm          | 100W 40W E27 |
| 00-00-560 | A 69 B | All colour finishes | Yellow               | Ø 200mm          | 40W 15W E27  |
| 00-00-804 | A 69 B | All colour finishes | Rose                 | Ø 200mm          | 40W 15W E27  |
| 00-00-568 | A 65 B | All colour finishes | Yellow               | Ø 400mm          | 100W 40W E27 |
| 00-00-805 | A 65 B | All colour finishes | Rose                 | Ø 400mm          | 100W 40W E27 |

**PRODUCT FEATURES**

- > Opal, smoked, clear, yellow or rose acrylic globe with aluminium base and plastic cord and metal string
- > UV resistant materials
- > With porcelain lampholder
- > Aluminium parts available in all colour finishes upon request.
- > Complete through wiring
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

**PENDANT DADO**

Art. A 89B / A 88B / A 99B

>>> Pendant DADO 250/300/400  
Κρεμαστό DADO 250/300/400

| CODE      | ART   | BASE COLOUR         | GLOBE COLOUR         | GLOBE DIMENSIONS | WATTAGE      |
|-----------|-------|---------------------|----------------------|------------------|--------------|
| 00-00-572 | A 89B | All colour finishes | Opal, smoked, Transp | Ø 266mm          | 60W 20W E27  |
| 00-00-573 | A 88B | All colour finishes | Opal, smoked, Transp | Ø 320mm          | 75W 30W E27  |
| 00-00-574 | A 99B | All colour finishes | Opal, smoked, Transp | Ø 423mm          | 100W 40W E27 |

**PENDANT URA**

Art. A 87B / A 100B

>>> Pendant URA 300/400  
Κρεμαστό URA 300/400

| CODE      | ART    | BASE COLOUR         | GLOBE COLOUR         | GLOBE DIMENSIONS | WATTAGE      |
|-----------|--------|---------------------|----------------------|------------------|--------------|
| 00-00-575 | A 87B  | All colour finishes | Opal, smoked, Transp | Ø 300mm          | 75W 30W E27  |
| 00-00-576 | A 100B | All colour finishes | Opal, smoked, Transp | Ø 400mm          | 100W 40W E27 |

**PRODUCT FEATURES**

- > Opal, smoked, clear, acrylic shapes with aluminium base and plastic cord and metal string
- > UV resistant materials
- > Aluminium parts available in all colour finishes upon request.
- > Complete through wiring
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I

## PENDANT GLOBES

**NEW**

Art. 69Z / 70Z / 64Z / 65Z

>>> Pendant globe with down-rod Ø200, 250, 300, 400

Κρεμαστή μπάλα με ντίζα Ø200, 250, 300, 400



| CODE      | ART  | BASE COLOUR         | GLOBE COLOUR         | GLOBE DIMENSIONS | WATTAGE      |
|-----------|------|---------------------|----------------------|------------------|--------------|
| 00-00-571 | 69 Z | All colour finishes | Opal, smoked, Transp | Ø 200mm          | 40W 15W E27  |
| 00-00-633 | 70 Z | All colour finishes | Opal, smoked, Transp | Ø 250mm          | 60W 20W E27  |
| 00-00-634 | 64 Z | All colour finishes | Opal, smoked, Transp | Ø 300mm          | 75W 30W E27  |
| 00-00-651 | 65 Z | All colour finishes | Opal, smoked, Transp | Ø 400mm          | 100W 40W E27 |
| 00-00-569 | 69 Z | All colour finishes | Yellow, rose         | Ø 200mm          | 40W 15W E27  |
| 00-00-570 | 65 Z | All colour finishes | Yellow, rose         | Ø 400mm          | 100W 40W E27 |

## PENDANT DADO/URA

**NEW**

Art. 89Z / 88Z / 99Z / 87Z / 101Z

>>> Pendant Dado/Ura shapes with down-rod  
Κρεμαστά Dado/Ura με ντίζα



| CODE      | ART   | BASE COLOUR         | GLOBE COLOUR         | GLOBE DIMENSIONS | WATTAGE      |
|-----------|-------|---------------------|----------------------|------------------|--------------|
| 00-00-652 | 89 Z  | All colour finishes | Opal, smoked, Transp | Dado 250 Ø 266mm | 60W 20W E27  |
| 00-00-654 | 88 Z  | All colour finishes | Opal, smoked, Transp | Dado 300 Ø 320mm | 75W 30W E27  |
| 00-00-655 | 99 Z  | All colour finishes | Opal, smoked, Transp | Dado 400 Ø 423mm | 100W 40W E27 |
| 00-00-656 | 87 Z  | All colour finishes | Opal, smoked, Transp | Ura 300 Ø 300mm  | 75W 30W E27  |
| 00-00-806 | 101 Z | All colour finishes | Opal, smoked, Transp | Ura 400 Ø 400mm  | 100W 40W E27 |

### PRODUCT FEATURES

- > Opal, fume, clear, yellow, rose acrylic globe Dado / Ura with aluminium base, down-rod and ceiling base
- > UV resistant materials
- > Alluminium parts available in all colour finishes upon request
- > With porcelain lampholder
- > Complete through wiring
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I





**NEW**

## TABLE & GARDEN GLOBES / SHAPES



A new idea on how to use globes and dado shapes in two different applications: table and garden. Use the table version of a globe/dado to lighten your bed side. They are a perfect match with pendant globes, the ideal lighting set for bedrooms. Safer than all other materials, plastic table globe/dado can be easily placed in childrens' room.

Garden globe/dado version is ideal for both indoor-outdoor use. Create an eye-catching lighting effect in your open air areas; lighten your parties and gatherings easily. Removable garden globes/dado will impress your visitors!

Both table and garden globes/dado offer a variety of colours -opal, smoked, transparent, yellow, rose-, sizes and wattage.



| CODE      | ART | COLOUR                                   | DIMENSIONS                 | WATTAGE      |
|-----------|-----|--|----------------------------|--------------|
| 00-00-547 | 69T | Transparent base opal/smoked/trans globe | Base Ø 100mm Globe Ø 200mm | 40W 15W E27  |
| 00-00-548 | 70T | Transparent base opal/smoked/trans globe | Base Ø 125mm Globe Ø 250mm | 60W 20W E27  |
| 00-00-549 | 64T | Transparent base opal/smoked/trans globe | Base Ø 144mm Globe Ø 300mm | 75W 30W E27  |
| 00-00-550 | 69T | Transparent base yellow globe            | Base Ø 100mm Globe Ø 200mm | 40W 15W E27  |
| 00-00-551 | 69T | Transparent base rose globe              | Base Ø 100mm Globe Ø 200mm | 40W 15W E27  |
| 00-00-718 | 65T | Transparent base opal/smoked/trans globe | Base Ø 185mm Globe Ø 400mm | 100W 40W E27 |
| 00-00-721 | 65T | Transparent base yellow globe            | Base Ø 185mm Globe Ø 400mm | 100W 40W E27 |
| 00-00-725 | 65T | Transparent base rose globe              | Base Ø 185mm Globe Ø 400mm | 100W 40W E27 |

## PRODUCT FEATURES

- > Opal, smoked, transparent, yellow, rose globe with polycarbonate transparent base
- > With porcelain lampholder
- > Transparent cable with on/off switch and plug
- > Ideal for table use due to the feet adjusted on the base
- > 220 - 240V / 50-60Hz
- > Class II

**TABLE DADO****Art. 89T / 88T / 99T**>>> **Table DADO 250/300/400  
Πορτατίφ DADO 250/300/400**

| CODE      | ART  | COLOUR                                  | DIMENSIONS                | WATTAGE          |
|-----------|------|---|---------------------------|------------------|
| 00-00-552 | 89 T | Transparent base opal/smoked/trans dado | Base Ø 125mm Dado Ø 266mm | ↳ 60W ↳ 20W E27  |
| 00-00-553 | 88 T | Transparent base opal/smoked/trans dado | Base Ø 144mm Dado Ø 320mm | ↳ 75W ↳ 30W E27  |
| 00-00-727 | 99 T | Transparent base opal/smoked/trans dado | Base Ø 185mm Dado Ø 400mm | ↳ 100W ↳ 40W E27 |

**GARDEN DADO****Art. 88G / 99G**>>> **Garden DADO 300/400  
Κήπου DADO 300/400**

| CODE      | ART  | COLOUR                                  | DIMENSIONS                | WATTAGE          |
|-----------|------|---|---------------------------|------------------|
| 00-00-807 | 88 G | Transparent base opal/smoked/trans dado | Base Ø 144mm Dado Ø 320mm | ↳ 75W ↳ 30W E27  |
| 00-00-554 | 99 G | Transparent base opal/smoked/trans dado | Base Ø 185mm Dado Ø 423mm | ↳ 100W ↳ 40W E27 |

#### PRODUCT FEATURES

- > Opal, smoked, transparent, globe with polycarbonate transparent base
- > With porcelain lampholder
- > Transparent cable with on/off switch and plug for table version and transparent cable with plug for the garden version
- > Ideal for table use due to the feet adjusted on the base
- > Indoor / outdoor use
- > For outdoor/garden use, longer cable is available
- > IP 43  for garden DADO
- > 220 - 240V / 50-60Hz
- > Class II



| CODE      | ART  | COLOUR                                   | DIMENSIONS                 | WATTAGE      |
|-----------|------|--|----------------------------|--------------|
| 00-00-555 | 64 G | Transparent base opal/smoked/trans globe | Base Ø 144mm Globe Ø 300mm | 75W 30W E27  |
| 00-00-556 | 65 G | Transparent base opal/smoked/trans globe | Base Ø 185mm Globe Ø 400mm | 100W 40W E27 |
| 00-00-557 | 65 G | Transparent base yellow globe            | Base Ø 185mm Globe Ø 400mm | 100W 40W E27 |
| 00-00-558 | 65 G | Transparent base rose globe              | Base Ø 185mm Globe Ø 400mm | 100W 40W E27 |



#### PRODUCT FEATURES

- > Opal, smoked, transparent, yellow and rose globe with polycarbonate transparent base
- > With porcelain lampholder
- > Transparent cable with and plug
- > Ideal for table use due to the feet adjusted on the base
- > Indoor / outdoor use
- > For outdoor/garden use, longer cable is available
- > Anti-corrosion high quality plastic materials, ideal near sea side.
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class II



# Posts & Headlines

## Posts

## Κολώνες

# POSTS



Posts range according to material, diameter size and height. Plastic and aluminum posts are presented in various heights and vary between Ø600mm and Ø750mm diameter. Standard colours for plastic poles are black, grey and white, while aluminium poles are available in all colour finishes upon request. Ground base is included in all models.

**POST****Art. K 43 P**

&gt;&gt;&gt;

Plastic post 0.25m - 1.50m  
Κολώνα πλαστική 0.25m - 1.50m

| CODE *    | ART          | COLOUR   | DIMENSIONS                   |
|-----------|--------------|----------|------------------------------|
| 00-00-439 | K 43 P/0.25m | BK/GR/WH | Ø 60mm ↑ 250mm Base Ø 180mm  |
| 00-00-437 | K 43 P/0.50m | BK/GR/WH | Ø 60mm ↑ 500mm Base Ø 180mm  |
| 00-00-438 | K 43 P/1.00m | BK/GR/WH | Ø 60mm ↑ 1000mm Base Ø 180mm |
| 00-00-467 | K 43 P/1.50m | BK/GR/WH | Ø 60mm ↑ 1500mm Base Ø 180mm |

#### PRODUCT FEATURES

- > Plastic post with plastic base
- > UV resistant materials
- > Post adjustable to Ø 60mm opening
- > Special height available upon request
- > Anti-corrosion high quality plastic materials, ideal near sea side.



ANTS

ANTG

COA

**POST****Art. K 43**

&gt;&gt;&gt;

Aluminium post 0.25m - 2.00m  
Κολώνα αλουμινίου 0.25m - 2.00m

| CODE *    | ART         | COLOUR | DIMENSIONS                   |
|-----------|-------------|--------|------------------------------|
| 00-01-011 | K 43/0.25m  | BK     | Ø 60mm ↑ 250mm Base Ø 150mm  |
| 00-01-012 | K 43 /0.50m | BK     | Ø 60mm ↑ 500mm Base Ø 150mm  |
| 00-01-013 | K 43 /0.70m | BK     | Ø 60mm ↑ 700mm Base Ø 150mm  |
| 00-01-014 | K 43 /1.00m | BK     | Ø 60mm ↑ 1000mm Base Ø 150mm |
| 00-01-015 | K 43 /1.50m | BK     | Ø 60mm ↑ 1500mm Base Ø 150mm |
| 00-01-016 | K 43 /2.00m | BK     | Ø 60mm ↑ 2000mm Base Ø 150mm |

#### PRODUCT FEATURES

- > Aluminium post with aluminium base
- > Polyester powder coating, UV resistant
- > Available in all finishes upon request
- > Post adjustable to Ø 60mm opening
- > Special height available upon request

**POST****Art. K 44**

&gt;&gt;&gt;

Aluminium post Ø 60 - 2.15m / Ø 75 stripped - 2.15m  
Κολώνα αλουμινίου Ø 60 - 2.15m / Ø 75 ριγωτή - 2.15m

Art. K44/Ø75

Art. K44/Ø60



| CODE *    | ART         | COLOUR | DIMENSIONS                        |
|-----------|-------------|--------|-----------------------------------|
| 00-00-542 | K 44 Ø 60mm | BK     | pole Ø 600mm Base Ø 240mm ↑ 2.15m |
| 00-00-543 | K 44 Ø 75mm | BK     | pole Ø 750mm Base Ø 240mm ↑ 2.15m |

**PRODUCT FEATURES**

- > Aluminium post with aluminium base
- > Polyester powder coating, UV resistant
- > Available in all finishes upon request
- > Post adjustable to Ø 60mm opening
- > Special height available upon request

**POST****Art. K 46**

&gt;&gt;&gt;

Aluminium post Ø 60 - 2.5m / Ø 75 stripped - 2.5m  
Κολώνα αλουμινίου Ø 60 - 2.5m / Ø 75 ριγωτή - 2.5m

Art. K46/Ø75

Art. K46/Ø75



| CODE *    | ART         | COLOUR | DIMENSIONS                        |
|-----------|-------------|--------|-----------------------------------|
| 00-00-544 | K 46 Ø 60mm | BK     | pole Ø 600mm Base Ø 320mm ↑ 2.50m |
| 00-00-545 | K 46 Ø 75mm | BK     | pole Ø 750mm Base Ø 320mm ↑ 2.50m |

**PRODUCT FEATURES**

- > Aluminium post with aluminium base
- > Polyester powder coating, UV resistant
- > Access door in the base
- > Available in all finishes upon request
- > Post adjustable to Ø 60mm opening
- > Special height available upon request

**POST**

**Art. K 47**

**>>>**

**Aluminium post Ø 60 - 2.5m / Ø 75 stripped - 2.5m  
Κολώνα αλουμινίου Ø 60 - 2.5m / Ø 75 ριγωτή - 2.5m**



Art. K47/Φ75

Art. K47/Φ60



| CODE *    | ART         | COLOUR | DIMENSIONS                        |
|-----------|-------------|--------|-----------------------------------|
| 00-00-546 | K 47 Ø 60mm | BK     | pole Ø 600mm Base Ø 260mm ↑ 2.50m |
| 00-00-969 | K 47 Ø 75mm | BK     | pole Ø 750mm Base Ø 260mm ↑ 2.50m |

#### PRODUCT FEATURES

- > Aluminium post with aluminium base
- > UV resistant materials
- > Access door in the base
- > Available in all finishes upon request
- > Post adjustable to Ø 75mm opening
- > Special height available upon request





| CODE              | ART          | COLOUR          | DIMENSIONS                  | WATTAGE          |
|-------------------|--------------|-----------------|-----------------------------|------------------|
| 00-01-016         | K43/2.00m    | BK/WH/GR        | Ø 60mm ↑ 2.00m base Ø 150mm | → 100W ← 40W E27 |
| 00-00-608/621/622 | base Ø 400mm | BK/WH/GR        | Ø 185mm                     | → 100W ← 40W E27 |
| 00-00-617         | 65           | Opal globe      | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-627         | 65           | Smoked globe    | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-206         | 65           | Clear globe     | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-968         |              | Clear LCS globe | Ø 400mm                     | → 100W ← 40W E27 |
| 13-00-1564        |              | Opal Ura        | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1959        |              | Smoked Ura      | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1563        |              | Clear Ura       | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1934        |              | Clear LCS Ura   | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1253        |              | Opal Dado       | Ø 423mm                     | → 100W ← 40W E27 |
| 13-00-1886        |              | Smoked Dado     | Ø 423mm                     | → 100W ← 40W E27 |
| 13-00-1887        |              | Clear Dado      | Ø 423mm                     | → 100W ← 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and aluminium pole
- > Acrylic (PMMA) shapes with plastic base
- > UV resistant materials
- > With porcelain lampholder
- > IP65 ♦ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART                     | COLOUR          | DIMENSIONS                  | WATTAGE          |
|------------|-------------------------|-----------------|-----------------------------|------------------|
| 00-01-016  | K43/2.00m               | All finishes    | Ø 60mm ↑ 2.00m base Ø 150mm |                  |
| 00-00-582  | base Ø 400mm with clamp | All finishes    | Ø 185mm                     | → 100W ← 40W E27 |
| 00-00-617  | 65                      | Opal globe      | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-627  | 65                      | Smoked globe    | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-206  | 65                      | Clear globe     | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-968  |                         | Clear LCS globe | Ø 400mm                     | → 100W ← 40W E27 |
| 13-00-1564 |                         | Opal Ura        | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1959 |                         | Smoked Ura      | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1563 |                         | Clear Ura       | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1934 |                         | Clear LCS Ura   | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1253 |                         | Opal Dado       | Ø 423mm                     | → 100W ← 40W E27 |
| 13-00-1886 |                         | Smoked Dado     | Ø 423mm                     | → 100W ← 40W E27 |
| 13-00-1887 |                         | Clear Dado      | Ø 423mm                     | → 100W ← 40W E27 |

## PRODUCT FEATURES


- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) shapes with die-cast aluminium base with clamp
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP65 ☑ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART          | COLOUR          | DIMENSIONS                  | WATTAGE          |
|------------|--------------|-----------------|-----------------------------|------------------|
| 00-01-016  | K43/2.00m    | All finishes    | Ø 60mm ↑ 2.00m base Ø 150mm | → 100W ← 40W E27 |
| 13-00-1520 | base Ø 400mm | All finishes    | Ø 60mm ↑ 0.83m base Ø 190mm | → 100W ← 40W E27 |
| 00-00-617  | 65           | Opal globe      | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-627  | 65           | Smoked globe    | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-206  | 65           | Clear globe     | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-968  |              | Clear LCS globe | Ø 400mm                     | → 100W ← 40W E27 |
| 13-00-1564 |              | Opal Ura        | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1959 |              | Smoked Ura      | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1563 |              | Clear Ura       | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1934 |              | Clear LCS Ura   | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1253 |              | Opal Dado       | Ø 423mm                     | → 100W ← 40W E27 |
| 13-00-1886 |              | Smoked Dado     | Ø 423mm                     | → 100W ← 40W E27 |
| 13-00-1887 |              | Clear Dado      | Ø 423mm                     | → 100W ← 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) shapes with die cast alouminium base
- > UV resistant materials
- > With porcelain lampholder and complete with wiring
- > Available in all colour finishes upon request
- > IP65 ♦ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART       | COLOUR       | DIMENSIONS                  | WATTAGE          |
|-----------|-----------|--------------|-----------------------------|------------------|
| 00-01-016 | K43/2.00m | All finishes | Ø 60mm ↑ 2.00m base Ø 150mm |                  |
| 00-00-534 | 68 H      | All finishes | ↑ 275mm base Ø 260mm        | ↪ 75W ↪ 20W E27  |
| 00-00-410 | 74 H      | All finishes | ↑ 360mm base Ø 300mm        | ↪ 100W ↪ 25W E27 |



## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Die cast alouminium lantern heads
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART       | COLOUR       | DIMENSIONS                     | WATTAGE             |
|-----------|-----------|--------------|--------------------------------|---------------------|
| 00-01-016 | K43/2.00m | All finishes | Ø 60mm ↑ 2.00m base Ø 150mm    |                     |
| 00-00-583 | 43/2F-25  | All finishes | ↔ 680mm ↑ 430mm globes Ø 250mm | ↳ 2x60W ↙ 2x20W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) globes with die-cast aluminium bases and head
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I





| CODE              | ART          | COLOUR          | DIMENSIONS                  | WATTAGE      |
|-------------------|--------------|-----------------|-----------------------------|--------------|
| 00-00-542         | K44 Ø 60mm   | All finishes    | Ø 60mm ↑ 2.15m base Ø 240mm | 100W 40W E27 |
| 00-00-608/621/622 | base Ø 400mm | BK/WH/GR        | Ø 60mm ↑ 2.15m base Ø 185mm | 100W 40W E27 |
| 00-00-617         | 65           | Opal globe      | Ø 400mm                     | 100W 40W E27 |
| 00-00-627         | 65           | Smoked globe    | Ø 400mm                     | 100W 40W E27 |
| 00-00-206         | 65           | Clear globe     | Ø 400mm                     | 100W 40W E27 |
| 00-00-968         |              | Clear LCS globe | Ø 400mm                     | 100W 40W E27 |
| 13-00-1564        |              | Opal Ura        | Ø 380mm                     | 100W 40W E27 |
| 13-00-1959        |              | Smoked Ura      | Ø 380mm                     | 100W 40W E27 |
| 13-00-1563        |              | Clear Ura       | Ø 380mm                     | 100W 40W E27 |
| 13-00-1934        |              | Clear LCS Ura   | Ø 380mm                     | 100W 40W E27 |
| 13-00-1253        |              | Opal Dado       | Ø 423mm                     | 100W 40W E27 |
| 13-00-1886        |              | Smoked Dado     | Ø 423mm                     | 100W 40W E27 |
| 13-00-1887        |              | Clear Dado      | Ø 423mm                     | 100W 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and aluminium pole
- > Acrylic (PMMA) shapes with plastic base
- > UV resistant materials
- > With porcelain lampholder and complete with wiring
- > Available in all finishes upon request
- > IP65 ◆ ◇ ◇ ◇
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART                     | COLOUR          | DIMENSIONS                  | WATTAGE      |
|------------|-------------------------|-----------------|-----------------------------|--------------|
| 00-00-542  | K44 Ø 60mm              | All finishes    | Ø 60mm ↑ 2.15m base Ø 240mm |              |
| 00-00-582  | base Ø 400mm with clamp | All finishes    | Ø 60mm ↑ 2.87m base Ø 185mm | 100W 40W E27 |
| 00-00-617  | 65                      | Opal globe      | Ø 400mm                     | 100W 40W E27 |
| 00-00-627  | 65                      | Smoked globe    | Ø 400mm                     | 100W 40W E27 |
| 00-00-206  | 65                      | Clear globe     | Ø 400mm                     | 100W 40W E27 |
| 00-00-968  |                         | Clear LCS globe | Ø 400mm                     | 100W 40W E27 |
| 13-00-1564 |                         | Opal Ura        | Ø 380mm                     | 100W 40W E27 |
| 13-00-1959 |                         | Smoked Ura      | Ø 380mm                     | 100W 40W E27 |
| 13-00-1563 |                         | Clear Ura       | Ø 380mm                     | 100W 40W E27 |
| 13-00-1934 |                         | Clear LCS Ura   | Ø 380mm                     | 100W 40W E27 |
| 13-00-1253 |                         | Opal Dado       | Ø 423mm                     | 100W 40W E27 |
| 13-00-1886 |                         | Smoked Dado     | Ø 423mm                     | 100W 40W E27 |
| 13-00-1887 |                         | Clear Dado      | Ø 423mm                     | 100W 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and aluminium pole
- > Acrylic (PMMA) shapes with die-cast aluminium base with clamp
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP65 ◆ ◇ ◇
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART          | COLOUR          | DIMENSIONS                  | WATTAGE          |
|------------|--------------|-----------------|-----------------------------|------------------|
| 00-00-542  | K44 Ø 60     | All finishes    | Ø 60mm ↑ 2.15m base Ø 240mm |                  |
| 13-00-1520 | base Ø 400mm | All finishes    | Ø 190mm ↑ 83mm              | → 100W ← 40W E27 |
| 00-00-617  | 65           | Opal globe      | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-627  | 65           | Smoked globe    | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-206  | 65           | Clear globe     | Ø 400mm                     | → 100W ← 40W E27 |
| 00-00-968  |              | Clear LCS globe | Ø 400mm                     | → 100W ← 40W E27 |
| 13-00-1564 |              | Opal Ura        | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1959 |              | Smoked Ura      | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1563 |              | Clear Ura       | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1934 |              | Clear LCS Ura   | Ø 380mm                     | → 100W ← 40W E27 |
| 13-00-1253 |              | Opal Dado       | Ø 423mm                     | → 100W ← 40W E27 |
| 13-00-1886 |              | Smoked Dado     | Ø 423mm                     | → 100W ← 40W E27 |
| 13-00-1887 |              | Clear Dado      | Ø 423mm                     | → 100W ← 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) shapes with die cast alouminium base
- > UV resistant materials
- > With porcelain lampholder and complete with wiring
- > Available in all colour finishes upon request
- > IP65 ♦ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART      | COLOUR       | DIMENSIONS                  | WATTAGE          |
|-----------|----------|--------------|-----------------------------|------------------|
| 00-00-542 | K44/Ø 60 | All finishes | Ø 60mm † 2.15m base Ø 240mm |                  |
| 00-00-534 | 68 H     | All finishes | † 275mm base Ø 260mm        | ↳ 75W ↙ 20W E27  |
| 00-00-410 | 74 H     | All finishes | † 360mm base Ø 300mm        | ↳ 100W ↙ 20W E27 |



## PRODUCT FEATURES

- > Die-cast aluminium base
- > Acrylic (PMMA) globe with die-cast aluminium base
- > UV resistant material
- > With porcelain lampholder and complete with wiring
- > Available in all finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I



Art. 43/72-2



Art. 43/68-2

## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Die-cast aluminium head and lanterns
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP44
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART      | COLOUR       | DIMENSIONS                  | WATTAGE             |
|-----------|----------|--------------|-----------------------------|---------------------|
| 00-00-542 | K44/Ø 60 | All finishes | Ø 60mm ↑ 2.15m base Ø 240mm |                     |
| 00-00-588 | 43/72-2  | All finishes | ↔ 640mm ↑ 440mm             | ↳ 2x75W ↲ 2x20W E27 |
| 00-00-589 | 43/68-2  | All finishes | ↔ 620mm ↑ 440mm             | ↳ 2x75W ↲ 2x20W E27 |



| CODE      | ART      | COLOUR       | DIMENSIONS                     | WATTAGE             |
|-----------|----------|--------------|--------------------------------|---------------------|
| 00-00-542 | K44/Ø 60 | All finishes | Ø 60mm ↑ 2.15m base Ø 240mm    |                     |
| 00-00-583 | 43/2F-25 | All finishes | ↔ 680mm ↑ 430mm globes Ø 250mm | ↳ 2x60W ⇡ 2x20W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) globes with die-cast aluminium bases and head
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP44 ⚛
- > 220 - 240V / 50-60Hz
- > Class I



| CODE              | ART          | COLOUR          | DIMENSIONS                 | WATTAGE          |
|-------------------|--------------|-----------------|----------------------------|------------------|
| 00-00-544         | K46/Ø 60mm   | All finishes    | Ø 60mm ↑ 2.5m base Ø 320mm | → 100W ← 40W E27 |
| 00-00-608/621/622 | base Ø 400mm | BK/WH/GR        | Ø 185mm                    | → 100W ← 40W E27 |
| 00-00-617         | 65           | Opal globe      | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-627         | 65           | Smoked globe    | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-206         | 65           | Clear globe     | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-968         |              | Clear LCS globe | Ø 400mm                    | → 100W ← 40W E27 |
| 13-00-1564        |              | Opal Ura        | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1959        |              | Smoked Ura      | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1563        |              | Clear Ura       | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1934        |              | Clear LCS Ura   | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1253        |              | Opal Dado       | Ø 423mm                    | → 100W ← 40W E27 |
| 13-00-1886        |              | Smoked Dado     | Ø 423mm                    | → 100W ← 40W E27 |
| 13-00-1887        |              | Clear Dado      | Ø 423mm                    | → 100W ← 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and aluminium pole
- > Acrylic (PMMA) shapes with plastic base
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request.
- > IP65 ◆ ◇ ◇
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART                     | COLOUR          | DIMENSIONS                 | WATTAGE          |
|------------|-------------------------|-----------------|----------------------------|------------------|
| 00-00-544  | K46/Ø 60mm              | All finishes    | Ø 60mm ↑ 2.5m base Ø 320mm | → 100W ← 40W E27 |
| 00-00-582  | base Ø 400mm with clamp | All finishes    | Ø 185mm                    | → 100W ← 40W E27 |
| 00-00-617  | 65                      | Opal globe      | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-627  | 65                      | Smoked globe    | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-206  | 65                      | Clear globe     | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-968  |                         | Clear LCS globe | Ø 400mm                    | → 100W ← 40W E27 |
| 13-00-1564 |                         | Opal Ura        | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1959 |                         | Smoked Ura      | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1563 |                         | Clear Ura       | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1934 |                         | Clear LCS Ura   | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1253 |                         | Opal Dado       | Ø 423mm                    | → 100W ← 40W E27 |
| 13-00-1886 |                         | Smoked Dado     | Ø 423mm                    | → 100W ← 40W E27 |
| 13-00-1887 |                         | Clear Dado      | Ø 423mm                    | → 100W ← 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and aluminium pole
- > Acrylic (PMMA) shapes with die-cast aluminium base with clamp
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP65 ♦ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART          | COLOUR          | DIMENSIONS                 | WATTAGE          |
|------------|--------------|-----------------|----------------------------|------------------|
| 00-00-544  | K46/Ø 60mm   | All finishes    | Ø 60mm ↑ 2.5m base Ø 320mm | → 100W ← 40W E27 |
| 13-00-1520 | base Ø 400mm | All finishes    | Ø 190mm ↑ 83mm             | → 100W ← 40W E27 |
| 00-00-617  | 65           | Opal globe      | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-627  | 65           | Smoked globe    | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-206  | 65           | Clear globe     | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-968  |              | Clear LCS globe | Ø 400mm                    | → 100W ← 40W E27 |
| 13-00-1564 |              | Opal Ura        | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1959 |              | Smoked Ura      | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1563 |              | Clear Ura       | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1934 |              | Clear LCS Ura   | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1253 |              | Opal Dado       | Ø 423mm                    | → 100W ← 40W E27 |
| 13-00-1886 |              | Smoked Dado     | Ø 423mm                    | → 100W ← 40W E27 |
| 13-00-1887 |              | Clear Dado      | Ø 423mm                    | → 100W ← 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) shapes with die-cast alouminium
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP65 ☑ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART        | COLOUR       | DIMENSIONS                 | WATTAGE          |
|-----------|------------|--------------|----------------------------|------------------|
| 00-00-544 | K46/Ø 60mm | All finishes | Ø 60mm ↑ 2.5m base Ø 320mm |                  |
| 00-00-534 | 68 H       | All finishes | ↑ 275mm Ø 260mm            | → 75W ← 40W E27  |
| 00-00-410 | 74 H       | All finishes | ↑ 360mm Ø 300mm            | → 100W ← 40W E27 |



## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Die cast alouminium lantern heads
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I



Art. 43/72-2




Art. 43/68-2

## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Die-cast aluminium head and lanterns
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all finishes upon request
- > IP44
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART        | COLOUR       | DIMENSIONS                 | WATTAGE             |
|-----------|------------|--------------|----------------------------|---------------------|
| 00-00-544 | K46/Ø 60mm | All finishes | Ø 60mm ↑ 2.5m base Ø 320mm |                     |
| 00-00-588 | 43/72-2    | All finishes | ↔ 640mm ↑ 440mm            | ↳ 2x75W ↙ 2x20W E27 |
| 00-00-589 | 43/68-2    | All finishes | ↔ 620mm ↑ 440mm            | ↳ 2x75W ↙ 2x20W E27 |



| CODE      | ART        | COLOUR       | DIMENSIONS                     | WATTAGE             |
|-----------|------------|--------------|--------------------------------|---------------------|
| 00-00-544 | K46/Ø 60mm | All finishes | Ø 60mm ↑ 2.5m base Ø 320mm     |                     |
| 00-00-583 | 43/2F-25   | All finishes | ↔ 680mm ↑ 430mm globes Ø 250mm | ↳ 2x60W ↔ 2x20W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) globes with die-cast aluminium bases and head
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE              | ART          | COLOUR          | DIMENSIONS                 | WATTAGE          |
|-------------------|--------------|-----------------|----------------------------|------------------|
| 00-00-546         | K47/Ø 60mm   | All finishes    | Ø 60mm ↑ 2.5m base Ø 260mm | → 100W ← 40W E27 |
| 00-00-608/621/622 | base Ø 400mm | BK/WH/GR        | Ø 185mm                    | → 100W ← 40W E27 |
| 00-00-617         | 65           | Opal globe      | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-627         | 65           | Smoked globe    | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-206         | 65           | Clear globe     | Ø 400mm                    | → 100W ← 40W E27 |
| 00-00-968         |              | Clear LCS globe | Ø 400mm                    | → 100W ← 40W E27 |
| 13-00-1564        |              | Opal Ura        | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1959        |              | Smoked Ura      | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1563        |              | Clear Ura       | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1934        |              | Clear LCS Ura   | Ø 380mm                    | → 100W ← 40W E27 |
| 13-00-1253        |              | Opal Dado       | Ø 423mm                    | → 100W ← 40W E27 |
| 13-00-1886        |              | Smoked Dado     | Ø 423mm                    | → 100W ← 40W E27 |
| 13-00-1887        |              | Clear Dado      | Ø 423mm                    | → 100W ← 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and aluminium pole
- > Acrylic (PMMA) shapes with plastic base
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP65 ☑ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART                     | COLOUR          | DIMENSIONS                | WATTAGE          |
|------------|-------------------------|-----------------|---------------------------|------------------|
| 00-00-546  | K47/Ø 60mm              | All finishes    | Ø 60mm ↑2.5m base Ø 260mm | → 100W ← 40W E27 |
| 00-00-582  | base Ø 400mm with clamp | All finishes    | Ø 185mm                   | → 100W ← 40W E27 |
| 00-00-617  | 65                      | Opal globe      | Ø 400mm                   | → 100W ← 40W E27 |
| 00-00-627  | 65                      | Smoked globe    | Ø 400mm                   | → 100W ← 40W E27 |
| 00-00-206  | 65                      | Clear globe     | Ø 400mm                   | → 100W ← 40W E27 |
| 00-00-968  |                         | Clear LCS globe | Ø 400mm                   | → 100W ← 40W E27 |
| 13-00-1564 |                         | Opal Ura        | Ø 380mm                   | → 100W ← 40W E27 |
| 13-00-1959 |                         | Smoked Ura      | Ø 380mm                   | → 100W ← 40W E27 |
| 13-00-1563 |                         | Clear Ura       | Ø 380mm                   | → 100W ← 40W E27 |
| 13-00-1934 |                         | Clear LCS Ura   | Ø 380mm                   | → 100W ← 40W E27 |
| 13-00-1253 |                         | Opal Dado       | Ø 423mm                   | → 100W ← 40W E27 |
| 13-00-1886 |                         | Smoked Dado     | Ø 423mm                   | → 100W ← 40W E27 |
| 13-00-1887 |                         | Clear Dado      | Ø 423mm                   | → 100W ← 40W E27 |

## PRODUCT FEATURES


- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) shapes with die-cast aluminium base with clamp
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP65 ◊ △ △
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART          | COLOUR          | DIMENSIONS                 | WATTAGE          |
|------------|--------------|-----------------|----------------------------|------------------|
| 00-00-546  | K47/Ø 60mm   | All finishes    | Ø 60mm ↑ 2.5m base Ø 260mm | ↳ 100W ↘ 20W E27 |
| 13-00-1520 | base Ø 400mm | All finishes    | Ø 190mm ↑ 83mm             | ↳ 100W ↘ 40W E27 |
| 00-00-617  | 65           | Opal globe      | Ø 400mm                    | ↳ 100W ↘ 40W E27 |
| 00-00-627  | 65           | Smoked globe    | Ø 400mm                    | ↳ 100W ↘ 40W E27 |
| 00-00-206  | 65           | Clear globe     | Ø 400mm                    | ↳ 100W ↘ 40W E27 |
| 00-00-968  |              | Clear LCS globe | Ø 400mm                    | ↳ 100W ↘ 40W E27 |
| 13-00-1564 |              | Opal Ura        | Ø 380mm                    | ↳ 100W ↘ 40W E27 |
| 13-00-1959 |              | Smoked Ura      | Ø 380mm                    | ↳ 100W ↘ 40W E27 |
| 13-00-1563 |              | Clear Ura       | Ø 380mm                    | ↳ 100W ↘ 40W E27 |
| 13-00-1934 |              | Clear LCS Ura   | Ø 380mm                    | ↳ 100W ↘ 40W E27 |
| 13-00-1253 |              | Opal Dado       | Ø 423mm                    | ↳ 100W ↘ 40W E27 |
| 13-00-1886 |              | Smoked Dado     | Ø 423mm                    | ↳ 100W ↘ 40W E27 |
| 13-00-1887 |              | Clear Dado      | Ø 423mm                    | ↳ 100W ↘ 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base
- > Acrylic (PMMA) globe with die-cast aluminium base
- > UV resistant material
- > With porcelain lampholder and complete with wiring
- > Access door in the base
- > Available in all finishes upon request
- > IP65 ◊ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART        | COLOUR       | DIMENSIONS                 | WATTAGE          |
|-----------|------------|--------------|----------------------------|------------------|
| 00-00-546 | K47/Ø 60mm | All finishes | Ø 60mm † 2.5m base Ø 260mm |                  |
| 00-00-534 | 68 H       | All finishes | † 275mm Ø 260mm            | ↳ 75W ↙ 20W E27  |
| 00-00-410 | 74 H       | All finishes | † 360mm Ø 300mm            | ↳ 100W ↙ 20W E27 |



#### PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Die cast alouminium lantern heads
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP 43
- > 220 - 240V / 50-60Hz
- > Class I



## PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Die-cast aluminium head and lanterns
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all finishes upon request
- > IP44
- > 220 - 240V / 50-60Hz
- > Class I

Art. 43/72-2

Art. 43/68-2



| CODE      | ART        | COLOUR       | DIMENSIONS                 | WATTAGE             |
|-----------|------------|--------------|----------------------------|---------------------|
| 00-00-546 | K47/Ø 60mm | All finishes | Ø 60mm ↑ 2.5m base Ø 260mm |                     |
| 00-00-588 | 43/72-2    | All finishes | ↔ 640mm ↑ 440mm            | ↔ 2x75W ↔ 2x20W E27 |
| 00-00-589 | 43/68-2    | All finishes | ↔ 620mm ↑ 440mm            | ↔ 2x75W ↔ 2x20W E27 |



| CODE      | ART        | COLOUR       | DIMENSIONS                     | WATTAGE             |
|-----------|------------|--------------|--------------------------------|---------------------|
| 00-00-546 | K47/Ø 60mm | All finishes | Ø 60mm ↑ 2.5m base Ø 260mm     |                     |
| 00-00-583 | 43/2F-25   | All finishes | ↔ 680mm ↑ 430mm globes Ø 250mm | ↳ 2x60W ↲ 2x20W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium base and alouminium pole
- > Acrylic (PMMA) globes with die-cast aluminium bases and head
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART                  | COLOUR          | DIMENSIONS                        | WATTAGE          |
|------------|----------------------|-----------------|-----------------------------------|------------------|
| 00-00-543  | K44/Ø 75mm           | All finishes    | pole Ø 750mm base Ø 240mm ↑ 2.15m | → 100W ← 40W E27 |
| 00-00-593  | Connective accessory | All finishes    | pole Ø 750mm base Ø 110mm ↑ 2.15m | → 100W ← 40W E27 |
| 13-00-1225 | base Ø 400mm         | All finishes    | Ø 185mm                           | → 100W ← 40W E27 |
| 00-00-617  | 65                   | Opal globe      | Ø 400mm                           | → 100W ← 40W E27 |
| 00-00-627  | 65                   | Smoked globe    | Ø 400mm                           | → 100W ← 40W E27 |
| 00-00-206  | 65                   | Clear globe     | Ø 400mm                           | → 100W ← 40W E27 |
| 00-00-968  |                      | Clear LCS globe | Ø 400mm                           | → 100W ← 40W E27 |
| 13-00-1564 |                      | Opal Ura        | Ø 380mm                           | → 100W ← 40W E27 |
| 13-00-1959 |                      | Smoked Ura      | Ø 380mm                           | → 100W ← 40W E27 |
| 13-00-1563 |                      | Clear Ura       | Ø 380mm                           | → 100W ← 40W E27 |
| 13-00-1934 |                      | Clear LCS Ura   | Ø 380mm                           | → 100W ← 40W E27 |
| 13-00-1253 |                      | Opal Dado       | Ø 423mm                           | → 100W ← 40W E27 |
| 13-00-1886 |                      | Smoked Dado     | Ø 423mm                           | → 100W ← 40W E27 |
| 13-00-1887 |                      | Clear Dado      | Ø 423mm                           | → 100W ← 40W E27 |

## PRODUCT FEATURES


- > Die-cast aluminium base and stripped aluminium pole
- > Acrylic (PMMA) shape with die-cast aluminium base
- > Polyester powder coating, UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP65 ◆ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                        | WATTAGE             |
|-----------|--------------|--------------|-----------------------------------|---------------------|
| 00-00-543 | K44/Ø 75mm   | All finishes | pole Ø 750mm base Ø 240mm ↑ 2.15m |                     |
| 00-00-444 | 44/2Ø -25    | All finishes | ↔ 930mm ↑ 410mm                   | ↳ 2x60W ↲ 2x20W E27 |
| 00-00-454 | 44/2Ø -30    | All finishes | ↔ 990mm ↑ 470mm                   | ↳ 2x75W ↲ 2x30W E27 |
| 00-00-595 | 44/2 URA -30 | All finishes | ↔ 990mm ↑ 470mm                   | ↳ 2x75W ↲ 2x30W E27 |

## PRODUCT FEATURES


- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP44 △
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                      | WATTAGE             |
|-----------|--------------|--------------|---------------------------------|---------------------|
| 00-00-543 | K44/Ø 75mm   | All finishes | pole Ø 75mm base Ø 240mm ↑2.15m |                     |
| 00-00-445 | 44/3Ø -25    | All finishes | ↔ 930mm ↑500mm                  | ↪ 3x60W ↘ 3x20W E27 |
| 00-00-450 | 44/3Ø -30    | All finishes | ↔ 990mm ↑550mm                  | ↪ 3x75W ↘ 3x30W E27 |
| 00-00-596 | 44/3 URA -30 | All finishes | ↔ 990mm ↑550mm                  | ↪ 3x75W ↘ 3x30W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                       | WATTAGE             |
|-----------|--------------|--------------|----------------------------------|---------------------|
| 00-00-543 | K44/Ø 75mm   | All finishes | pole Ø 750mm base Ø 240mm ↑2.15m |                     |
| 00-00-597 | 45/3Φ -25    | All finishes | ↔ 830mm ↑ 410mm                  | ↪ 3x60W ↙ 3x20W E27 |
| 00-00-598 | 45/3Φ -30    | All finishes | ↔ 910mm ↑ 470mm                  | ↪ 3x75W ↙ 3x30W E27 |
| 00-00-599 | 45/3 URA -30 | All finishes | ↔ 910mm ↑ 470mm                  | ↪ 3x75W ↙ 3x30W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP44 ⚡
- > 220 - 240V / 50-60Hz
- > Class I



Art. 44/68-2



Art. 44/68-3



Art. 45/68-3



| CODE      | ART        | COLOUR       | DIMENSIONS                        | WATTAGE              |
|-----------|------------|--------------|-----------------------------------|----------------------|
| 00-00-543 | K44/Ø 75mm | All finishes | pole Ø 750mm base Ø 240mm ↑ 2.15m |                      |
| 00-00-446 | 44/68-2    | All finishes | ↔ 850mm ↑ 430mm                   | ↳ 2x100W ↙ 2x20W E27 |
| 00-00-447 | 44/68-3    | All finishes | ↔ 850mm ↑ 500mm                   | ↳ 3x100W ↙ 3x20W E27 |
| 00-00-600 | 45/68-3    | All finishes | ↔ 790mm ↑ 500mm                   | ↳ 3x100W ↙ 3x20W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and stripped aluminium pole
- > Die-cast aluminium head with lanterns
- > Polyester powder coating, UV resistant
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



Art. 44/74-2



Art. 44/74-3



Art. 45/74-3



| CODE      | ART        | COLOUR       | DIMENSIONS                        | WATTAGE              |
|-----------|------------|--------------|-----------------------------------|----------------------|
| 00-00-543 | K44/Ø 75mm | All finishes | pole Ø 750mm base Ø 240mm ↑ 2.15m |                      |
| 00-00-359 | 44/74-2    | All finishes | ↔ 900mm ↑ 510mm                   | ↳ 2x100W ↳ 2x23W E27 |
| 00-00-360 | 44/74-3    | All finishes | ↔ 900mm ↑ 580mm                   | ↳ 3x100W ↳ 3x23W E27 |
| 00-00-642 | 45/74-3    | All finishes | ↔ 910mm ↑ 580mm                   | ↳ 3x100W ↳ 3x23W E27 |

## PRODUCT FEATURES


- > Die-cast aluminium base and stripped aluminium pole
- > Die-cast aluminium head with lanterns
- > Polyester powder coating, UV resistant
- > With porcelain lampholder
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART                  | COLOUR          | DIMENSIONS                        | WATTAGE      |
|------------|----------------------|-----------------|-----------------------------------|--------------|
| 00-00-545  | K46/Ø 75mm           | All finishes    | pole Ø 750mm base Ø 320mm ↑ 2.50m | 100W 40W E27 |
| 00-00-593  | Connective accessory | All finishes    | pole Ø 750mm base Ø 110mm ↑ 2.15m | 100W 40W E27 |
| 13-00-1225 | base Ø 400mm         | All finishes    | Ø 185mm                           | 100W 40W E27 |
| 00-00-617  | 65                   | Opal globe      | Ø 400mm                           | 100W 40W E27 |
| 00-00-627  | 65                   | Smoked globe    | Ø 400mm                           | 100W 40W E27 |
| 00-00-206  | 65                   | Clear globe     | Ø 400mm                           | 100W 40W E27 |
| 00-00-968  |                      | Clear LCS globe | Ø 400mm                           | 100W 40W E27 |
| 13-00-1564 |                      | Opal Ura        | Ø 380mm                           | 100W 40W E27 |
| 13-00-1959 |                      | Smoked Ura      | Ø 380mm                           | 100W 40W E27 |
| 13-00-1563 |                      | Clear Ura       | Ø 380mm                           | 100W 40W E27 |
| 13-00-1934 |                      | Clear LCS Ura   | Ø 380mm                           | 100W 40W E27 |
| 13-00-1253 |                      | Opal Dado       | Ø 423mm                           | 100W 40W E27 |
| 13-00-1886 |                      | Smoked Dado     | Ø 423mm                           | 100W 40W E27 |
| 13-00-1887 |                      | Clear Dado      | Ø 423mm                           | 100W 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and stripped aluminium pole
- > Acrylic (PMMA) shape with die-cast aluminium base
- > Polyester powder coating, UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP65 ◊ ▲ ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                        | WATTAGE             |
|-----------|--------------|--------------|-----------------------------------|---------------------|
| 00-00-545 | K46/Ø 75mm   | All finishes | pole Ø 750mm base Ø 320mm ↑ 2.50m |                     |
| 00-00-444 | 44/2Φ -25    | All finishes | ↔ 930mm ↑ 410mm                   | ↳ 2x60W ↙ 2x20W E27 |
| 00-00-454 | 44/2Φ -30    | All finishes | ↔ 990mm ↑ 470mm                   | ↳ 2x75W ↙ 2x30W E27 |
| 00-00-595 | 44/2 URA -30 | All finishes | ↔ 990mm ↑ 470mm                   | ↳ 2x75W ↙ 2x30W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                       | WATTAGE             |
|-----------|--------------|--------------|----------------------------------|---------------------|
| 00-00-545 | K46/Ø 75mm   | All finishes | pole Ø 75mm base Ø 320mm ↑ 2.50m |                     |
| 00-00-445 | 44/3Φ -25    | All finishes | ↔ 930mm ↑ 500mm                  | ↳ 3x60W ↙ 3x20W E27 |
| 00-00-450 | 44/3Φ -30    | All finishes | ↔ 990mm ↑ 550mm                  | ↳ 3x75W ↙ 3x30W E27 |
| 00-00-596 | 44/3 URA -30 | All finishes | ↔ 990mm ↑ 550mm                  | ↳ 3x75W ↙ 3x30W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                        | WATTAGE             |
|-----------|--------------|--------------|-----------------------------------|---------------------|
| 00-00-545 | K46/Ø 75mm   | All finishes | pole Ø 750mm base Ø 320mm ↑ 2.50m |                     |
| 00-00-597 | 45/3Ø -25    | All finishes | ↔ 830mm ↑ 410mm                   | ↳ 3x60W ↙ 3x20W E27 |
| 00-00-598 | 45/3Ø -30    | All finishes | ↔ 910mm ↑ 470mm                   | ↳ 3x75W ↙ 3x30W E27 |
| 00-00-599 | 45/3 URA -30 | All finishes | ↔ 910mm ↑ 470mm                   | ↳ 3x75W ↙ 3x30W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



Art. 44/68-2



Art. 44/68-3



Art. 45/68-3



| CODE      | ART        | COLOUR       | DIMENSIONS                        | WATTAGE              |
|-----------|------------|--------------|-----------------------------------|----------------------|
| 00-00-545 | K46/Ø 75mm | All finishes | pole Ø 750mm base Ø 320mm ↑ 2.50m |                      |
| 00-00-446 | 44/68-2    | All finishes | ↔ 850mm ↑ 430mm                   | ↳ 2x100W ↲ 2x20W E27 |
| 00-00-447 | 44/68-3    | All finishes | ↔ 850mm ↑ 500mm                   | ↳ 3x100W ↲ 3x20W E27 |
| 00-00-600 | 45/68-3    | All finishes | ↔ 790mm ↑ 500mm                   | ↳ 3x100W ↲ 3x20W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and stripped aluminium pole
- > Die-cast aluminium head with lanterns
- > Polyester powder coating, UV resistant
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



Art. 44/74-2



Art. 44/74-3



Art. 45/74-3



| CODE      | ART        | COLOUR       | DIMENSIONS                       | WATTAGE              |
|-----------|------------|--------------|----------------------------------|----------------------|
| 00-00-545 | K46/Ø 75mm | All finishes | pole Ø 75mm base Ø 320mm ↑ 2.50m |                      |
| 00-00-359 | 44/74-2    | All finishes | ↔ 900mm ↑ 510mm                  | ↳ 2x100W ↳ 2x23W E27 |
| 00-00-360 | 44/74-3    | All finishes | ↔ 900mm ↑ 580mm                  | ↳ 3x100W ↳ 3x23W E27 |
| 00-00-642 | 45/74-3    | All finishes | ↔ 900mm ↑ 580mm                  | ↳ 3x100W ↳ 3x23W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and stripped aluminium pole
- > Die-cast aluminium head with lanterns
- > Polyester powder coating, UV resistant
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE       | ART                  | COLOUR          | DIMENSIONS                        | WATTAGE          |
|------------|----------------------|-----------------|-----------------------------------|------------------|
| 00-00-969  | K47/Ø 75mm           | All finishes    | pole Ø 750mm base Ø 260mm ↑ 2.50m | ↳ 100W ↳ 40W E27 |
| 00-00-593  | Connective accessory | All finishes    | pole Ø 750mm base Ø 110mm ↑ 2.15m | ↳ 100W ↳ 40W E27 |
| 13-00-1225 | base Ø 400mm         | All finishes    | Ø 185mm                           | ↳ 100W ↳ 40W E27 |
| 00-00-617  | 65                   | Opal globe      | Ø 400mm                           | ↳ 100W ↳ 40W E27 |
| 00-00-627  | 65                   | Smoked globe    | Ø 400mm                           | ↳ 100W ↳ 40W E27 |
| 00-00-206  | 65                   | Clear globe     | Ø 400mm                           | ↳ 100W ↳ 40W E27 |
| 00-00-968  |                      | Clear LCS globe | Ø 400mm                           | ↳ 100W ↳ 40W E27 |
| 13-00-1564 |                      | Opal Ura        | Ø 380mm                           | ↳ 100W ↳ 40W E27 |
| 13-00-1959 |                      | Smoked Ura      | Ø 380mm                           | ↳ 100W ↳ 40W E27 |
| 13-00-1563 |                      | Clear Ura       | Ø 380mm                           | ↳ 100W ↳ 40W E27 |
| 13-00-1934 |                      | Clear LCS Ura   | Ø 380mm                           | ↳ 100W ↳ 40W E27 |
| 13-00-1253 |                      | Opal Dado       | Ø 423mm                           | ↳ 100W ↳ 40W E27 |
| 13-00-1886 |                      | Smoked Dado     | Ø 423mm                           | ↳ 100W ↳ 40W E27 |
| 13-00-1887 |                      | Clear Dado      | Ø 423mm                           | ↳ 100W ↳ 40W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and stripped aluminium pole
- > Acrylic (PMMA) shape with die-cast aluminium base
- > Polyester powder coating, UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                        | WATTAGE             |
|-----------|--------------|--------------|-----------------------------------|---------------------|
| 00-00-969 | K47/Ø 75mm   | All finishes | pole Ø 750mm base Ø 260mm ↑ 2.50m |                     |
| 00-00-444 | 44/2Ø -25    | All finishes | ↔ 930mm ↑ 410mm                   | ↳ 2x60W ↙ 2x20W E27 |
| 00-00-454 | 44/2Ø -30    | All finishes | ↔ 990mm ↑ 470mm                   | ↳ 2x75W ↙ 2x30W E27 |
| 00-00-595 | 44/2 URA -30 | All finishes | ↔ 990mm ↑ 470mm                   | ↳ 2x75W ↙ 2x30W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                        | WATTAGE             |
|-----------|--------------|--------------|-----------------------------------|---------------------|
| 00-00-969 | K47/Ø 75mm   | All finishes | pole Ø 750mm base Ø 260mm ↑ 2.50m |                     |
| 00-00-445 | 44/3Φ -25    | All finishes | ↔ 930mm ↑ 500mm                   | ↳ 3x60W ↳ 3x20W E27 |
| 00-00-450 | 44/3Φ -30    | All finishes | ↔ 990mm ↑ 550mm                   | ↳ 3x75W ↳ 3x30W E27 |
| 00-00-596 | 44/3 URA -30 | All finishes | ↔ 990mm ↑ 550mm                   | ↳ 3x75W ↳ 3x30W E27 |

#### PRODUCT FEATURES


- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



| CODE      | ART          | COLOUR       | DIMENSIONS                        | WATTAGE             |
|-----------|--------------|--------------|-----------------------------------|---------------------|
| 00-00-969 | K47/Ø75mm    | All finishes | pole Ø 750mm base Ø 260mm ↑ 2.50m |                     |
| 00-00-597 | 45/3Ø -25    | All finishes | ↔ 830mm ↑ 410mm                   | ↳ 3x60W ↲ 3x20W E27 |
| 00-00-598 | 45/3Ø -30    | All finishes | ↔ 910mm ↑ 470mm                   | ↳ 3x75W ↲ 3x30W E27 |
| 00-00-599 | 45/3 URA -30 | All finishes | ↔ 910mm ↑ 470mm                   | ↳ 3x75W ↲ 3x30W E27 |

#### PRODUCT FEATURES

- > Die-cast aluminium head and stripped aluminium pole
- > Die-cast aluminium head and shapes with die-cast aluminium base
- > UV resistant materials
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



Art. 44/68-2



Art. 44/68-3




Art. 45/68-3



| CODE      | ART        | COLOUR       | DIMENSIONS                        | WATTAGE              |
|-----------|------------|--------------|-----------------------------------|----------------------|
| 00-00-969 | K47/Ø 75mm | All finishes | pole Ø 750mm base Ø 260mm ↑ 2.50m |                      |
| 00-00-446 | 44/68-2    | All finishes | ↔ 850mm ↑ 430mm                   | ↳ 2x100W ↳ 2x20W E27 |
| 00-00-447 | 44/68-3    | All finishes | ↔ 850mm ↑ 500mm                   | ↳ 3x100W ↳ 3x20W E27 |
| 00-00-600 | 45/68-3    | All finishes | ↔ 790mm ↑ 500mm                   | ↳ 3x100W ↳ 3x20W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and stripped aluminium pole
- > Die-cast aluminium head with lanterns
- > Polyester powder coating, UV resistant
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I



Art. 44/74-2



Art. 44/74-3



Art. 45/74-3



| CODE      | ART        | COLOUR       | DIMENSIONS                        | WATTAGE              |
|-----------|------------|--------------|-----------------------------------|----------------------|
| 00-00-969 | K47/Ø 75mm | All finishes | pole Ø 750mm base Ø 260mm ↑ 2.50m |                      |
| 00-00-359 | 44/74-2    | All finishes | ↔ 900mm ↑ 510mm                   | ↳ 2x100W ↳ 2x23W E27 |
| 00-00-360 | 44/74-3    | All finishes | ↔ 900mm ↑ 580mm                   | ↳ 3x100W ↳ 3x23W E27 |
| 00-00-642 | 45/74-3    | All finishes | ↔ 910mm ↑ 580mm                   | ↳ 3x100W ↳ 3x23W E27 |

## PRODUCT FEATURES

- > Die-cast aluminium base and stripped aluminium pole
- > Die-cast aluminium head with lanterns
- > Polyester powder coating, UV resistant
- > With porcelain lampholder
- > Access door in the base
- > Available in all colour finishes upon request
- > IP44 ▲
- > 220 - 240V / 50-60Hz
- > Class I

# ACCESSORIES



Lampholders / Ντουί



Thermoplastic gaskets  
Θερμοπλαστικοί σωλήνες (φλάτζες)



Decorative brass screw /  
Ορειχάλκινο διακοσμητικό βίδας



Glasses / Γυαλιά

**NOTES:** - Products are delivered without lamps.

- The company reserves the right to change or abolish product models without any prior notice.

**ΣΗΜΕΙΩΣΕΙΣ:** - Τα φωτιστικά παραδίδονται χωρίς λαμπτήρες.

- Επιστροφές γίνονται δεκτές εντός 20 ημερών & μόνον κατόπιν συνεννοήσεως.
- Το εργοστάσιο κρατά το δικαίωμα μετατροπής ή κατάργησης των προϊόντων του.
- **Τηλέφωνο Παραγγελιών: 210 9733176 - Fax.: 210 9751360**

# NB LIGHTING

ΑΦΟΙ ΝΙΚΟΛΟΠΟΥΛΟΙ Ο.Ε.

10 Lekanidi Str., (276 Vouliagmenis Av.) Ag. Dimitrios, 173 43, Athens, Greece  
N. Λεκανίδη 10, 17343, Αθήνα, Πλ. Παναγούλη, 173 43 Αγ. Δημήτριος, Αθήνα

**Factory:** 88 Kolokotroni Str., Argyroupolis, 164 51, Athens, Greece

**Εργοστάσιο:** Κολοκοτρώνη 88, 16 451, Αργυρούπολη, Αθήνα

Tel.: +30 210 9756291 / Fax.: +30 210 9751360

[www.nikolopoulos-lights.gr](http://www.nikolopoulos-lights.gr) / [info@nikolopoulos-lights.gr](mailto:info@nikolopoulos-lights.gr)

**f** NB Lighting - Outdoor Lighting Solutions